

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION



TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

H. P. McGINNIS ET AL

COAL OPERATOR OR COAL OWNER

NAME OF WELL OPERATOR

3308 Emerson Ave
P. O. Box 827 Parkersburg, West Va

ADDRESS

COMPLETE ADDRESS

April 15th. 1935

COAL OPERATOR OR COAL OWNER

PROPOSED LOCATION

ADDRESS

Clay District
Pike, Bonds Creek,
Ritchie County

J. F. Kelly
OWNER OF MINERAL RIGHTS

Well No. 1.

Pike, W. Va
ADDRESS

J. F. Kelly 6 acres Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated July 19th. 1934, made by J. F. Kelly to B. F. Gilmore, and recorded on the 20th day of July, 1934, in the office of the County Clerk for said County in

Book 62, page 398, Ritchie County, West Va.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

H. P. McGinnis et al
WELL OPERATOR

Address of Well Operator }

3308 Emerson Ave.
P O Box 827 STREET
PARKERSBURG, WEST VA
CITY OR TOWN

WEST VA.
STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

APR 17 1935

340

4-17-35 RIT-340 Closed
4-17-35 RIT-340 Closed
4-17-35 RIT-340 Closed

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 1

H. P. McGinnis et al Company of Parkersburg, West Va

Well No. 1 on the J. F. Kelly Farm

containing 6 acres. Location S 62 1/2 E, 241ft from D H Riggs Corner

S 12 1/4 E, 245 ft from Wince Hrs District, in Clay County, West Virginia

The surface of the above tract is owned in fee by J. F. Kelly,

of Pike, West Va address, and the mineral rights are owned by

J. F. Kelly of Pike, West Va

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. Ritchie No. 340 issued by the West Virginia Department of Mines, Oil and Gas Division April 27th, 1935. 193

Elevation of surface at top of well, is 785 ft. Spirit ~~level~~ ~~mark~~ ~~X~~

The number of feet of the different sized casings used in the well.

14 ft feet 16 in size. Wood conductor.

210 feet 10 size, csg. 937 feet 8 1/4 sized csg.

feet size, csg. feet sized csg.

feet size, csg. feet sized csg.

packer of size, set at

packer of size, set at

, in casing perforated at feet to feet.

, in casing perforated at feet to feet.

Coal was encountered at 480-484 feet, thick ness 4 ft inches, and at

Driller called this coal feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details) none

May 30th, 1935

Date.

Approved H. P. McGinnis et al, Owner.

By H P McGinnis (TITLE) Manager

MAY 31 1935

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

1

Parkerburg, West Va

H. P. McGinnis et al

J. F. Kelly

Well No. 1

5 1/2 mi. S. from D. H. Ringer Corner

Clay

8 1/2 mi. S. from Wince Hrs

J. F. Kelly

Pike, West Va

Pike, West Va

J. F. Kelly

Richie No. 340

April 27th 1935

is 785 ft.

14 ft

14 ft

937

10

210

4 ft

#80-1484

Driller called this coal

none

May 30th 1935

H. P. McGinnis et al

Manager

MAY 31 1935

RH-340

H. P. McGinnis et al

OIL OR GAS WELL J F Kelly No. 1
Permit No. Ritchie 340

Company

COMPLETION DATA SHEET

Box 827

Parkersburg, West Va Address

No. 2

No. 1

J F Kelly, 6 acres

FORMATION RECORD

WELL NO.

FARM

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Clay soil	red	soft	none	surface	25	25	25	
Sandstone	grey	soft	water		55	30	55	
Water sand	grey	medium soft	water	55	80	25	80	Hole full water
Red rock	red	medium		80	120	40	120	
Sand	grey	medium		120	130	10	130	
Red rock	red	soft		130	150	20	150	
Sandstone	grey	med		150	210	60	210	10 inch casing
Lime and slate shells								
mixed with red rock and sand				210	275	65	275	
Red Rock	red	soft		275	310	35	310	
Slate	blk	soft		310	325	15	325	
Sand	grey	med		325	345	20	345	
Slate and shells		med		345	405	60	405	
Lime	grey	med		405	445	40	445	
Slate and shells		med		445	480	35	480	
Coal?	blk	soft		480	484	4ft	484	driller says coal
Lime #3#	grey	med		484	520	36	520	
Sand	grey	med		520	535	15	535	
Red rock	red	soft		535	555	20	555	
Big red	red	soft		560	700	140	700	cavy
Lime, sandy grey		mixed		700	720	20	720	
Slate and shells		mixed		720	745	25	745	
Blk shale	blk	soft		745	750	5	750	
Pink rock	pink	soft		750	786	36	786	
Lime		med		786	810	24	810	
Slate	blkgrey	med		810	855	45	855	
Red rock	red	soft, cavy		855	870	15	870	
Sand	mixed	med		870	890	20	890	Dunkard
Slate	blk grey	med		890	895	5	895	
Sand	grey	med hard		895	935	40	935	Cow Run
White slate		hard		935	970	35	970	
8" casing at 937.								
Lime	grey	hard		970	985	15	985	
Slate	blk	med soft		985	1070	85	1070	
Sand	grey	med		1070	1110	40	1110	
Brown shale		soft		1110	1150	40	1150	
Slate and shells		med		1150	1195	45	1195	
Lime	grey	med		1195	1210	15	1210	
Slate	blk-mixed	med		1210	1235	25	1235	
Sand	grey	med hard		1235	1255	20	1255	gas smell at 1255
Blk shale break		soft		1255	1260	5	1260	
Sand, 2nd salt, grey med.				1260	1285	25	1285	
Slate	blk grey	med		1285	1498	213	1498	
Sand, 3rd salt		hard grey		1498	1530	32	1530	gas at
1500 to 1505, about 4,000 cu ft.								

shot

Well was not shot at _____ feet; well was shot at _____ feet.

Salt
 Fresh water at 55 to 80 ft _____ feet; fresh water at _____ feet.

producing hole.
 Well was dry small gas 8,000 cu ft.
 Date May 30-1935 Approved H P McGinnis et al Owner H P McGinnis

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

MAY 31 1935

Continuation well record J. F. Kelly 6 acre lease. Well No. 1 Bonds Creek, Pike, Clay Dist. Ritchie Co, west va. Permit No. 340 Ritchie.

Name	Color	Character	Oil, gas water,	Top Bottom,	Thick.	Total
Slate break	blk	soft		1530-1605	75	1605
Sand, Maxton,	hard,	rotten, poor,	gas 1615			
	About 4,000 cu ft gas.		1622,	1605-1645	40	1645
	Only one good 5 ft of Maxton sand where we got the gas.					
Limy sand,	hard, white,	Big Lime,	1645 to 1710		65	1710
	Sand and lime tested on 15 ft in with hydrochloric acid showed 65 per cent lime, 35 per cent sand, turning to hard white Big Lime at bottom. (Mountain Limestone)					
Sand (Keener-Big Injun)		hard, turning to limy sand,		1710-1730.	20 ft	1730
	one good screw of sand at 1725-to 1730 nothing in it.					
Sand Big Injun		hard, rather limey,		1730-1779	49ft	1779
Slate and shale break		soft, grey-blk		1779-1793	14ft	1793
Sand, Big Injun,		hard, grey, too dark,		1793 to 1822	29	1822
Sand, Big Injun,		hard, grey, rather limy,		1822 to 1845	23	1845
	sand smeled of oil at 1822 to 1830. Turned hard and limey at bottom. Could not wash out any oil.					
Slate and shale, black,				1845 to 1915.		
				1845 -1915	70ft	1915.

Steel line measurement to 1915. We drilled 70 ft below bottom of Injun sand and got no squaw sand, evidently sand below the break at 1793 might have been squaw sand. Well was drilled 65 feet lower on sea level than nearby wells which produced from a limy Big Injun sand.

Well too small to test for gas with water guage through 1 inch, showed approximately 8,000 cu ft gas from both sands by testing through 1/4 inch. pipe.

No salt water and no ffresh water below 80 ft.

To be plugged and abandoned.

Date*** May 30th, 1935

Approved: H. P. McGinnis , et al

By
Owners.

Continuation well record J. B. Kelly & sons lease, Well No. 1
Honda Creek, Pike, Clay Dist., Ritchie Co., West Va., Permit No. 340
Ritchie.

Name	Color	Character	Oil, gas water, Top Bottom, Thick, Total
Slate break	blk	soft	1530-1605 75 1605
Sand, Maxton	hard	rotten, poor	1605-1645 40 1645
limy sand	hard, white	Big lime, 1645 to 1710	1710 65
Sand and lime	tested on 15 ft in with hydrochloric acid		
showed 65 per cent lime, 35 per cent sand, turning to hard			
white Big lime at bottom (Mountain Limestone)			
Sand (Keener-Big Intun)	hard, turning to limy sand	1710-1730	20 ft 1730
one good screw of sand at 1725 to 1730 nothing in it			
Sand Big Intun	hard, rather limy	1730-1775	45 ft 1775
Slate and shale break	soft, grey-blk	1775-1795	20 ft 1795
Sand, Big Intun	hard, grey, too dark	1795 to 1825	30 1825
Sand, Big Intun	hard, grey, rather limy	1825 to 1845	20 1845
sand smeared of oil at 1825 to 1830, turned hard and limy at bottom, could not wash out any oil			
Slate and shale, black		1845-1915	70 ft 1915

Steel line measurement to 1915. We drilled 70 ft below bottom
of Intun and got no squaw sand, evidently sand below the break
at 1795 might have been squaw sand. Well was drilled 65 feet lower
on sea level than nearby wells which produced from a limy Big
Intun sand.

Well too small to test for gas with water gauge through 1 inch,
showed approximately 8,000 cu ft gas from both sands by testing
through 1 1/4 inch pipe.

No salt water and no fresh water below 80 ft.
To be plugged and abandoned.

Date** May 30th, 1935 Approved: H. B. McGinnis, et al

Owners.

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

174-340

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

H. P. McGinnis, et al

NAME OF WELL OPERATOR

3308 Emerson Avenue

Parkersburg, W. Va.

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

May 31,

19 35

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

Clay

District

ADDRESS

Ritchie

County

J. F. Kelly

LEASE OR PROPERTY OWNER

Well No. 1

Pike, W. Va.

ADDRESS

J. F. Kelly 6 acre

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 5th day of June, 1935, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

H. P. MCGINNIS, ET AL

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Well filled from the bottom 1915' with red mud to 1802' - 20' above the Big Injun Sand.
Drive wood plug from 1802' to 1799'
Cement from 1799' to 1789' sealing the Big Injun Sand.

SET A PERMANENT BRIDGE AT 1675' - 30' below the Maxon Sand.
Fill with red mud from 1675' to 1585' - 20' above the Maxon Sand.
Drive wood plug from 1585' to 1582'
Fill with red mud from 1582' to 1235' - 20' above the First Salt Sand.
Drive wood plug from 1235' to 1232'
Cement from 1232' to 1222' sealing the hole completely.

SET A PERMANENT BRIDGE AT 957' - 20' below the 8-1/4" casing (Pull Casing)
Fill with red mud from 957' to 213' - 3' below the 10" casing
Drive wood plug from 213' to 210'
Pull 10" casing and Cement to 200'

Fill with red mud from 200' to the surface and

Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 31st day

of May, 1935.

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

none

.....
COAL OPERATOR OR OWNER

.....
ADDRESS

none

.....
COAL OPERATOR OR OWNER

.....
ADDRESS

J. F. Kelly

.....
LEASE OR PROPERTY OWNER

Pike, West Va

.....
ADDRESS

H. P. McGinnis et al

.....
NAME OF WELL OPERATOR

Box 827, Parkersburg, West Va

.....
COMPLETE ADDRESS

June 15th, 1935

.....
WELL AND LOCATION

Grant

.....
District

Ritchie

.....
County

Well No. 1, J. F. Kelly

.....
6 acre lease. Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Wood Pleasants } ss:

Homer Simonton and H. H. Ferrell
being first duly sworn according to law depose and say that they are experienced in the work of plugging
H. P. McGinnis et al

and filling oil and gas wells and were employed by....., well operator,
and participated in the work of plugging and filling the above well, that said work was commenced on the
6th day of June, 1935, and that the well was plugged and filled in
the following manner:

Manner in which sand was plugged: Well filled from bottom 1915' with red mud to 1802--20 ft above Big Injun sand, drove wood plug 1802 to 1799 cemented from 1799 to 1802, sealing the Big Injun sand. Set a permanent bridge at 1675--20 ft below Maxton sand. Filled with red mud from 1675 to 1585 -20 ft above Maxton sand, Drove Wood plus 1582 to 1582, cemented four feet of cement, filled with red mud, drove second plug, set in cement, cemented 3 ft above wood plug. filled red mud to 1235--set another wood plug at 1442 to shut of gas in Third salt sand.

Manner in which coal was plugged: (no coal found)
Filled with red mud up to 1235 -20 ft above first salt sand. Drove wood plug 1235 to 1232. Cemented to 122, sealing the hole completely. SET A PERMANENT BRIDGE at 957--20 ft below the 8" casing, pulled casing. Filled with red mud 957 to 213, 3 ft below the 10 inch casing. Drove wood plug 213 to 210. Cemented plug. Filled with red mud 200 ft to surface. Erected regulation cement marker.

Description of monument:

Made and erected cement marker as described in Rule 18, 1931 regulations.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 13th day of June, 1935.

1935.

And further deponents saith not.

Homer Simonton
H. H. Ferrell

Sworn to and subscribed before me this 15th day of July, 1935

Hene R. Giffin
Notary Public.

My Commission expires:

September 10, 1940



