

U. G. Bennet Hrs

New Location
 Drill Deeper
 Abandonment

Company Glenn Hought
 Address Beatrice, W. Va.
 Farm W. F. Regan
 Tract _____ Acres 49u Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 865'
 Quadrangle Helbrook - SW
 County Ritchie District Murphy
 Surveyed by Holly Nesten
 Engineer Donald W. Morris
 Engineer's Registration No. 1653
 File No. _____ Drawing No. _____
 Date 12/10/57 Scale 1"=400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Rit-1842

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6-127

Frac 1958



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Holbrook

Permit No. RIT.1842

WELL RECORD

Oil or Gas Well Oil & Gas
(KIND)

Company Reger Gas Co.
Address Smithville W. Va.
Farm W. F. Reger Acres 16 1/2
Location (waters) Grass Run
Well No. One Elev. 865'
District Murphy County Ritchie
The surface of tract is owned in fee by W. F. Reger
Address Burnt House
Mineral rights are owned by W. F. Reger
Address Burnt House
Drilling commenced Jan. 13 1958
Drilling completed Feb. 5 1958
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in 190,000 Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure 570 lbs. _____ hrs.
Oil Show bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED March 11 1958

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	Wood Cond. 13'	13'	
10	297'		Size of
8 3/4	885'		
6 3/4	1790'	1790'	Depth set
5 3/16	2327' 15"	2327' 15"	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT 1,000,000 Cu. Ft.


ROCK PRESSURE AFTER TREATMENT 570 Lb.

Fresh Water 2 bails per hr Feet 35

Salt Water _____ Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Gravel	Brown	Soft	0	25			
Sand	White	Med.	25	60			
Slate	White	Soft	60	75			
Red Rock	Red	Soft	75	85			
Slate	White	Med.	85	105			
Sand	White	Hard	105	120			
Slate	W	Soft	120	160			
Red Rock	R	Soft	160	200			
Slate & S	W	Med.	200	210			
sand	W	Hard	210	230			
Slate & S	W	Med.	230	302			
Red Rock	R	Soft	302	312			
Lime	Dark	Hard	312	330			
Red Rock	R	Soft	330	340			
Slate & S	W	Med.	340	370			
Red Rock	R	Soft	370	380			
Slate & S	W	Med.	380	420			
Red Rock	R	Soft	420	430			
Slate & S	W	Med.	430	525			
Red Rock	r	Soft	525	565			
Lime	White	Hard	565	570			
Red Rock	R	Soft	570	630			
Slate & S	W	Soft	630	650			
Red Rock	R	Soft	650	695			
Slate & S	W	Med.	695	740			
Sand	Grey	Hard	740	760			
Slate & S	W	Med.	760	775			
Pink Rock	Pink	Soft	775	830			
Slate & S	W	Med.	830	865			

*Before 75M
Dowell Test
3 1/2 bbl. 250M
F. Berca - 101 un sd*



Formation	Color	Hard or Soft	Top $\bar{3}$	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	W	Hard	865	892			
Slate	Black	Soft	892	910			
Pink Rock	P	Soft	910	915			
Slate & S	W	Med.	915	1010			
Sand	Grey	Med.	1010	1108			
Slate & S	W	Med.	1108	1170			
Slate	Black	Soft	1170	1245			
Lime-	W	Hard	1245	1300			
Slate & S	Black	Med.	1300	1315			
Sand	Grey	Hard	1315	1335			
Slate	Black	Soft	1335	1430			
Lime & S	Dark	Hard	1430	1445	gas		
Sand	Dark	Hard	1445	1515	1490-1498		
Slate	Black	Soft	1515	1572			
Sand	Grey	Med.	1572	1600			
Lime	Black	Med.	1600	1610			
Slate	Black	Soft	1610	1665			
Sand	Grey	Soft	1665	1690			
Slate	Black	Soft	1690	1740			
Lime	Black	Hard	1740	1765			
Pencil C	Black	Soft	1765	1772			
Big Lime	Grey	Med.	1772	1850			
Kenner S	Dark	Hard	1850	1873			
Lime	Dark	Hard	1873	1880	Gas		
Injun Sand	Grey	Med.	1880	1930	1885-1900		
Slate	Black	Soft	1930	1951	Oil	1918-1925	7/10 W-2" Show
Squaw Sand	Grey	Hard	1951	1953			
Slate	Black	Med.	1953	1958			
Slate & S	White	Med.	1958	2145			
Sand	Dark	Med.	2145	2175			
Slate & S	W	Med.	2175	2220	Gas	2180'	33/10 W-1"
BR. Shale	Brown	Med.	2220	2254			
Sand (Berea)	W	Med.	2254	2265	Oil	2254-61	Show
Slate	Black	Soft	2265	2266	Gas & Oil	2261-65	Show Both
Sand	White	Med.	2266	2282	Gas	2271	80/10 W-1"
Slate & S	W	Med.	2282	2327			
TOTAL DEPTH			2327'				

Date March 10, 1911

APPROVED [Signature], Owner

By _____ (Title)