

New Location...
 Drill Deeper.....
 Abandonment.....

Company ALLEGHENY LAND & MINERAL CO.
 Address CLARKSBURG, W. VA.
 Farm FREDERICK LOCKE
 Tract _____ Acres 88 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 980'
 Quadrangle HOLBROOK C
 County RITCHIE District UNION
 Engineer JOHN W. HAMILTON
BY: J.F. DEEM
 Engineer's Registration No. 2274
 File No. _____ Drawing No. _____
 Date JAN. 26, 1959 Scale 1" = 30P

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Rit-2018

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 5

Quadrangle Holbrook
Permit No. Rit 2018

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Allegheny Land & Mineral Co.
Address Clarksburg, W. Va.
Farm Fredrick Locke Acres 88
Location (waters) Brushy Fork of Bone Creek
Well No. A-25 Elev. 1170'
District Union County Ritchie
The surface of tract is owned in fee by Fredrick Locke
Address Berea, W. Va.
Mineral rights are owned by Above
Address _____

Drilling commenced 3-2-59
Drilling completed 3-26-59
Date Shot From _____ To _____
With _____


Open Flow 8 /10ths Water in 3/8 Inch
_____ /10ths Merc. in _____ Inch
Volume 5M See below Cu. Ft.
Rock Pressure Not taken See below hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water 80' Hole full feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10	306'		Size of
8 1/2	1181'		
6 1/2			Depth set
5 3/16			
3 1/2" OD		2106	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED Yes SIZE 4 1/2" No. Ft. 2106 Date 3-26-59

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	10			
Sand			10	20			
White Clay			20	100			
Sand			100	130			
Red Rock			130	180			
Lime			180	210			
Red Rock			210	302			
Sand			302	342			
Red Rock & Shells			342	630			
Slate & Shells			630	670			
Red Rock			670	680			
Lime			680	750			
Red Rock			750	835			
Sand lime			835	875			
Red Rock			875	1035			
Sand			1035	1090			
B. Slate Shells			1090	1100			
Sand			1100	1150			
Slate			1150	1180			
Slate & Shells			1180	1275			
Sand			1275	1315			
B. Slate & Shells			1315	1565			
Sand			1565	1605			
B. Slate & Lime			1605	1670			
Sand			1670	1705			
B. Slate & Lime			1705	1750			
Sand			1750	1810			
B. Slate & Lime			1810	1880			
Red Rock			1880	1900			
B. Slate			1900	1920			
Lime & Slate			1920	1965			
Lime			1965	2045			
Sand			2045	2087			
Slate & Shells			2087				



Well fractured 3-30-59 with 500 barrels water. Result after treatment 150 Mcf x 550# Rock Pressure

