

- New Location
- Drill Deeper
- Abandonment

Company J. F. DEEM  
 Address HARRISVILLE, W. VA.  
 Farm ROMEO H. BEE  
 Tract 6 Acres 55 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 796'  
 Quadrangle HOLBROOK-WC  
 County RITCHIE District UNION  
 Engineer JOHN W. HAMILTON  
BY J. F. DEEM  
 Engineer's Registration No. 2274  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date JULY 13, 1959 Scale 1" = 300'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. Rit-2087

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6-128



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 15

WELL RECORD

Permit No. Hallbrook  
Rit. 2087

Oil or Gas Well Gas  
(KIND)


Company J. F. Deem  
Address Harrisville, W. Va.  
Farm Romeo H. Bee Acres 55  
Location (waters) South Fork Hughes River  
Well No. 2 Elev. 776  
District Union County Ritchie  
The surface of tract is owned in fee by Romeo H. Bee  
Address Hazelgreen, W. Va.  
Mineral rights are owned by Above  
Address \_\_\_\_\_  
Drilling commenced July 9, 1959  
Drilling completed July 29, 1959  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	55	55	Size of
8 1/4	250		
6 5/8	900		Depth set
5 3/16	1791	1791	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure 440 lbs. 12 hrs.  
Oil Show bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet

CASING CEMENTED Yes SIZE 5 1/2" No. Ft. 200 Date 7-29-59  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	10			
Red Rock			10	25			
Slate			25	30			
Sand			30	95			
Red Rock			95	185			
Slate			185	210			
Red Rock			210	220			
Sand			220	235			
Slate			235	302			
Lime & S			302	450			
Pink Rock			450	470			
Sand			470	515			
Slate			515	530			
Red Rock			530	540			
Lime			540	580			
Sand			580	592			
Slate			592	680			
Red Rock			680	735			
Slate & Shells			735	768			
B. Slate			768	900			
G. Slate			900	950			
Sand			950	985			
Slate & Shells			985	1050			
Lime			1050	1060			
Slate			1060	1070			
Lime			1070	1115			
Sand			1115	1170			
Slate			1170	1300			
Sand			1300	1330			
Slate			1330	1485			
Sand			1485	1568			
Lime			1568	1575			
Sand			1575	1618			
Slate & Lime			1618	1645			
Lime			1645	1703			
Sand			1703	1768			
Slate			1768	1791			



Next 2

Formation	Color	Hard or Soft	Top 15	Bottom	Oil, Gas or Water	Depth Found	Remarks
					Water - Hole Full	60'	
					Gas	1550	70/10 H2O x 1" Gas blew down to 9/10 H2O x 1" in 48 hours
Gas	1760 -	1768	20/10ths	H2O x 2"	1:00 A.M.		
			12/10ths	H2O x 2"	7:00 A.M.	146 M	

WELL RECORD

Date August 14, 19 59

APPROVED J. F. Deem, Owner

By \_\_\_\_\_ (Title)