

New Location NOTE:

Drill Deeper Elsie Fling Price 417 Coburn Ave., Morgantown, W. Va. owns

Abandonment the Mineral Rights.

Company DEVILS TEA TABLE O. & G. CO.

Address 4/6 W.H. MOSSOR
HARRISVILLE, W. VA.

Farm IRA MASON

Tract _____ Acres 25 Lease No. _____

Well (Farm) No. 1 Serial No. _____

Elevation (Spirit Level) 1172'

Quadrangle HOLBROOK SW

County RITCHIE District MURPHY

Engineer JOHN W. HAMILTON

Engineer's Registration No. 2274

File No. _____ Drawing No. _____

Date MARCH 21, 1961 Scale 1" = 20 POLES

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. Rit-2343

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 27

Quadrangle Holbrook
Permit No. Rit-2343

WELL RECORD

Oil & Gas
Oil or Gas Well (KIND)


Company Devil's Tea Table Oil and Gas Company
Address Box 204, Harrisville, W. Va.
Farm Ira Mason Acres 25
Location (waters) Grass Run
Well No. 1 Elev. 1172'
District Murphy County Ritchie
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced May 18, 1961
Drilling completed June 22, 1961
Date Shot _____ From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	Wood conductor used		
13			Size of
10	300'		
8 1/4	1225'		Depth set
6 3/8			
5 3/16			Perf. top
3 1/2	2549' 5"	2549' 5"	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED 4 1/2" SIZE 2549' 5" Ft. June 22/61 Date
135 sks. Cement - 15 sks. Baroid - 5 sks. Aquagel
Lawson Cementing Company
COAL WAS ENCOUNTERED AT _____ FEET INCHES
_____ FEET INCHES FEET INCHES
_____ FEET INCHES FEET INCHES

WELL FRACTURED Well was fractured 7-24-61 by Dowell riverfrac type. Berea and Injun sand fractured. 60,000 lb. sand and 44,000 gal. water used. Fracture took good.
RESULT AFTER TREATMENT Volumes ?
ROCK PRESSURE AFTER TREATMENT 380# 24 Hours
Fresh Water None Feet Salt Water None Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Sand Rock			0	8			
Red Rock			8	38			
Blue Slate			38	72			
Red Rock			72	88			
Blue Slate			88	104			
Red Rock			104	137			
Blue Slate			137	197			
Red Rock			197	254			
Blue Rock			254	267			
Red Rock			267	327			
Sand			327	362			
Blue Slate			362	368			
Lime, shells			368	388			
Red Rock			388	446			
Lime shells			446	460			
Blue Slate			460	508			
Lime, shells			508	525			
Red Rock			525	550			
Lime, shells			550	559			
Red Rock			559	565			
Lime, shells			565	574			
Red Rock			574	597			
Blue Slate			597	630			
Sand			630	641			
Lime, shells			640	649			
Blue slate			649	665			
Red Lime, shells			665	667			
Blue Slate			676	732			



Formation	Color	Hard or Soft	Top \pm	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			732	738			
Blue Slate			738	743			
Red Rock			743	763			
Sand			763	769			
Red Rock			769	865			
Blue Slate			865	870			
Lime, shells			870	879			
Red Rock			879	924			
Blue Slate			924	941			
Sand			941	952			
Blue Slate			952	971			
Red Rock			971	1024			
Lime Shells			1024	1034			
Red Rock			1034	1060			
Lime, shells			1060	1079			
Sand			1079	1104			
Lime, shells			1104	1112			
Slate			1112	1149			
Lime, shells			1149	1167			
Blue slate			1167	1179			
Lime, shells			1179	1205			
Sand, B. Dunbar			1205	1317			
Blue Slate			1317	1341			
Lime, shells			1341	1347			
Blue Slate			1347	1373			
Lime, shells			1373	1375			
Sand			1375	1429			
Blue Slate			1429	1433			
Sand			1433	1473			
Blue Slate			1473	1514			
Sand			1514	1598			
Blue Slate			1598	1570			
Lime			1570	1578			
Sand			1578	1602			
Slate			1602	1610			
Lime, shells			1610	1656			
Blue Slate			1656	1650			
Sand			1650	1670			
Slate & shells			1670	1600			
Lime, shells			1600	1609			
Sand			1609	1740			
Slate & shells			1740	1744			
Lime			1744	1761			
Sand			1761	1779			
Slate			1779	1785			
Lime, shells			1785	1779			
Slate			1779	1811			
Lime			1811	1853			
Slate			1853	1870			
Lime			1870	1881			
Huron Sand			1881	1911			
Lime			1911	1953			
Sand			1953	1943			
Lime			1943	1955			
Slate			1955	1960			
Lime, little			1960	1967			
Fossiliferous			1967	1973			
Big lime			1973	2073			
Tuff Sand			2073	2213	Gas	2120	Fair show 20, 11
Blue Slate			2213	2216			
Lime, shells			2216	2206			
Blue slate & shells			2206	2208			
Vein			2208	2264	Free Oil	2250	Fair show
Soft Slate & shells			2264	2260			
Barren sand			2260	2260	Gas & oil	Good	2255
Blue Slate			2260	2264			
Total depth				2264			

Date September 11, 1911

APPROVED H.H. Misson Owner

By _____ (Title)