



Oil and Gas Division

OIL & GAS DIVISION
DEPT. OF MINE

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE May 15, 1981
Surface Owner Jim J. Burnette	Company Allstate Energy Corporation
Address Pullman, WV	Address PO Box 29 Smithville, WV 26178
Mineral Owner Jim J. Burnette	
Address Pullman, WV	Location (waters) Spruce Creek
Coal Owner N/A	
Address	District Union County Ritchie
Coal Operator N/4	District Union County Ritchie Quadrangle Pullman
Address	
HIS PERMIT MUST BE POSTED AT THE WELL SITE	
Il provisions being in accordance with Chapter 22, the W. Va. Code, the location is hereby approved	INSPECTOR
drilling This permit shall expire if	TO BE NOTIFIED K. P. Goodnight
perations have not commenced by 1-21-82	ADDRESS Smithville, WV 26178
Deputy Director - Oil & Gas Division	PHONE 477-3660
GENTLEMEN:	
The undersigned well operator is entitled to drill up	pon the above named farm or tract of land for oil and gas, having fee
	lease dated December 15 1981 by Jim J. &
	gy Corp. and recorded on the 7th day of January
1981 in Ritchie County, Book 13	
	RREDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DE	
	VALUED BILL CIVIL CONT. O, 1000.
The enclosed plat was prepared by a registered eng have been notified as of the above date.	gineer or licensed land surveyor and all coal owners and/or operators
	hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were main or coal owners at their above shown respective address same day with the mailing or delivery of this copy to	
A service of the serv	Very truly yours, ALL CHARLE TWENCE TO THE TOTAL
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name) Clair G. Haught President
THE HIDSTALL STOLOGICAL AND	DO De ee OO
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY	PO Box 29 Address Street
P. O. BOX 879	of
MORGANTOWN, WEST VIRGINIA 26505	Smithville,
AC-304 - 292-6331	City or Town
	WV 26178
	State 12/01/2023
	12/01/2023

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

47-085- 5180 PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	X DRILL	DEEPEN FRA	ACTURE-STIMULATE				
DRILLING CONTRACTOR: (If	Known)	RESPONSIBLE AGENT:					
NAMEunknown		ADDRESS Smithville, WVV 26178					
ADDRESS							
TELEPHONE							
ESTIMATED DEPTH OF COMP		ROTARY X	CABLE TOOLS				
PROPOSED GEOLOGICAL FOR							
TYPE OF WELL: OIL	X GAS X C	OMBSTORAGE	DISPOSAL				
	RECYCLI	NG WATER FLOO	DOTHER				
TENTATIVE CASING PROGRA							
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	OR SACKS - CUBIC FT.				
поливания полива	n handar vide-riitus ethan initiat eine pallatunin siiriitus ett konsayin et konsilin handan kat kat kapan vii minita kun kat kat kun ili minit		controvers and inclusive representative and an essential suspense when their suppositions are suspense discontract measurement of the sec				
12 10							
9 - 5/8							
8 - 5/8	200'	200'	to surface				
7							
5 1/2		1					
4 1/2		2850'	700' fill up				
value and proceedings of the control			Perf. Top Perf. Bottom				
An extraordinate and extraordinate property of the principal of confidence and the confid			Perf. Top				
Liners		12.00	Perf. Bottom				
		SW SW					
OF PLAT. TO DRILL DEEPER OR REDRICED SUBMIT FIVE (5) COPIES WELLS DRILLED PRIOR MUST ALSO BE SUBMITTO FRACTURE - STIMULATE: OIL AND/OR GAS WELL BOND, PERMANENT PLACED OIL AND/OR GAS WELL ING ORIGINAL PERMIT N	S OF OG - 1, \$100.00 PERM ILL: S OF OG - 1, SHOWING ORIG TO 1929, A PERMANENT C TED. ORIGINALLY DRILLED BEFO T AND ORIGINAL WELL RE ORIGINALLY DRILLED ON A UMBER, AND PERFORMANCE Ied within ninety (90) days of	IT FEE, PERFORMANCE BO INAL PERMIT NUMBER ANI OPY OF THE PLAT AND TO ORE JUNE 5, 1929, FIVE (5) CO CORD. IND/OR AFTER JUNE 5, 1929 E BOND.	O PERFORMANCE BOND. ON HE ORIGINAL WELL RECORD OPIES OG - 1, PERFORMANCE OF FIVE COPIES OG - 1, SHOW-Inspector to be notified twenty-				
thereof. WAIVER: I the undersigned, A this lease have exam We the	gent for on our mine n	Coal Company, Owner naps this proposed well locati	or Operator of the coal under on. ell being drilled at this location, Chapter 22102101112023; inia				
		Fo	or Coal Company Official Title				

D.	ate	N	lay	14,	1981	
Well	No		L			*
API	No	47	- 08	35	- 518	2
		State	0	Junev	- Pare .	

STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS

Company Name	Allstate Energy	corp.	Designated	-	CHARLES OF THE PARTY OF THE PAR	and the second state of th	Brandson of the Control of the Contr		
Address	Smithville, WV	26178	Addres	is i	Smithv	ille, V	VV 261	178	
	477-3371			-	477-33				
	Jim J. Burnette	Company to a second or fail a registrate of the second	Soil Cons.	Distri	ct Lit	tle Kar	nawha		
Revegetati	on to be carried out	by Alls	state Ene	ergy (Corpor	ation	Agent		
This plan	has been reveiwed by ons become a part of	Little	Hana	wha	SCD. Al	correct	ions	1	
	Access Road			Locat	ion				
Structure	Drainage Ditch	(A)	Structure	Rip	Rap at	cross	drain	in	roa
Spacing			Material	stone	e	100	The Constitution	TIE	1775

Page Ref. Manual 1:11 Page Ref. Manual n/a Structure Culvert Structure (B) MAY 1 8 1981 Material Page Ref. Manual Page Ref. Manual 1:8 Structure Structure Road Cross-Drain (C) __ OH & GAS DIVISION Material Spacing DEPT. OF MINES Page Ref. Manual Page Ref. Manual 1:3

All structures should be inspected regularly and repaired if necessary.

All commercial timber is to be cut and stacked. All brush and small timber to be cut and removed from site before dirt work begins.

Revegetation

Trea	atment Area I			Treatment	Area II	
Lime or correct to	on 6/5	Tons/acre	Lime or cor	rect to pH	6.5	Tons/Acro
Fertilizer (10-20-	600 -20 or equival	lbs/acre	Fertiliz	er (10-20-20	600 or equiv	lbs/acre alent)
Mulch Hay	2	_Tons/Acre	Mulch_	Нау	2	Tons/Acre
Seed* Ky 31	50	lbs/acre lbs/acre lbs/acre	Seed*	Ky 31	50	lbs/acro lbs/acro lbs/acro


*Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount.

Attach or photocopy section of involved Topographic map. Quadrangle Burnt House

Legend:

Well Site

- Access Road



Diversion ------

Legend: Property Boundry	Diversion
Road = = =	Spring O
Existing Fence	Building
Planned Fence	Drain Fipe
Stream	Waterway = ==
Open Ditch	
	The second secon
to include well l	ocation, existing access road, roads to be constructed
Sketch to include well-	ocation, existing access road, roads to be constitution, existing access road, roads to be constitution, start and start access road, roads to be constituted access roads access ro
wellsite, drilling pleas in	nclude all natural drainage.
with first part	
N	
1	
2,	
	\bigoplus_{e_1}
111111111111111111111111111111111111111	and the second s
	(A)
	A
Y I	Marie Committee
: 1.	4
1	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
2 1	
3 . / // 2	
7 (1 150	
15	
2	
	County Road
• 1 1	
	Left Fork of Spruce Creek
	Left fork of of
× ×	
·K	1
	constructed on a 20% grade on lease
mment: This location wi	ll be constructed on a 20% grade on lease
- d	on unner side
road. No timber 5% cut	Oil upper
and a special section of the section	
The second secon	
	12/01/2023
	, 0 ., 1010
	Smithville, WV 26178 Phone Number
Eldon J. Ang	Mithville, WV 26178 Phone Number
(Vous of wings	The state of the s

Tondormers openation to protect new seeding for one growing seaso

Sand

Shale

Sand

Shale

Sand

Shale

Sand

Shale

Sand

Shale



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Rotary_X_	Oil
Cable	Gas
Recycling	
Water Flood	
Disposal	

Quadrangle Pullman Permit No. 47-085-5180						Cable Recycling_ Water Floo Disposal	Comb. X
Address Box	29, Sm	Energy Corp, ithville, WV	26178	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (water Well No. (1)	one Spru	ce Creek	ev.1115'	Size 20-16			
		County_Rit		Cond. 13-10"			1
	rnette			9 5/8		1	1
Address Pul	llman,	W. Va.		8 5/8	200	200	80 sks.
		by same		7			
•				5 1/2			
		3-81		4 1/2		2770	225 sks.
Drilling Comple	eted 6-2	8-81		3 .			
Initial open flo	ww	cu. ft	bbls.	2			
		QQQ, ft. per day_		Liners Used		-	
Well open	6	hrs. before test	325 RP.			-	N. C.
Injun San	nd - 40	,000# Sand -	- 500 gal.	15% Acid			
		Fe					
Producing Sand	Gordo	n, Weir, Inj	un	Depth	717 .		
						2340-239 $2134-21$	
Formation	Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or		* Remarks
Redrock Sand Shale Red Rock Sand Shale Red Rock Sand Red Rock Sand Red Rock Shale Red Rock			0 35 80 145 210 310 425 505 580 675 800	35 80 145 210 310 425 505 580 675 800 920		a r	

1120

1200

1295

1380

1490

1550

1620

1645

1740

1760

1200

1295

1380

1490

1550

1620

1645

1740

1760

1930

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	* Remarks
and hale ittle Lime hale ig Lime ig Injun Sand hale eir Sand hale ordon Sand hale	1930 1950 1975 1990 2010 2095 2150 2330 2400 2704 2708	1950 1975 1990 2010 2095 2150 2330 2400 2704 2708 2850 TD		
	-	· · · · · · · · · · · · · · · · · · ·		
			:	
			*	12/01/2023

DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Service No. R. 1 - 5180	2			Afford, as, but his many a grant defining and	Oil of Ga	Well	
Company Allstote	Frence Co	and	CASING AND	DRILLING	Leftin	PACKER	s
Company Any Taye	7/		Size				
Address	H	and the larger section in the section in the section in the section in the section is a section in the section	16			Kind of Packe	r
Farm Lin B	urnelle	nesta nastadi massa-distila-ma-massa-, era anatamani mani intera	13		<u> </u>		
Well No			10			S12. (.f.	
District UNION	County K	there	814 85		200		
Drilling commenced			G 3/4		The state of the s	Depti set_	
			5 3 / 16	no In	FEER		
Drilling completed	Total depth		3	10.4	January 1	Perf	
Date shot	Depth of shut_		2	(m) (m)	JUN 26-1	9815 1000000	
Initial open flow	/10ths Water	r inInch	Liners Used .		OIL & GAS D	IVISION	
				D	EPT OF	MINES	
Open flow after tubing	/10ths Mcrc.	ininch	CASING CEME	2	2 700		
Volume		Cu Ft.	CASING CEME	Sug	8 SIZE 200	No FT	late
Rock pressure	lbs	hrs.	NAME OF SE	RVICE COMP	ANY Do	net	
		s., 1st 21 las.	COAL WAS E	NCOUNTERE	D AT	FEET	_INCHES
Oil					CHES		
Fresh water	feet	feet					
Salt water	feet	feet	FEET	INC	HES	FEET	INCHES
Drillers' Names Hus	FMON - It	0)					
Porth - C		1,000	Tw	Roton	- F/4	i.d	
Remarks:	SENR STAL	N NIC T		1			

W.OC. 85 659

6-24-81

MSGood It 505

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

			Well No.	
		ADDRESS	089	
Control of the Contro				
The second secon	DISTRICT	NI NOTATA AND ADDRESS OF THE PARTY OF THE PA	COUNTY	
	a garante programmento e programmento i rigido continuida de Este con ribrating de la garante e segui	And the second of the second o		
address towards the standard and the content of the conference of the standard of the content of the conference				
	Amount	Packer	Location	
		BRIDGES	CASING AND	TUBING
Charles and the control of the contr	LEAD	CONSTRUCTION LUCATION	RECOVERED SIZE	LOST
	The state of the s	NEW SEASON OF THE PROPERTY OF		!
			Common and the second state of the second stat	- Maria
			-	
	A SECRETARIA DE SECRETARIO DE	graph convenients the state of	1	
			and different	
		pper granulation, copillation, parties of a construction and construction of the const		
		A, reg percentage of the first section of the later of th	The state of the s	
1 100				-
				The second secon
		the second secon		
* NATIONAL CONTRACTOR AND ADDRESS OF THE PARTY OF THE PAR				
h i	Landala	well on this date		
nereby certify				
	Rtion ND DEPTH PLACED WOOD-SIZE	Rtion Amount ND DEPTH PLACED WOOD-SIZE LEAD	RETION AMOUNT Packer ND DEPTH PLACED BRIDGES WOOD-SIZE LEAD CONSTRUCTION LUCATION	ADDRESS DISTRICT COUNTY Ration Amount Parker Location ND DEPTH PLACED BRIDGES CASING AND WOOD-BIZE LEAD CONSTRUCTION LUCATION RECOVERED SIZE WOOD-BIZE NOT CONSTRUCTION TO

12/01/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



IN Spec TVBW

INSPECTOR'S WELL REPORT

OIL & GAS DIVISION DEPT. OF MINES

Permit No. 4 7 085 5180 Oil or Gas Well_ CASING AND USED IN WELL Company 9/15Tq Tr Energy Parp. PACKERS Size 16 Kind of Packer____ Well No_ Size of____ District Union _County RiTchie 81/4_ Depth set____ Drilling commenced___ 5 3/16_ Drilling completed_____Total depth_ Perf. top_____ _____Depth of shot_ Date shot_ Perf. bottom_____ Liners Used Perf. top____ Initial open flow_____/10ths Water in____Inch Perf. bottom_ Open flow after tubing_____/10ths Merc. in___Inch Volume_ Cu. Ft. CASING CEMENTED____ SIZE No. FT._____Date NAME OF SERVICE COMPANY lbs. Rock pressure____ hrs. OiL _____bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT_____FEET___INCHES Fresh water____ feet feet FEET_ INCHES FEET _INCHES Salt water_ feet feet FEET INCHES FEET_ _INCHES Drillers' Names_ Remarks: 71283 Needs Reserded, after Repair of Slip on Location.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.	1.34.			Wel	l No	
COMPANY			ADDRESS			
FARM		DISTRICT	C	OUNTY		
Filling Material Used						
	eation	Amount	Packer	Location	76.23	
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
				The same of the sa		
						Capter to the
				14 (12)		
			one of the same			
				1		
		7030.234 2				
	7.187320				~ . ~ . ~ . ~	
	27/08/22/20	61381869 A	star start et et alia	4		
Orillers' Names	1					
Remarks:			And the second s			
				s man and a second delication		
DATE	I hereby certify I v	risited the abo	eve well on this date.			

INSPECTOR'S PERMIT SUMMARY FORM

	halfor			API# 47-08	1	- 5/80		_
ELEVATION			OPER.	ATOR AllSta	te	ENERG	7	_
DISTRICT_U/			The state of the s	PHONE				
QUADRANGLE				Sin Bus		the		
COUNTY Bits	chi's		WELL	#/-				_
SURFACE OWNE	R		COMMENTS		TI	ELEPHONE	E	
TARGET FORMA	TION		DATE APP	LICATION REC	EIVE	ED		
DATE STARTED LOCATION		1	NOTIFIED	DRILI	ING	COMMENC	CED	ger (
						Oir		
			,					
COAL DEPIRS			,	,,		APR	231	986
			CASING			71 (A	
Ran	feet	of	"pipe or	n w			fill	up
			"pipe or					
			''pipe o					
			''pipe o					
TD	feet	on						
			PLUGGING					
Type		- 4	From	То		Pipe	Remov	ed
					-			_
					-			_
		1			-			-
						- 10	1	
Discharge	o dato:		Typo			0.7	7.7	
			Type					
Pit Discharg Field analys Well Record	is	р	hfe					

Inspector's signature

API# 47 085 -5/80-

LIST ALL VISITS FOR THIS PERMIT

DATE	TIME	PURPOSE	COMMENTS
			3.1924-11
			그리고 있는 이번 아이들이 되었다고,
-			
Alan Birth	COA		
	1		
	5,00		
THE PARTY OF THE P			
,			

O.K To BAC

Notes

MAY 1 0 1982

1.0 API well number: (If not available, leave blank, 14 digits.)		47-085-5180			OIL & GAS DU		
Type of determination being sought: (Use the codes found on the front of this form.)		103 Section of N	IGPA	OII & GAS DIVISION Category Code Category Code			
Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			2850	feet			
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Name PO F Street	state Ener Box 29 hville, W	V 26178	ation State Zip Code	Seller Code		
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	Union District Field Name Ritchie WVa. County State						
(b) For OCS wells:	n/a Area Nar	Date of Lea		Block Number			
(c) Name and identification number of this well: (35 letters and digits maximum.)	Burn	ette #1 -	36@				
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	Spruce Creek						
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Carnegie Natural Gas Company 1668 Name Buyer Code						
(b) Date of the contract:	O17 13 1 1 81 1 Mo. Day Yr.						
(c) Estimated annual production:			7.3	MMcf.			
		(a) Base Price (\$/MMBTU)	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)		
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)		2.608	<u>actual</u>	_actual	2 6 0 8 + actual		
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		2.608	<u>actual</u>	_actual	2 6 0 8 + actual		
Agency Use Only Date Received by Juris. Agency MAY 1982 Date Received by FERC	Name Signature Marc	n J. Haugh	Hought 30	President President President Property Number			

PARTICIPANTS: DATE:	BUYER-SELLER CO
WELL OPERATOR: A state Energy Corp	· · · · · · · · · · · · · · · · · · ·
FIRST PURCHASER: Cannegle Natural Gas Co.	001653
OTHER:	
W. Va. Department of Mines, Oil & Gas Division WELL DETERMINATION FILE NUMBER 820510-103-085=5180 Uso Above File Number on all Communications Relating to Determination of this Well	
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	
1. FERC -121 Items not completed - Line No	
2. IV-1 Agent Eldon J. Haught	
3. IV-2 Well Permit	
4. IV-6 Well Plat	
5. IV-35 Well Record Drilling Deepening	
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced?	Ratio
7. IV-39 Annual Production years	
8. IV-40 90 day Production Days off line:	
9. IV-48 Application for certification. Complete?	
10-17. IV Form 51 - 52 - 53 - 54 - 55 - 56 - 57 - 58 Complete? Aff	idavit Signed 🗸
18-28. Other: Survey Logs Geological Charts	
Structure Map 1: 4000 Map Well Tab	ılations
(5) Date commenced: 6-23-1 Date completed 6-38-81 Deepen	ed
(5) Production Depth: 2704-08, 2340-95, 2134-46	
(5) Production Formation: Gordon, Weir, Injun	
(5) Final Open Flow: /MucF	
(5) After Frac. R. P. 625 6hrs.	
(6) Other Gas Test:	
(7) Avg. Daily Gas from Annual Production:	
(8) Avg. Daily Gas from 90-day ending w/1-120 days	
	G from Daily Rel
(5) Oil Production: From Completion Report	
10-17. Does lease inventory indicate enhanced recovery being done NO	
10-17. Is affidavit signed?Notarized?	104 10000
Does official well record with the Department confirm the submitted information	101/2023 1? <u>yes</u>
Additional information Does computer program confirm?	
Was Determination Objected to By Whom?	
	73

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date March 15, 19 82

Operator's Well No. Burnette #1 - 36@

 $\begin{array}{c} \text{API Well} \\ \text{No.} \quad \begin{array}{c} 47 \\ \text{State} \end{array} - \begin{array}{c} \underline{085} \\ \text{County} \end{array} - \begin{array}{c} \underline{5180} \\ \text{Permit} \end{array}$

STATE APPLICATION FOR WELL CLASSIFICATION

Previous File No. (If Applicable)

WELL OPERATORAllstate Energy Corpr	oationDESIGNATED AGENT Eldon J. Haught
ADDRESS PO Box 29	ADDRESS PO Box 29
Smithville, WV 26178	Smithville, WV 26178
Gas Purchase Contract No.1668	and Date 7-31-81 (Month, day and year)
Meter Chart Code	(Holler, day and year)
Name of First Purchaser Carnegie N	atural Gas Company
3904 Main	Street
Munhall. P	et or P. O. Box) A 15120
(City)	(State) (Zip Code)
FERC Seller Code	FERC Buyer Code 1668
TYPE OF DETERMINATION BEING SOUGHT:	103
(1) Initial determination (See FERC For(2) Determination that increased production recovery technology.	m 121.) Section of MGPA Category Code
(3) Determination of a seasonally affect	ted well.
	Eldon J. Haught President Name (Print) Title Signature Title
	PO Box 29 Street or P. O. Box
	Smithville, WV 26178 City State (Zip Code)
	(304-477-3371 Area Phone Number Code
(Certificate of Proof of Service to Purchase	er)
Hand Delivered By F	Elden J. Haught Clan J. Haught
(All of the above to be completed by the ope	
(To be completed by Jurisdictional Agency. purchaser, if known).	Executed copy to be returned to Operator/Applicant and
well as meeting the requirements of Section	eceived a request, for certification of the above described under the Natural Gas Policy Act of 1978, ased production is the result of enhanced recovery technology ermination of a seasonally affected well under Section 108 of (NGPA)
All interested parties are hereby the office of the Oil and Gas Division in Chbe heard there will be a public hearing, if	notified that on the <u>day of</u> , 19 <u>,</u> at narleston, West Virginia, or as soon thereafter as it may requested, or if objection is filed.
This Application is assigned File	No
entitled to certification as claimed under t	nitted indicates the well is, is not the Natural Gas Policy Act (NGPA). A review of this evidence the time appointed for a public hearing or as soon thereafter
Unless objections are timely filed days, a hearing will not be held except on ego to determination.	d or a request for a hearing is made within fifteen (15) ex parte motion of the department and the matter will
	WEST VIRGINIA DEPARTMENT OF MINES
MAY 15 1992	Directo
10 1556	
Date received by	By
Jurisdictional Agency	Title
	12/01/2023

FORM IV-54WC [12-78]

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date March 15 , 1982

Operator's Well No. Burnette #1 - 36@

API Well No. 47 - 085 - 5180 | Permit

WELL CLASSIFICATION FORM

NEW ONSHORE PRODUCTION WELL

NGPA Section 103

DESIGNATED AGENT Eldon J. Haught
ADDRESS_PO_Box_29
Smithville, WV 26178
WELL OPERATORAllstate Energy Corp. LOCATION: Elevation 1115'
ADDRESS PO Box 29 Watershed Law Run of Left Fork of Spruce Cree
Smithville, WV 26178 Dist. Union County Ritchie QuadBurnt House 7
CAS PURCHASERCarneige Natural Gas Cocas Burchase
ADDRESS3904 Main Street Contract No. 1008
Musholl DA 15120
* * * * * * * * * * * * * * * * * * * *
Date surface drilling was begun: $6-23-81$
Indicate the bottom hole pressure of the well and explain how this was calculated: BHP = P_1 + P_1 (e GL/53.34 T - 1) P_1 = 625 + 14.73 = 639.73 P_2 = .67 L = 2850 GL = 1909.50
BHP = 1909.50 + 1909.50 (1.0209 - 1) BHP = 1909.50 + 1909.50 (.0209) BHP = 1909.50 + 39.91 BHP = 1949.41
I, Eldon I Haught, having been first sworn according to law state that surface drilling of the well for which this determination is sought was begun on or after February 19, 1977; the well satisfies applicable state or federal well spacing requirements and the well is not within a proration unit, in existence at the time surface drilling began, which was applicable to the reservoir from which gas is or will be produced and which applied to any other well producing gas in commercial quantities or on which surface drilling began on or after February 19, 1977, and which was capable of producing gas in commercial quantities. I state, further, that I have concluded, to the best of my information, knowledge and belief, that the well for which this determination is sought is a new onshore production well and that I am not aware of any information not described in the application which is inconsistent with this conclusion.
Ell 27/ 27
Collon of Bought
CTATE OF LINES WELLEN
STATE OF WEST-VIRGINIA,
COUNTY OF TILEFILE, TO WIT:
I, Haylie to famous a Notary Public in and for the state and county aforesaid,
do certify that the first of the writing above, bearing date
the Sthday of March, 1986, has acknowledged the same before me, in my county aforesaid.
Given under my hand and official seal this 12 th day of the day of 1952.
My term of office expires on the / lett day of Settlemily, 1989.
[NOTARIAL SEAL] [NOTARIAL SEAL] Notary Public

