

CHARLESTON, WV 25311

TELEPHONE: (304) 348-3092



Date: July 2	27	19_	82
Operator's Well No	н-1346		V.

API Well No. 47 -085-5791 County State

STATE OF WEST VIRGINIA DEPARTMENT OF MINES. OIL AND GAS DIVISION

	OIL AN	D GAS WELL F	PERMIT APPLIC	ATION
WELL TYPE:	Oil XX / Gas	xx/		director state on the area
A sha			ground storage	/ Deep/ Shallow _XX _/)
LOCATION:	Elevation: 1082'			
DOCATION.	District: Grant			Quadrangle: Harrisville, 7½'
WELL OPERAT				AGENT Tammy K. Bell
	Dr. 2 Par 14		Address	4424 Emerson Ave.
Address	Smithvelle, WV			Parkersburg, WV 26104
OIL & GAS	NER Donald Harold	Lowther	COAL OPERA	TOR None
Address		Doweller		
Address	Box 51	LTI 26056		, with the same of
	New Manchester			
Acreage	92		COAL OWNER	R(S) WITH DECLARATION ON RECORD:
SURFACE OWN	NER Donald Harold	Lowther	Name	LEO CAR
Address	(Same as above)	Address_	
(#/ a10)				
Acreage	92		Name	wa Aware in the
FIELD SALE (IF MADE) TO:		Address	North Control of the
Address			<u> </u>	
			COAL LESSE	E WITH DECLARATION ON RECORD:
OIL & GAS IN	SPECTOR TO BE NOTIF	IED	Name	None
Name	70.5 XX.0			
Address	Samuel N. Hersm	an	and the second second	
Address	P.O. Box 66 Smithville, W.V.	26179	Comment of the Commen	Committee and interest on the same
	477- 359	7		Contract to the contract of th
The undersign			s purposes at the above	location under a deed/ lease
other contract_	XX / dated May 18	, 19 82	_, to the undersigned	well operator from
TE said dead 1	Ritchie Petroleum (anner and Selection of the selection of	and the specific plants are the state of the
	May 20 , 19 82		Clock of the County Co.	mmission of Ritchie County, W
va., in Lea	ase Book 141	at page309	A permit is reques	sted as follows:
PROPOSED V	WORK: Drill XX / Dril	l deeper/	Redrill Fra	acture or stimulate/
	Plug off old forma	tion/ Per	forate new formation_	
	Other physical cha	nge in well (specify)	a dizing Toyler and	AND COURT HALL BOARD CORNA
		To-		IF OPERATIONS HAVE NOT COMMISSIO
	-planned as show	n on the work order	on the reverse side h	hereof.
The above nar	ned coal operator, coal owne	er(s), and coal lessee	are hereby notified that	any objection they wish to make or are required
				days after the receipt of this Application by
Department.				
A PERSON DESCRIPTION	Permit Application and the	enclosed plat and recl	amation plan have been	mailed by registered mail or delivered by hand
				e mailing or delivery of this Permit Application
	of Mines at Charleston, V			
DI EASE SUDIA	TE CORIES OF ALL		000	08/18/2023
	LOGS DIRECTLY	DECEN	/JEIN	
то:			9111-	Haught, Inc.
	IA OIL AND GAS	JUL 2 9 19	82	Well Operator
SION	ATION COMMIS-	002.00 10	Ву	Simmy S. Well
1615 WASHING	TON STREET EAST	OIL & GAS DIV	ISION Its	Well Administrative Agent

BLANKET BOND

DEPT. OF MINES

PROPOSED WORK ORDE

	THIS IS AN ESTI	MAIL ONLY:	
ACTUAL INFORMATION	MUST BE SUBMIT	ILD ON FORM IV-35	UPON COMPLETION

	MIKACI	.01. (.,		naugn	L, IIIC.			
	* 1			Ad	dress	Rt. 3	, Box 14			
						Smith	ville, WV 2	26178		
GEOLOGICAL	TARGE	T FORM	MATION			Devonian	Shale			
								y <u>XX</u> / Ca		1
								feet.		

100				N	one	Is coa	being minea	in the area? Yes_	/ No	_XX/
CASING AND	TUBINO	G PROG	RAM							
								72 70 10 10 10		
CASING OR TUBING TYPE		CIFICATI Grade	ONS Weight per ft	New	Used		Left in well	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS	
Conductor				1000					Kinds	
Fresh Water	8-5/8	K-55	20#	X		1282'	1282'	Cement to Sur	flace	
Coal	0.570	1 33	2011		100000	1202	1202		Sizes	
Intermediate						100.00	1300 1904		137000	*
-	(1	7.55	10 5/	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			56001	500 61		
Production	4½	J-55	10.5#	X			5600'	500 Sacks	Depths set	
Tubing			-	-	200.00				A discussion to	
Liners									Perforations:	
									Тор	Bottom
A THE PERSON				22.3						
		and the same of			1000		The state of the s	The second		
the D presc "Rec	epartmen ribed by lamation	t, accom Regulati Plan", a	panied by ion 12, o applicable	y (i) a r in li to th	plat in eu the e recla	the form preserved the other	cribed by Regular security allowed by Code \$	our copies of Form IV. Ilation 11, (ii) a bond owed by Code § 22-4 22-4-12b and Regula (v) if applicable, the	in one of the for -2, (iii) Form IV tion 23, (iv) uni	rms 7-9, less
the D presc "Rec previce Code	epartmen ribed by lamation ously paid \$22-4-8a eparate F	Regulati Plan'', a l on the s a from the	panied by ion 12, o applicable same well he owner shall not	y (i) a r in li to th the form of an be req	plat in ieu the recla ee requesty water	the form preserved the other mation required by Code or well or dwe	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previce Code	epartmen ribed by lamation ously paid \$22-4-8a eparate F	Regulati Plan'', a l on the s a from the	panied by ion 12, o applicable same well he owner shall not	y (i) a r in li to th the form of an be req	plat in ieu the recla ee requesty water	the form preserved the other mation required by Code or well or dwe	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond owed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa	epartmen ribed by lamation ously paid § 22-4-82 eparate F rt of the v	Regulati Plan'', a d on the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well the owner shall not which a p	y (i) a r in li t to th l, the fo of an be req	plat in leu the e recla ee requ y wate uired f is soug	the form preserved the other mation required by Code or well or dwe	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa	ribed by lamation ously paid \$22-4-82 eparate Fort of the v	Regulati Plan'', a don the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th , the fo of an be requermit	plat in eu the eu the recla ee reque wate uired fas soug	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M LL PROVISION RTICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate Fort of the votes BEING	Regulati Plan'', a don the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th the format of an be requermit	plat in eu the eu the recla ee requiy wate uired fis soug	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted.	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M LLL PROVISION RTICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate Fort of the votes BEING	Regulati Plan'', a don the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th the format of an be requermit	plat in eu the e recla ee reque y wate uired fis soug	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted.	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M ALL PROVISION ATICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate First of the volume BEING	Regulati Plan'', a d on the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well the owner shall not which a p	y (i) a r in li to th th, the fo of an be requermit WELL 3	plat in eu the eu the e recla ee reque water uired fas sought. THE CHIENTER CHIENTE	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22,	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M ALL PROVISION ATICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate First of the volume BEING	Regulati Plan'', a d on the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well the owner shall not which a p	y (i) a r in li to th th, the fo of an be requermit WELL 3	plat in eu the eu the e recla ee reque water uired fas sought. THE CHIENTER CHIENTE	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M ALL PROVISION ATICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate First of the volume BEING	Regulati Plan'', a d on the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well the owner shall not which a p	y (i) a r in li to th th, the fo of an be requermit WELL 3	plat in eu the eu the e recla ee reque water uired fas sought. THE CHIENTER CHIENTE	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previ Code A s be pa HIS PERMIT M ALL PROVISION ATICLE 4 OF	ribed by lamation ously paid \$22-4-82 reparate First of the volume BEING	Regulati Plan'', a d on the s a from the form Iv-2 work for v	panied by ion 12, o applicable same well the owner shall not which a p	y (i) a r in li to th th, the fo of an be requermit VILL 3	plat in eu the eu the e recla ee reque water uired fas sought. THE CHIENTER CHIENTE	the form preserved the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY	cribed by Regu r security allo ed by Code \$ \$22-4-12a, and lling within 20 r stimulating a	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV tion 23, (iv) uniconsent required ed well.	rms 7-9, less I by
the D presc "Rec previce Code As be pa HIS PERMIT M ALL PROVISION RETICLE 4 OF PPROVED FOR OPERATIONS OPERATIONS	epartmen ribed by lamation ously paid § 22-4-82 eparate F rrt of the v	et, accom Regulati Plan'', a d on the s a from the form Iv-2 work for v OSTED A I N ACCO I ing	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th , the fo of an be requermit	plat in eu the eu the recla ee requiy wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83	cribed by Regular security allowed by Code \$ 22-4-12a, and lling within 20 or stimulating at as such on the	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propose well where fracturing Form IV-2 filed in control of the propose was a superior of the propose	in one of the for-2, (iii) Form IV. Ition 23, (iv) uniconsent required well. g or stimulating it onnection therew	rms 7-9, less I by s to ith.
the D presc "Rec previce Code As be pa HIS PERMIT M ALL PROVISION RETICLE 4 OF PPROVED FOR OPERATIONS The	ribed by lamation ously paid \$22-4-82 reparate Firt of the volume of the	et, accom Regulati Plan'', a d on the s a from the form Iv-2 work for v OSTED A I N ACCO I ing waiver n	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th , the fo of an be requermit CE WILL SO CONTROL CONT	plat in eu the eu the e recla ee requiy wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83	cribed by Regular security allowed by Code \$ 22-4-12a, and lling within 20 or stimulating at as such on the company of and by any company comp	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propos well where fracturing	in one of the for-2, (iii) Form IV. Ition 23, (iv) uniconsent required well. g or stimulating it onnection therew	ded a
the D presc "Rec previce Code As be pa HIS PERMIT M LL PROVISION RTICLE 4 OF PPROVED FOR OPERATIONS The	ribed by lamation ously paid \$22-4-82 reparate Firt of the volume of the	et, accom Regulati Plan'', a d on the s a from the form Iv-2 work for v OSTED A I N ACCO I ing waiver n	panied by ion 12, o applicable same well he owner shall not which a p	y (i) a r in li to th , the fo of an be requermit CE WILL SO CONTROL CONT	plat in eu the eu the e recla ee requiy wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83	or and by any construction within	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regula (v) if applicable, the 0 feet of the propose well where fracturing Form IV-2 filed in company of the propose was also where or coal lesson all owner or coal l	in one of the for-2, (iii) Form IV. Ition 23, (iv) uniconsent required well. g or stimulating it onnection therew	rms 7-9, less l by s to ith.
the D presc ''Rec previce Code As be pa HIS PERMIT M ALL PROVISION RTICLE 4 OF PPROVED FOR OPERATION The deci	ribed by lamation ously paid § 22-4-8a reparate Fort of the way are parate	Regulation Regulation Regulation Regulation Regulation Regulation Plan', a from the sea from the form Iv-2 work for which a from Iv-2 work for which a from Iv-2 work for which a from Iv-2 waiver mander Cook and operated of a mine and objection objection Regulation	panied by ion 12, of applicable same well the owner shall not which a possible to the control of	y (i) a r in li to th , the fo of an be requermit VELL S OCATI OCATI OWNER OCATI OWNER	plat in eu the eu the e recla ee requi y wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83 he coal operator or to be wall or to be done sed to be done or the other prescreen area of sed to be done.	or and by any consisted within	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regular (v) if applicable, the form of the propose well where fracturing Form IV-2 filed in comparison of the coal under this on, the well location on, provided, the well location on the well location on, provided, the well location on the well location of the coal under this on, the well location of the well locatio	in one of the for-2, (iii) Form IV ation 23, (iv) und consent required well. g or stimulating is onnection therewere who has record receipt thereof.	ded a
the D presc "Rec previce Code As be pa THIS PERMIT MA ALL PROVISION ARTICLE 4 OF APPROVED FOR OPERATION The deci	ribed by lamation ously paid § 22-4-8a reparate Fort of the way are parate	Regulation Regulation Regulation Regulation Regulation Regulation Plan', a from the sea from the form Iv-2 work for which a from Iv-2 work for which a from Iv-2 work for which a from Iv-2 waiver mander Cook and operated of a mine and objection objection Regulation	panied by ion 12, of applicable same well the owner shall not which a possible to the control of	y (i) a r in li to th , the fo of an be requermit VELL S OCATI OCATI OWNER OCATI OWNER	plat in eu the eu the e recla ee requi y wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83 he coal operator or to be wall or to be done sed to be done or the other prescreen area of sed to be done.	or and by any consisted within	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regular (v) if applicable, the form of the propose well where fracturing Form IV-2 filed in comparison of the coal under this on, the well location on, provided, the well location on the well location on, provided, the well location on the well location of the coal under this on, the well location of the well locatio	in one of the for-2, (iii) Form IV ation 23, (iv) und consent required well. g or stimulating is onnection therewere who has record receipt thereof.	ded a
the D presc "Rec previce Code As be pa THIS PERMIT MA ALL PROVISION ARTICLE 4 OF APPROVED FOR OPERATION The deci	ribed by lamation ously paid § 22-4-8a reparate Fort of the way are parate	Regulation Regulation Regulation Regulation Regulation Regulation Plan', a from the sea from the form Iv-2 work for which a from Iv-2 work for which a from Iv-2 work for which a from Iv-2 waiver mander Cook and operated of a mine and objection objection Regulation	panied by ion 12, of applicable same well the owner shall not which a possible to the control of	y (i) a r in li to the to the to the formation of an order with the total	plat in eu the eu the e recla ee requi y wate uired fis soug	the form prescreef the other mation required by Code or well or dwe for fracturing of the and is noted. APTER 22, HEREBY HALL EXPIRE 3-83 he coal operator or to be wall or to be done sed to be done or the other prescreen area of sed to be done.	or and by any consisted within	plation 11, (ii) a bond wed by Code § 22-4 22-4-12b and Regular (v) if applicable, the form of the propose well where fracturing Form IV-2 filed in comparison of the coal under this on, the well location on, provided, the well location on the well location on, provided, the well location on the well location of the coal under this on, the well location of the well locatio	in one of the for-2, (iii) Form IV ation 23, (iv) und consent required well. g or stimulating is onnection therewere who has record receipt thereof.	ded a

SLAMKET BONU

FORM 1V-60 A 9 (6-82)



DATE:	July	27	,	19	82	
OPERA						

WELL NO.: H-1346

API NO: 47 - 085 - 579/ State County Permit No

State of Mest Birginia

OFFICE OF OIL AND GAS DEPARTMENT OF MINES

AFFIDAVIT

State ofWest Virginia	
County of Ritchie	
I, Tammy K. Bell (the designat	ed owner or operator,
or authorized representative thereof), after being duly say that the undersigned is authorized by the owner of t	sworn, do depose and he working interest
that (he, she, or it) shall tender to the owner of the country that the total and the country that	oil and gas in place
not less than one-eighth of the total amount paid to or to the owner of the working interest at the wellhead for extracted, produced, or marketed before deducting the an	the oil or gas so
aside for the owner of the oil or gas in place, or all sextracted, produced, or marketed from the well. West Vi (1982).	such oil or gas to be
Signed: Jammy R. Beer	_
Taken, Subscribed, and sworn to before me this 27 day	of July, 1982
Notary: Lang B Melson	
My Commission Expires: April 6, 1992	
and the same of th	RECEIVED
	JUL 2 9 1982
	OIL & GAS DIVISION EPT. OF MINES

IV-9 REVERSE (REV 8-81) ATTACH OR PHOTOCOPY SECTION OF LEGEND INVOLVED TOPOGRAPHIC MAP. WELL SITE BACCESS ROAD QUADRANGLEHARRISVILLE 10 Misite, first LEGEND Property boundary Road = = = = = Spring O-> Existing fence — x — x — Wet spot Planned fence —/—/ Building | Stream \... Drain pipe -- 0-Open ditch ----->-Comments: 1. LENGTH OF ACCESS ROAD 1000' 2. BRUSH AND TREES TO BE PILED AT SITE. 3._ 5._

IV-9 (Rev 8-81)



WEIL NO. H-1346

State of Mest Wirginia

API NO. 47 - 085 - 5791

Bepartment of Mines

Gil and Gas Division Construction & Reclamation Plan

Telephone (204) 477-3333 Telephone (204) 477-3233 Telephone (204) 477-3333 Telephone (204) 477-3233 Telephone (204) 477-3233 Telephone (204) 477-3233 Telephone (204) 477-324 Telephone (204) 477-324	ADDRESS SMITHVILLE, W.VA. 26178 alphane (204) 477-3333 Telephone (204) 477-3333 Telephone (204) 477-3333 Telephone (204) 477-3333 This plan has been reviewed by Ithe Kanawha SOIL CONS. DISTRICT_HTTLE KANAWHA SOIL CONST. DISTRICT_HTTLE CONTS. DISTRICT_HTTLE KANAWHA SOIL CONST. DISTRICT_HTTLE CONTS. DISTRICT_HTTLE KANAWHA SOIL CONST. DISTRICT_HTTLE CONTS. DI	COMPANY NAME HAUGHT, INC.	DESIGNATED AGENT WARREN HAUGHT
INDONNER ONALD HAROLD LOWTHER Revegetation to be carried out by WARREN HAUGHT This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: The plan plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plan: This plan has been reviewed by ITHE KANAWHA SOD. All corrections and additions become a part of this plane. Structure CULVERT SOD Material Son. Fage Ref. Manual 2:12	CONSE CONS. DISTRICT. TITLE KANAWHA Evergetation to be carried out by WARREN HAUGHT This plan has been reviewed by LIHE KANAWHA SOD. All corrections ACCESS FOAD ACCESS FOAD ACCESS FOAD CONTINUE (Bate) ACCESS FOAD ACCESS FOAD ACCESS FOAD CONTINUE (SCD Agent) Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 2:1 Coture RIP-RAP (STONE-LOGS) Ref. Manual 2:1 ALI structures should be inspected regularly and repaired if nacessary. All commercial timber is to be out and stacked and all brush and small timber to be not and removed from the site before dirt book begins. REVERENTION Treatment Area I Tons/acre Or correct to PH 6.5 Line Or correct to PH 6.5 Line Tons/acre Or correct to PH 6.5 Line Or correct to PH 6.5 Line Tons/acre Or correct to PH 6.5 Line Or correct to PH 6.5 Line	ADDRESS SMITHVILLE, W.VA. 26178	ADDRESS SMITHVILLE, W.VA. 26178
This plan has been reviewed by Little Kanzwha SCD. All corrections and additions become a part of this plan: Total Page P	This plan has been reviewed by LIHLE KARRHA SCD. All corrections additions become a part of this plan: Total Page	Telephone (304) 477-3333	Telephone (304) 477-3333
This plan has been reviewed by Little Kanzwha SCD. All corrections and additions become a part of this plan: Total Page P	This plan has been reviewed by LIHLE KARRHA SCD. All corrections additions become a part of this plan: Total Page	LANDOWNER DONALD HAROLD LOWTHER	SOIL CONS. DISTRICT, ITTLE KANAWHA
This plan has been reviewed by ItHe Kanawha SCD. All corrections and additions become a part of this plan: 7-27-82 (Date) Cate) Cate Corrections ACCESS ROAD ACCESS ROAD	This plan has been reviewed by Little Kanawha SD. All corrections additions become a part of this plan: Total College Canada Canada		REN HAUGHT (Agent)
and additions become a part of this plan: Cate	ACCESS ROAD ACCES		
Structure COLVERT Structure COLVERT Structure COLVERT Structure CROSS DRAIN Page Ref. Manual 2:17 Structure RIP-RAP Spacing 45' To 400' (AS NEEDED) Spacing 45' To 400' (AS NEEDED) Page Ref. Manual 2:11 Structure RIP-RAP Material ROCK-LOGS Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVERENTION Treatment Area I Line Tons/acre or correct to pH 6.5 Fertilizer Soo lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre ADDINO CLOVER 3 lbs/acre LADINO CLOVER 3 lbs/acre RIROSFOOT TREFOL clbs/acre RIROSF	ACCESS ROAD ACCESS ROAD COUNTECULVERT Ing 12" Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 2:1 Coure ROSS DRAIN Ing 45' TO 400' (AS NEEDED) Ref. Manual 2:1 Coure RIP-RAP (STONE-LOGS) Ref. Manual N/A		
Structure COLVERT Spacing 12" Page Ref. Manual 2:7 Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Spacing 45. To 400' (AS NEEDED) Page Ref. Manual 2:1 Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Material ROCK-LOGS Page Ref. Manual N/A Page Ref. Manual 1:1 Structure Rip-RAP Structure Rip-RAP Material ROCK-LOGS Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed* ORCHARD GRASS 12 lbs/acre IMOTHY 6 lbs/acre IMOTHY 6 lbs/acre TIMOTHY 7 lequines such as vetch, trefoil and clovers with the proper bacterium. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, LA ADDRESS 106 NORTH SPRING STREE HARRISYILLE, W.YA. 2636.	ACCESS ROAD CTUTECULVERT Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 3:1 Ref. Manual 3		(Date)
Structure COLVERT Spacing 12" Page Ref. Manual 2:7 Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Spacing 45. To 400' (AS NEEDED) Page Ref. Manual 2:1 Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Structure Rip-RAP Material ROCK-LOGS Page Ref. Manual N/A Page Ref. Manual 1:1 Structure Rip-RAP Structure Rip-RAP Material ROCK-LOGS Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed* ORCHARD GRASS 12 lbs/acre IMOTHY 6 lbs/acre IMOTHY 6 lbs/acre TIMOTHY 7 lequines such as vetch, trefoil and clovers with the proper bacterium. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, LA ADDRESS 106 NORTH SPRING STREE HARRISYILLE, W.YA. 2636.	ACCESS ROAD CTUTECULVERT Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 3:1 Ref. Manual 3	<u>_</u>	farrett lewton
Structure CULVERT Spacing 12" Page Ref. Manual 2:7 Structure RIP-RAP Spacing 45' To 400' (AS NEEDED) Page Ref. Manual 2:1 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual N/A Page Ref. Manual	Structure DIVERSION DITCH (1) Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 3:1 Ref. Man	Sal	(SCD Agent)
Spacing 12" Page Ref. Manual 2:17 Structure CROSS DRAIN Spacing 45' TO 400' (AS NEEDED) Page Ref. Manual 2:11 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual 2:12 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual 1/A Page Ref. Manual 1/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVECETATION Treatment Area I Line Tons/acre or correct to PH 6.5 Fertilizer Tons/acre or correct to PH 6.5 Fertilizer Soo	Ref. Manual 2:7 Ref. Manual 2:7 Ref. Manual 2:1 Ref. Manual 3:1 Ref. Manual 4:1 Ref. Manual 3:1 Ref. Manual 4:1 Ref. M	ACCESS ROAD	LOCATION
Structure RIP-RAP Spacing 45' TO 400' (AS NEEDED) Page Ref. Manual 2:1 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVERENTION Treatment Area I Line Treatment Area II Treatment Area II Treatment Area II Treatment Area II Mulchhay or STRAW 2 Tons/acre (10-20-20 or equivalent) Mulchhay or STRAW 2 Tons/acre 1 ADINO CLOVER 3 lbs/acre 1 ADINO CLOVER 1 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 7 Imothy 6 lbs/acre 1 Imothy 7 Imothy 8 Seed* ORCHARD GRASS 12 lbs/acre 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 3 lbs/acre 1 Imothy 4 Imothy 5 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 1 Imothy 1 Imothy 1 Imothy 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 4 Imothy 6 lbs/acre 1 Imothy 1 Imothy 1 Imothy 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 4	Structure RIP-RAP (2) Ref. Manual 2:1 Coture RIP-RAP (STONE-LOGS) Ref. Manual 3:1 Ref. Manual 1/A Ref. Manual 1/A All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVERENATION Treatment Area I Tons/acre	Structure CULVERT 4125 GT	9 11/10
Structure RIP-RAP Spacing 45' TO 400' (AS NEEDED) Page Ref. Manual 2:1 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVERENTION Treatment Area I Line Treatment Area II Treatment Area II Treatment Area II Treatment Area II Mulchhay or STRAW 2 Tons/acre (10-20-20 or equivalent) Mulchhay or STRAW 2 Tons/acre 1 ADINO CLOVER 3 lbs/acre 1 ADINO CLOVER 1 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 7 Imothy 6 lbs/acre 1 Imothy 7 Imothy 8 Seed* ORCHARD GRASS 12 lbs/acre 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 3 lbs/acre 1 Imothy 4 Imothy 5 Imothy 6 lbs/acre 1 Imothy 6 lbs/acre 1 Imothy 1 Imothy 1 Imothy 1 Imothy 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 4 Imothy 6 lbs/acre 1 Imothy 1 Imothy 1 Imothy 1 Imothy 2 Imothy 3 lbs/acre 1 Imothy 4	Structure RIP-RAP (2) Ref. Manual 2:1 Coture RIP-RAP (STONE-LOGS) Ref. Manual 3:1 Ref. Manual 1/A Ref. Manual 1/A All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVERENATION Treatment Area I Tons/acre	Spacing 12"	Material son
Spacing 45' TO 400' (AS NEEDED) Page Ref. Manual 2:1 Structure RIP-RAP (STONE-LOGS) Page Ref. Manual N/A P	Ref. Manual 2:1 Course RIP-RAP (STONE-LOGS) (C) (O)Structure DRAINAGE DITCH (R) Fing SAME AS CROSS DRAIN Ref. Manual N/A Ref. Manual N/A All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVECETATION Treatment Area I Tons/acre Treatment Area I Tons/acre Or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) ChHAY OR STRAW 2 Tons/acre ADINO CLOVER 3 lbs/acre **RECHARD GRASS 12 lbs/acre **IROSHADO TREFOLL 10 lbs/acre **RIROSFOOT TR	Page Ref. Manual 2:7 DEOIL & 198	Page Ref. Manual 2:12
Page Ref. Manual 2:1 Structure RIP-RAP (STONE-LOGS) (C) (D)Structure DRAINAGE DITCH Spacing SAME AS CROSS DRAIN Page Ref. Manual 1/A All structures should be inspected regularly and repaired if necessary. All commercial timber is to be aut and stacked and all brush and small timber to be aut and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime Tons/acre or correct to PH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAY OR STRAW 2 Tons/acre **INDINO CLOVER 3 lbs/acre **INDIN	Ref. Manual 2:1 Page Ref. Manual 1/A All structures should be inspected regularly and repaired if necessary. All pommercial timber is to be cut and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVECETATION Treatment Area I Tons/acre Or correct to pH 6.5 Chay or straw 2 Tons/acre Area 1 Line Tons/acre Or correct to pH 6.5 Chay or straw 2 Tons/acre All structures should be inspected regularly and repaired if necessary. All pommercial timber to be not all brush and small timber to be not all brush and small timber to be not correct to pH 6.5 Fretilizer 500 lbs/acre (10-20-20 or equivalent) Chay or straw 2 Tons/acre Applied 500 lbs/acre Ladino Clover 3 lbs/acre **RECHARD GRASS 12 lbs/acre **LADINO CLOVER 3 lbs/acre **INDOILIDE all legumes such as vetch, trefoil and clovers with the proper bacterium. Comparation to protect new seedling for one growing season. Attach separate sheets as	Structure CROSS DRAIN	Structure RIP-RAP (2)
Structure RIP-RAP (STONE-LOGS) (C) (D)Structure DRAINAGE DITCH Spacing SAME AS CROSS DRAIN Page Ref. Manual N/A All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVEGETATION Treatment Area I Lime Tons/acre Or correct to pH G.5 Fertilizer 500 Ibs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre VADINO CLOVER 3 Ibs/acre LADINO CLOVER 3 Ibs/acre **IMOTHY G Ibs/acre **IMOTHY G Ibs/acre **IMOTHY G Ibs/acre **IMOTHY FINOCULate at legumes such as vetch, trefoil and clovers with the proper bacterium. NOTES: Please request Landowners' cooperation to protect new seedling for one growing season. (C) (O)Structure DRAINA Material Page Ref. Manual 2:12 Page Ref. Manual 2:12 All recessary. All repaired if necessary. All repaired if neces	All structures should be inspected regularly and repaired if necessary. All structures should be inspected regularly and repaired if necessary. All sommercial timber is to be aut and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVECETATION Treatment Area I Tons/acre Treatment Area II Tons/acre Tons/a	Spacing 45' TO 400' (AS NEEDED)	
Spacing SAME AS CROSS DRAIN Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVEGETATION Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer 500 1bs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2Tons/acre LADINO CLOVER 3 lbs/acre **INDCULATE all legumes such as vetch, trefoil and clovers with the proper bacterium inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new sealing for one growing season. Material Page Ref. Manual 2:12 Page Ref. Manual 2:12 All repaired if necessary. All required in decessary. All repaired in decessary. All repaired in decessary. All repaired in the proper due timber to be cut and stacked and all brush and small timber to be cut and small timbe	All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be nut and removed from the site before dirt work begins. REVERGETATION Treatment Area I Treatment Area I Tons/acre T	Page Ref. Manual 2:1	Page Ref. Manual N/A
Page Ref. Manual N/A Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be aut and stacked and all brush and small timber to be aut and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre LADINO CLOVER 3 lbs/acre **Moreulate all legumes such as vetch, Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Page Ref. Manual 2:12 All recommended if necessary. All repaired if necessary. All recommended in small timber to be or correct to pH 6.5 Fretilizer 500 lbs/acre [10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre IMDINO CLOVER 3 lbs/acre Page Ref. Manual 2:12 Treatment Area II Treatment Area II Treatment Area II Treatment Area II Tons/acre Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Fertilizer 500 lbs/acre Fertilizer 500 lbs/acre Fertilizer 500 lbs/acre Fertilizer 500 lbs/acre Tons/acre Tons/	Page Ref. Manual NA Page Ref. Manual 2:12 All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVECETATION Treatment Area I Tons/acre Treatment Area II Iime Tons/acre or correct to pH 6.5 tilizer 500 lbs/acre (10-20-20 or equivalent) ChHAY OR STRAW 2Tons/acre d*GRCHARD GRASS 12lbs/acre LADINO CLOVER 3 lbs/acre *INDITION 1	Structure RIP-RAP (STONE-LOGS) (C	(d)Structure DRAINAGE DITCH
All structures should be inspected regularly and repaired if necessary. All commercial timber is to be aut and stacked and all brush and small timber to be aut and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer Tons/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre LADINO CLOVER 3 lbs/acre PROSPOOT TREFOIL 10lbs/acre **Thorulate all legumes such as vetch, trefoil and clovers with the proper bacterium seedling for one growing season. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. All structures should be inspected regularly and repaired if necessary. All brush and all brush and small timber to be all brush and small timber to be attached all brush and small timber to be attached all brush and small timber to be attached and small timber to be attached and small timber to be attached all brush and small timber to be attached and small timber to be attached all brush and small timber to be attached all brush and small timber to be attached attached and small timber to be attached and sm	All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be not and removed from the site before dirt work begins. REVECETATION Treatment Area I Tons/acre Treatment Area I Tons/acre Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY Glbs/acre TIMOTHY Glbs/acre TIMOTHY Glbs/acre TIMOTHY FINDILITE Such as vetch, trefoil and clovers with the proper bacterium. Tons/acre Timothy Glbs/acre Timothy Glbs/acre Timothy FINDILITE Such as vetch, trefoil and clovers with the proper bacterium. Tons/acre Seed*ORCHARD GRASS 12 lbs/acre TIMOTHY Glbs/acre TIMOTHY Glbs/acre TIMOTHY FINDILITE Such as vetch, trefoil and clovers with the proper bacterium. Tons/acre Timothy Glbs/acre Timothy Glbs/acre Timothy FINDING TREFOIL 10 bs/acre Timothy Tons/acre Timothy Glbs/acre Timothy Glbs/acre Timothy FINDING TREFOIL 10 bs/acre Timothy Tons/acre Timothy Glbs/acre Timothy Glbs/acre Timothy FINDING TREFOIL 10 bs/acre Timothy Tons/acre Tons/acre Tons/acre Tons/acre Tons/acre Tons/acre Tons/acre Timothy Glbs/acre Timothy Tons/acre Timothy Glbs/acre Timothy Glbs/acre Timothy Glbs/acre Timothy Glbs/acre Timothy Glbs/acre Timothy Tons/acre	Spacing SAME AS CROSS DRAIN	Material
Commercial timber is to be cut and stacked and att brush and small	Treatment Area I Treatment Area I Tons/acre Seed*ORCHARD GRASS 12 lbs/acre Tons/acre Tons/acre		
Treatment Area I Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12lbs/acre LADINO CLOVER 3 lbs/acre **INOTHY 6 lbs/acre **INOTHY 6 lbs/acre **INOCULate atl legumes such as vetch, trefoil and clovers with the proper bacterium inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Tons/a Inime Tons/acre Lime 500 lbs/acre Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12lbs/acre LADINO CLOVER 3 lbs/acre RIRDSFOOT TREFOIL 10lbs/acre RIRDSFOOT TREFOIL 10lbs/acre **INOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10lbs/acre **INOTHY 6 lbs/acre **INOTHY 6 lbs/ac	Treatment Area I Tons/acre Tons	commercial timber is to be cut and stace cut and removed from the site before di	irt work begins.
Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre *IMOTHY 6 lbs/acre *Imoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Lime Tons/acre Time Tons/acre Fertilizer 500 lbs/acre Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre BIRDSFOOT TREFOIL 10 lbs/acre *Imoculate with 3X recommended amount. 08/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, L. L. ADDRESS 106 NORTH SPRING STREE	Tons/acre	REVE	EGETATION
Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre Alpho Clover 10 lbs/acre *Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium transculate all very as trefoil and clovers with the proper bacterium trefoil and clo	Tons/acre	Treatment Area I	Treatment Area II
or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10lbs/acre *Inoculate all legumes such as vetch, Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. OR COTTECT to PH 6.5 Fertilizer 500 lbs/acre Fertilizer 500 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre BIRDSFOOT TREFOIL 10lbs/acre *Inoculate with 3X recommended amount. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, L. L. ADDRESS 106 NORTH SPRING STREE	Torrect to pH 6.5 tilizer 500 lbs/acre (10-20-20 or equivalent) ChHAY OR STRAW 2 Tons/acre d*orchard Grass 12lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre *Involute all legumes such as vetch, trefoil and clovers with the proper bacterium. oculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Attach separate sheets as	There / name	Lime Tons/acre
Fertilizer 500 IDS/acre (10-20-20 or equivalent) MulchHAY OR STRAW 2 Tons/acre Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MulchHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre MILCHHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre MILCHHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre MILCHHAY OR STRAW 2 Tons/a Seed*ORCHARD GRASS 12 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre NOTES: Please request landowners' Cooperation to protect new Seedling for one growing season. MulchHAY OR STRAW 2 Tons/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre NOTES: Please request landowners' Cooperation to protect new Seedling for one growing season.	TIMOTHY Glbs/acre *Touslate all legumes such as vetch, refoil and clovers with the proper bacterium. *Touslate with 3X recommended amount. **Touslate in to protect new seedling for one growing season. Attach separate sheets as **Touslate (10-20-20 or equivalent)		
Mulch HAY OR STRAW 2 Tons/acre Seed* ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre *INOCULate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Mulch HAY OR STRAW 2 Tons/acre Mulch HAY OR STRAW 2 Tons/acre Seed* ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre BIRDSFOOT TREFOIL 10 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre BIRDSFOOT TREFOIL 10 lbs/ac	Chay or Straw 2 Tons/acre d*orchard Grass 12 lbs/acre Ladino Clover 3 lbs/acre Timothy 6 lbs/acre *Imothy 10 l		
Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre BIRDSFOOT TREFOIL 10 lbs/acre *Invaliate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Seed*ORCHARD GRASS 12 lbs/acre LADINO CLOVER 3 lbs/acre BIRDSFOOT TREFOIL 10 lbs/acre BIRDSFOOT TREF	d*orchard grass 12 lbs/acre LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre RIRDSFOOT TREFOIL 10 lbs/acre *Towculate all legumes such as vetch, trefoil and clovers with the proper bacterium. coulate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Attach separate sheets as	- Mong /acres	Mulch HAY OR STRAW 2 Tons/acre
TIMOTHY Glbs/acre BIRDSFOOT TREFOIL 10lbs/acre *Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. LADINO CLOVER 3 lbs/acre TIMOTHY Glbs/acre BIRDSFOOT TREFOIL 10lbs/a RIPDSFOOT TREFOIL 10lbs/acre BIRDSFOOT TREFOIL 10lb	LADINO CLOVER 3 lbs/acre TIMOTHY 6 lbs/acre BIRDSFOOT TREFOIL 10 lbs/acre *Imoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. oculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Attach separate sheets as	The lama	URCHARY CR.
TIMOTHY BIRDSFOOT TREFOIL 10lbs/acre *Imoculate all legumes such as vetch, trefoil and clovers with the proper bacterium Inoculate with 3X recommended amount. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. TIMOTHY BIRDSFOOT TREFOIL 10lbs/a RIPDSFOOT TREFOIL 10lbs/a RIPDSFOOT TREFOIL 10lbs/a BIRDSFOOT TREFOIL 10lbs/a RIPDSFOOT TREFOIL 10lbs/a RIPDSFOOT TREFOIL 10lbs/a ADDRESS 106 NORTH SPRING STREE HARRISVILLE, W.VA. 2636.	TIMOTHY BIRDSFOOT TREFOIL 10lbs/acre *Invoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. Oulate with 3X recommended amount. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, L.L.S. ADDRESS 106 NORTH SPRING STREET HARRISVILLE, W.VA. 26362	77 /	LAUINO CLOSE
*INOCULate all legumes such as vetch, trefoil and clovers with the proper bacterium Inoculate with 3X recommended amount. *INOTES: Please request landowners' cooperation to protect new seedling for one growing season. *INOTES: Please request landowners' harrisville, w.va. 2636.	**Thoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, L.L.S. NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Attach separate sheets as	1hg/acre	TIMOTHY 6 lbs/acre
Inoculate with 3X recommended amount. O8/18/2023 PLAN PREPARED BY WILLIAM R. MOSSOR, L.L. ADDRESS 106 NORTH SPRING STREE cooperation to protect new seedling for one growing season. HARRISVILLE, W.VA. 2636	NOTES: Please request landowners' cooperation to protect new seedling for one growing season. Attach separate sheets as	BIRDSFOOT TREFOIL 101bs/acre	trafail and clovers with the proper bacterium.
NOTES: Please request landowners' ADDRESS 106 NORTH SPRING STREE cooperation to protect new seedling for one growing season. PLAN PREPARED BY WILLIAM R. MOSSOR, L.L. ADDRESS 106 NORTH SPRING STREE HARRISVILLE, W.VA. 2636.	PLAN PREPARED BY WILLIAM R. MOSSOR, L.L.S. ADDRESS 106 NORTH SPRING STREET ADDRESS 106 NORTH SPRING STREET HARRISVILLE, W.VA. 26362	*Troculate all legumes such as vetch,	
NOTES: Please request landowners' cooperation to protect new seedling for one growing season. ADDRESS 106 NORTH SPRING STREE	NOTES: Please request landowners' ADDRESS 106 NORTH SPRING STREET cooperation to protect new seedling for one growing season. Attach separate sheets as		
cooperation to protect new seedling for one growing season. HARRISVILLE, W.VA. 2636.	cooperation to protect new seedling for one growing season. Attach separate sheets as HARRISVILLE, W.VA. 26362		
seedling for one growing season. HARRISVILLE, W. VA. 2800.	seedling for one growing season. Attach separate sheets as	NOTES: Please request landowners'	ADDRESS 106 NORTH SPRING STREET
	Attach separate sheets as necessary for comments. PHONE NO. (304) 643-4572	seedling for one growing season.	HARRISVILLE, W.VA. 26362
Attach separate sheets as necessary for comments. PHONE NO. (304) 643-4572		Attach separate sheets as	PHONE NO. (304) 643-4572

B-12

STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS

NOTICE OF EXPIRED PERMIT

Permit number:47- 85-5791 Company:HAUGHT INC. Date:27-Nov-84 Date issued: 8/03/82

County:RITCHIE
Farm:DONALD H LOWTHER #H-1346
Well no.:
Date expired:/ / 0

FEB 2 6 1985

OIL & GAS DIVISION

DEPT. OF MINES

I have inspected the above wellsite and found no well work done. Please cancel this well work permit.

Sisned Samuel N. Hersman

Date: 2-22-85



State of Mest Birginia

EARTON B. LAY, JR. DIRECTOR

Bepartment of Mines Gil and Cas Division Charleston 25305

THEODORE M. STREIT ADMINISTRATOR

47-085-5791

February 28, 1985

Haught, Inc. 4424 Emerson Avenue Parkersburg, West Virginia 26104

		In Re:	Permit No:	
			Farm:	Donald H. Lowther
			Well No:	н-1346
			District:	Grant
			County:	Ritchie
			Issued:	8-03-82
Gentlem	en:			
	The FINAL INSPECTION REPORT for office. Only the column chec			ned well has been received
XXXXX	The well designated by the abunder your Blanket Bond. (P			
	Please return the enclosed cadesignated by the above permissaid bond in your behalf, in records.	it number	to the sur	rety company who executed
	Your well record was received accordance with Chapter 22, A will remain under bond covers	Article 4	4, Section 2	2, the above captioned well

Very truly yours,

Theodore M. Streit, Administrator Dept. Mines-Office of Oil & Gas

