D



1)	Date: Apr	, 1983		
2)	Operator's Well No.	H-1409		
3)	API Well No.	47	085	6437

LLING CONTRA	CTOR:				CITE A F	J. SCHOOL WAR	CANTA	State	County	Perm
			DE	PARTI		FE OF WEST VIRO F MINES, OIL A		ION	i a be ville	
noorg are daid	ar the	An lote		OIL A	ND GAS	WELL PERMIT	APPLICATION	in allaho teredinin sa	eam Tear	
restation to the	and the same					Set the american the		String of bin of the	Now all to	
WELL TYPE: A	A Oil _	X	_/ Gas _						180 37	
I I			duction _)	<u> </u>			/ Deep	_/ Shallow	v _ X /)
LOCATION:	Elevati	on: 90	unhv		Real N	Watershed: R			Cmish	III.
WELL OPERAT			arphy					Quadrangle:Quadrangle:		
WELL OPERAT Address						elt who sight the				
71447033			rsburg						le, WV	26178
OIL & GAS		Mana	WELSE					Name of the second	ROW CASILIAN	
ROYALTY OWN			Box 4		el serie te	12)	COAL OPER Address	ATOR None		7 P (1)
Address			rsburg		V 26	104	Address			
Acreage		105						ER(S) WITH DECLA		
SURFACE OWN	1216	Westv				That sales at	Name	Tax to ranke as is	restants 17	78
Address _			5 & Ra				Address		LICTORIOU?	SUR L
-		105	rsburg	g, w	V 26	101	An reva	bos of same stable	W. C. A. (1)	e filmpe
Acreage _	NAMED OF BUILDING						Name			
FIELD SALE (II			lidated	d Ga	s Sur	oply	riduicos	THE PERSON NAMED IN COLUMN TO SERVICE OF SER	10000	70.5
			sburg,				COAL LESSI	EE WITH DECLARA	TION ON RE	CORD:
OIL & GAS INS							Name	None	केष्ट्र 19q करें।	- IN B E
Name			Par C	-	Pro-House St. St. Color (S.)		Address	Paragraph and Use	100 150 W	731
Address			Box 6		26179			The state of the s	ME ITW	M
				11 V 4	20110				O U	1 1
PROPOSED W			THE RESERVE AND ADDRESS OF THE PARTY OF THE	The Atlanta Control	The second secon		/ Fr	acture or stimulate	/	2 2 1 11
PROPOSED WO	ORK:	Drill_X		Drill d	eeper	/ Redrill_			elegio.is.A	
PROPOSED WO	ORK:	Drill X Plug off	old forma	Drill de ation_	eeper		w formation	40	2 198	The state of the s
	ORK:	Drill X Plug off Other ph	old forma	Drill de ation	eeper	/ Redrill/ Perforate ne	w formation		2 198	3
GEOLOGICAL	ORK:	Drill X Plug off Other phy	old formations of the state of	Drill de ation_nge in v	eepervell (spec	/ Redrill_ / Perforate ne	ew formation	MAY	and thereta	161
GEOLOGICAL 17) Estimated de	TARGET	Drill X Plug off Other phy TFORMA	old formate of the state of the	Drill de ation_nge in vBig_2	vell (spec	/ Redrill_ / Perforate ne	w formation	MA)	GAS DIVI	SION
GEOLOGICAL 17) Estimated de 18) Approximat	TARGET epth of content water s	Drill X Plug off Other ph TFORMA Ompleted trata dept	old forms ysical chan ATION, well, hs: Fresh	Drill de ation_nge in v Big 2	vell (spec	/ Redrill_ / Perforate ne	w formation	MA)	GAS DIVI	SION
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat	TARGET see the coal sea	Drill X Plug off Other phy TFORMA completed with trata depths	old forma ysical chan ATION, _ well, hs: Fresh	Drill de ation_nge in v Big 2	vell (spec	/ Redrill_ / Perforate ne	w formation	MAY	GAS DIVI	SION
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND	TARGET see the coal sea	Drill X Plug off Other phy TFORMA completed with trata depths	old forma ysical chan ATION, _ well, hs: Fresh	Drill de ation_nge in v Big 2	well (special Inju	/ Redrill_ / Perforate ne	alt,being mined in the	feet. Oil & he area? Des PT	GAS DIVI	sion INES
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND	TARGET see the coal sea	Drill X Plug off Other phy FORMA Completed of trata depth am depths PROGR.	old forma ysical chan ATION, _ well, hs: Fresh	Drill de ation	eeper well (spec Inju 100'	/ Redrill_ / Perforate netrify) n feet feet; s one Is coal	alt,being mined in the	feet. C. 1 & he area? Des PT	GAS DIVI	SION
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND T	TARGET see the coal sea	Drill X Plug off Other phy FORMA Completed of trata depth am depths PROGR.	old formaysical chamation,well,hs: Fresh:AM	Drill de ation	well (special Inju	/ Redrill_ / Perforate ne	alt,being mined in the	feet. C.L. & he area? Dec PT	GAS DIVI	sion INES
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND T CASING OR TUBING TYPE	TARGET epth of code water stee coal sear TUBING	Plug off Other phy FORMA Ompleted with the depths PROGR. SPI Grade	old formaysical chanaTION,well,well,well,well,well,well,well,well,weight per ft.	Drill de ation nge in v Big 2	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,being mined in the intervals	feet. C.L. & he area? Des PT OR SACKS (Cubic feet)	GAS DIVI	SION INES
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND TOTAL CASING OR TUBING TYPE onductor resh water 8	TARGET epth of code water side coal sear TUBING	Plug off Other phy FORMA Ompleted with the depths PROGR. SPI	old formaysical chanaTION,well,well,	Drill de ation	eeper well (spec Inju 100'	/ Redrill_ / Perforate netrify) n feet feet; s one Is coal	alt,being mined in the	feet. C. 1 & he area? Des PT	GAS DIVI	SION INES
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water 8	TARGET epth of code water stee coal sear TUBING	Plug off Other phy FORMA Ompleted with the depths PROGR. SPI Grade	old formaysical chanaTION,well,well,well,well,well,well,well,well,weight per ft.	Drill de ation nge in v Big 2	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,being mined in the intervals	feet. C.L. & he area? Des PT OR SACKS (Cubic feet)	CAS DIVI	SION INES
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate	TARGE epth of code water size coal sea TUBING	Plug off Other phy FORMA Ompleted with the depths PROGR. SPI Grade	old formaysical chanaTION,well,well,well,well,well,well,well,well,weight per ft.	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,being mined in the intervals	feet. C.L. & he area? Des PT OR SACKS (Cubic feet)	CAS DIVI	SION INES CKERS
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND T CASING OR TUBING TYPE onductor resh water 0al stermediate roduction 4	TARGE epth of code water size coal sea TUBING	Plug off Other phy FORMA Completed of trata depth am depths PROGR. SPI Grade K-55	old formaysical chamation,well,well,well,well,well,weight	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cil & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS ENEAT DR as R
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction ubing	TARGE epth of code water size coal sea TUBING	Plug off Other phy FORMA Completed of trata depth am depths PROGR. SPI Grade K-55	old formaysical chamation,well,well,well,well,well,weight	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cil & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS EXERS EXERS
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction ubing	TARGE epth of code water size coal sea TUBING	Plug off Other phy FORMA Completed of trata depth am depths PROGR. SPI Grade K-55	old formaysical chamation,well,well,well,well,well,weight	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cil & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS NEAT
GEOLOGICAL (7) Estimated de (8) Approximate (9) Approximate CASING AND CASING OR TUBING TYPE onductor resh water (8) oal stermediate roduction 4 ubing	TARGE epth of code water size coal sea TUBING	Plug off Other phy FORMA Completed of trata depth am depths PROGR. SPI Grade K-55	old formaysical chamation,well,well,well,well,well,weight	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cil & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS NEAT
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction 4 ubing iners	TARGE epth of cole water size coal sear TUBING	Plug off Other phy FORMA Ompleted with trata depth am depths PROGR Grade K-55	old formaysical chamation,well,well,well,well,well,weight	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cil & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS NEAT
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction ubing iners EXTRACTION	TARGET epth of cole water size coal sear TUBING Size 3-5/8	Plug off Other phy FORMA Ompleted with trata depth am depths PROGR Grade K-55	old formaysical characteristics of the second secon	Drill de ationnge in v Big 2 ,	eeper well (spec Inju 100'	/ Redrill_ / Perforate ne cify) nfeetfeet; s. oneIs coal FOOTAGE For drilling	alt,	feet. Cit & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	CAS DIVI	SION INES EXERS EXERS EXERS
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE onductor resh water 8 oal atermediate roduction 4 ubing iners EXTRACTION Check and provi	TARGE: epth of code water size coal sea TUBING Size 8-5/8 RIGHTS ide one o	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 I f the follow	old formaysical characteristics of the second secon	Drill de ationnge in v Big 2 l,	well (special injuing 100) N Used	/ Redrill_ / Perforate ne cify)_ nfeetfeet; s OneIs coal FOOTAGE For drilling 200!	alt,being mined in the INTERVALS Left in well 2001	feet. Cil & he area? De PT CEMENT FILLUP OR SACKS (Cubic feet) Cement to 100 sacks	PAGE Sizes Depths set Company Top	SION INES EXERS EXERS EXERS
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE Tonductor resh water total intermediate roduction Tubing timers EXTRACTION Check and provi	TARGE epth of cole water size coal sear TUBING Size RIGHTS ide one o is the lea	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 I f the follose or lease	old formaysical characteristics of the second secon	Drill de ation	well (special injuing 100) N Used	/ Redrill_ / Perforate ne cify)_ nfeetfeet; s OneIs coal FOOTAGE For drilling 200!	alt,being mined in the INTERVALS Left in well 2001 2100	feet. Cit & he area? Des FILL-UP OR SACKS (Cubic feet) Cement to	PAGE Sizes Depths set Company Top	SION INES EXERS NEAT
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE conductor resh water total intermediate roduction ubing iners EXTRACTION Check and provi Included The requi	TARGE: epth of code water size coal sear TUBING Size RIGHTS ide one of is the lear rement of DVISION	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 If the follose or lease of Code 22 IS	old formaysical characteristics of the second formation of the second formatio	Drill de ation	well (special injuing to line) with the second injuing control	/ Redrill_ / Perforate ne cify) n	being mined in the Intervals Left in well 200 2100 ywhich I hold respecifics.)	feet. Ci. & he area? De T CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks	PAGE Sizes Depths set of the perforations Top Or gas.	SION INES CKERS NEAT DR QS R LE 1500 Bottom
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE conductor resh water total antermediate rroduction Tubing inters EXTRACTION Check and provi	TARGE: epth of code water size coal sea TUBING Size 8-5/8 RIGHTS dide one of the lear rement of the coal sea TUBING RIGHTS RI	Plug off Other phy FORMA Ompleted war depths Am depths PROGR Grade K-55 J-55 If the follows or lease of Code 22 IS	old formaysical characteristics of the control of t	Drill de ation	vell (special injuing to ling) with the line	/ Redrill_ / Perforate ne cify) n	w formation	feet. Ci. & he area? Des PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil	PAGE Sizes Depths set of the perforations Top Or gas.	SION INES CKERS NEAT DR 95 R IE 15 9 G
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE Conductor resh water 100 al Intermediate roduction Library Library EXTRACTION Check and provi Included intermediate The requi ROYALTY PRO Is the right to existimilar provision	TARGE epth of core water size coal sea TUBING Size RIGHTS ide one or is the lear rement of the core	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 If the follose or lease of Code 22 IS Oduce or m pensation	old formaysical characteristics of the control of t	Drill de ation	vell (special injuing to ling) with the line	/ Redrill_ / Perforate ne cify) n	w formation	feet. Ci. & he area? De T CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks	PAGE Sizes Depths set of the perforations Top Or gas.	SION INES CKERS NEAT DR 95 R IE 15 9 G
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction Uniting iners EXTRACTION Check and provi X Included in The requi ROYALTY PRO Is the right to extissimilar provision produced or mainer answer above in	TARGET epth of core water size coal sea TUBING Size RIGHTS ide one or is the lear rement of the core	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 If the folks se or lease of Code 22 IS Is oduce or manufacture and the code 22 Is	old formaysical characteristics of the control of t	Drill de ation	vell (speculary in the speculary in the specular in the specular in the specular in the speculary in the specular in the specul	/ Redrill_ / Perforate ne cify) n	being mined in the late of the	feet. Cil & he area? De PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil extract or contracts provintly related to the volumently related to the volumently related.	PAGE Sizes Depths set of the perforations Top Or gas.	SION INES CKERS NEAT DR 95 R IE 15 9 G
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING AND CASING OR TUBING TYPE Conductor resh water Reduction Library EXTRACTION Check and provi Included intermediate The requi ROYALTY PRO Is the right to exist similar provision produced or mane answer above in Required Copies	TARGET epth of core water size coal sea TUBING Size RIGHTS ide one or is the lear rement of the core	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 If the folks se or lease of Code 22 IS Is oduce or manufacture and of the folks of the fol	old formaysical characteristics of the control of t	Drill de ation	vell (speculary in the speculary in the speculary in the speculary in the speculary in the special in the speci	/ Redrill_ / Perforate ne cify)	being mined in the late of the	feet. Cil & he area? Dec PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil attract or contracts provintly related to the volunt form IV-60.	Rinds Surface Sizes Depths set of the perforations Top or gas.	SION INVES EXERS NEAT DRAS R INVES Bottom vell royalty or gas so extract
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE Conductor resh water 8 Coal Intermediate Production 4 Tubing Included The requi ROYALTY PRO Is the right to existimilar provision produced or man the answer above in Required Copies Conies of this Pro-	TARGETE E E E E E E E E E E E E E E E E E E	Plug off Other phy FORMA Ompleted with the depth am depths PROGR Grade K-55 J-55 If the following additions of the code 22 Is decreased the code 25 Is decreased the code	old formaysical characteristics with the control of	Drill de ation	vell (speculary in the special	Perforate ne cify) n feet feet; so One Is coal FOOTAGE For drilling 200' attract or contracts to (See reverse side for upon a lease or other or gas in place which inswer is Yes, you make the composition of the composi	being mined in the late of the	feet. Cil & he area? De PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil attract or contracts provintly related to the volunt form IV-60.	Rinds Surface Sizes Depths set of the set	SION NEAT DRAS R NEAT Bottom well royalty or gas so extract
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE onductor resh water oal Intermediate roduction ubing iners EXTRACTION Check and provi Included The requi ROYALTY PRO Is the right to exist similar provision produced or manue answer above i Required Copies Copies of this Penamed coal oper	TARGETE E E COAL SEZE E COAL S	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical chamation,well,well,well,well,well,well,well,weight per ft. 20# 10.5# 10.5# owing: es or other 2-4-1-(c) (1 market the on to the on NoXX litional is r) and the em), and coal	Drill de ation	vell (speculary in the special	Perforate ne cify) n feet feet; so One Is coal FOOTAGE For drilling 200' attract or contracts to (See reverse side for upon a lease or other or gas in place which inswer is Yes, you make the composition of the composi	being mined in the late of the	feet. Cil & he area? Dec PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil attract or contracts provintly related to the volunt form IV-60.	Rinds Surface Sizes Depths set of the set	SION INES EXERS EXERS Bottom Well royalty or gas so extractions and to the about
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING OR TUBING TYPE onductor resh water oal Intermediate roduction ubing iners EXTRACTION Check and provi Included The requi ROYALTY PRO Is the right to ext similar provision produced or man the answer above in Required Copies Copies of this Pen named coal oper Mines at Charles	TARGETE E E COAL SEZE E COAL S	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical chamation,well,well,well,well,well,well,well,well,well,weight per ft. 20# 10.5# owing: es or other 2-4-1-(c) (1 market the on to the on NoXX littional is r) and the em), and coal	Drill de ation	vell (speculary in the special	Perforate ne cify) n feet feet; so One Is coal FOOTAGE For drilling 200' attract or contracts to (See reverse side for upon a lease or other or gas in place which inswer is Yes, you make the composition of the composi	being mined in the late of the	feet. Cil & he area? De PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil attract or contracts provintly related to the volunt form IV-60.	Rinds Surface Sizes Depths set of the set	SION NEAT DRAS R NEAT Bottom vell royalty or gas so extract
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE onductor resh water oal attermediate roduction ubing iners EXTRACTION Check and provi Included The requi ROYALTY PRO Is the right to exi similar provision produced or man the answer above i Required Copies Copies of this Pon named coal oper Mines at Charles Notary:	TARGE epth of content of the water size coal sea TUBING Size RIGHTS ide one of the least rement of the least rement of the content of the least rement rement of the least rement rem	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical chamation,well,well,well,well,well,well,well,well,well,weight per ft. 20# 10.5# owing: es or other 2-4-1-(c) (1 market the on to the on NoXX littional is r) and the em), and coal	Drill de ation	vell (speculary in the special	Perforate ne cify) n feet feet; so One Is coal FOOTAGE For drilling 200' attract or contracts to (See reverse side for upon a lease or other or gas in place which inswer is Yes, you make the composition of the composi	being mined in the late of the	feet. Cil & he area? De PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil attract or contracts provintly related to the volunt form IV-60.	Rinds Surface Sizes Depths set (by R Perforations Top or gas. ding for flat with the control of the cont	SION NEAT DRAS R NEAT Bottom vell royalty or gas so extract
GEOLOGICAL 17) Estimated de 18) Approximate 19) Approximate 19) Approximate CASING AND CASING OR TUBING TYPE Tonductor resh water 100al Intermediate roduction Ubing Included The requi ROYALTY PRO Is the right to exi similar provision produced or man the answer above in Required Copies Copies of this Pon named coal oper Mines at Charles Notary:	TARGE epth of content of the water size coal sea TUBING Size RIGHTS ide one of the least rement of the least rement of the content of the least rement rement of the least rement rem	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical chamation,well,well,well,well,well,well,well,well,well,weight per ft. 20# 10.5# owing: es or other 2-4-1-(c) (1 market the on to the on NoXX littional is r) and the em), and coal	Drill de ation	vell (speculary of the property of the propert	Perforate ne cify) n feet feet; so ONE Is coal FOOTAGE For drilling 200' Attract or contracts to (See reverse side for upon a lease or other or gas in place white the day of the ciferent the ciferent the day of the ciferent t	being mined in the late of the	reet. Circ. feet. Circ. the area? Dec PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil tract or contracts provintly related to the volumently related to the volumently related to the volumently registered mail or covery of this Permit April	Rinds Surface Sizes Depths set (by R Perforations Top or gas. ding for flat with the control of the cont	SION NEAT DRAS R NEAT Bottom well royalty or gas so extract
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and provi Included The requi ROYALTY PRO Is the right to ext similar provision produced or maine answer above i Required Copies Copies of this Penamed coal oper Mines at Charles	TARGE epth of content of the water size coal sea TUBING Size RIGHTS ide one of the least rement of the least rement of the content of the least rement rement of the least rement rem	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical chamation,well,well,well,well,well,well,well,well,well,weight per ft. 20# 10.5# owing: es or other 2-4-1-(c) (1 market the on to the on NoXX littional is r) and the em), and coal	Drill de ation	vell (speculary of the color of	reclamation plan hefore the day of the	being mined in the late of the	feet. Circ. feet.	PAGE Sizes Depths set of the perforations Top Or gas. ding for flat warms of oil or the perforation of th	SION INVES EXERS NEAT Bottom Well royalty or gas so extract and to the above Department Department Department
GEOLOGICAL 17) Estimated de 18) Approximat 19) Approximat CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Unbing Included The required ROYALTY PRO Is the right to ext similar provision produced or maine answer above i Required Copies Copies of this Penamed coal oper Mines at Charles Notary: My Commission F	TARGET epth of content water size coal sea TUBING Size 8-5/8 RIGHTS ide one on is the leader ement of content conte	Plug off Other phy FORMA Ompleted of trata depth am depths PROGR Grade K-55 J-55 J-55 Grade K-55 J-55 J-55	old formaysical characteristics of the control of t	Drill de ation	vell (speculary of the color of	Perforate ne cify) n feet feet; so ONE Is coal FOOTAGE For drilling 200' Attract or contracts to (See reverse side for upon a lease or other or gas in place white the day of the ciferent the ciferent the day of the ciferent t	being mined in the late of the	reet. Circ. feet. Circ. the area? Dec PT CEMENT FILL-UP OR SACKS (Cubic feet) Cement to 100 sacks the right to extract oil tract or contracts provintly related to the volumently related to the volumently related to the volumently registered mail or covery of this Permit April	PAGE Sizes Depths set of the perforations Top Or gas. ding for flat warms of oil or the perforation of th	SION NEAT DRAS R NEAT Bottom well royalty or gas so extract

irements subject to the conditions contained herein	and on the reverse nereor. Notification must be given to the District Oil, and Gas Inspector. In addition, the well operator or his contractor shall notify the
efer to No. 10) Prior to the construction of roads, local oper district oil and gas inspector 24 hours before a	ctual permitted work has commenced.)
January 5, 1984	unless drilling is commenced prior to that date and prosecuted with the diligence.

Permit expires
Bond: Plat:

Administrator, Office of Oil and Gas

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
 - 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4)A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).

Date:

- 23) Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
- 24) The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

real of Maria State of the	The second	WAIVER	THE PROPERTY OF THE PROPERTY OF
added to the mine map. The undersigned	ed has no objection	which covers the ar to the work propo	/of the coal under this 08/48/2023 exea of the well location, the well location has been sed to be done at this location, provided, the well a Code and the governing regulations.
worrost in the and no earlor published the energy	deling is commenced a	unices ince	Pentil Capies Lattice of Types

By

Its

(PEV 3-81) LEGEND ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. WELL SITE & ACCESS ROAD-QUADRANGIE SMITHVILLE GREAG Spring O Existing fence --x-Wet spot Planned fence --/-Building | Stream \... Drain pipe O Open ditch ----->-Waterway ←=== MARKED LINE Comments: 1. LENGTH OF ACCESS ROAD 1100'. 2. BRUSH TO BE CUT AND PILED AT SITE. 08/18/2023 3. TREES TO BE CUT AND STACKED AT SITE 4. Existing roads will be maintained.

IV-9 PEVEDSE



DATE + APRIL, 1983 WELL NO. H-1409

State of Mest Nirginia

- 643 API NO. 47 - 085

HARRISVILLE, W. VA. 26362

PHONE NO. (304) 643-4572

Bepartment of Mines Oil and Was Division
Construction & Reclamation Plan

GOLDANIA NAME	DESIGNATED AGENT WARREN R. HAUGHT
ADDRESS 4424 EMERSON AVENUE	ADDRESS 4424 EMERSON AVENUE
PARKERSBURG, W.VA. 26104	PARKERSBURG, W.VA. 26104
Telephone (304) 424-5075	Telephone (304) 424-5075
LANDOWNER WESTVACO	SOIL CONS. DISTRICT LITTLE KANAWHA
Revegetation to be carried out bywa	RREN R. HAUGHT (Ager
This plan has been reviewed by 1	ttle Kanawha SCD. All corrections
and additions become a part of this plan	보고 있는데 하는 그녀를 맞는데 가입하다. 이 사람들은 이 사람들은 사람들이 되는데 되지 않는데 하는데 되었다. 그 사람들은 사람들은 사람들은 사람들이 되었다. 그렇게 되었다. 그렇게 되었다. 그렇게 되었다.
	(Date)
	Jarrett lewton
	(See Figure)
ACCESS ROAD	LOCATION
Structure CROSS DRAIN	(A) Structure DIVERSION DITCH
Spacing 45' To 400' (AS NEEDED)	Material Sou
Page Ref. Manual 2:1	Page Ref. Manual 2:12
Structure RIP-RAP (STONE ! HAYBALES)	(B) Structure RIP- RAP
Spacing SAME AS CROSS DRAIN	Material STONE !/ HAY BALES
Page Ref. Manual 2:9	Page Ref. Manual 2:9
	THE PROPERTY OF THE PARTY OF TH
Structure DRAINAGE DITCH	(C) Structure
Spacing	Material 1003
Page Ref. Manual 2:12	Page Ref. Manual MAY 2 1983
1 11 1- immentati	negatoria and repaired if necessary SIAVI
and all timber is to be cut and s	stacked and all brush all shade grade
cut and removed from the site before	REVEGETATION
Treatment Area I	Treatment Area II Tons/a
LimeTons/ac	re Lime rons/a
or correct to pH 6.5	Fertilizer 500 lbs/a
Fertilizer 500 IDS/ACT (10-20-20 or equivalent)	(10-20-20 or equivalent)
Mulch HAY OR STRAW 2 Tons/ac	me Mulch HAY OR STRAW 2 Tons/
Seed* KY31 TALL FESCUE 40 lbs/acr	seed* KY31 TALL FESCUE 40 lbs/a
REDTOP 5 lbs/acr	re <u>REDTOP</u> 5 lbs/a
TO LESS TO TOPEOU 10 lbs/acr	BIRDSFOOT TREFOIL 10 lbs/a
	ch, trefoil and clovers with the proper bacteria
Inoculate with 3X recommended amount.	08/18/2023
	PLAN PREPARED BY WILLIAM R. MOSSOR, L.L.S.
NOTES: Please request landowners,	ADDRESS 106 NORTH SPRING STREET
notes: Please request tundonters cooperation to protect new	1. CENCUME WAY 26362

seedling for one growing season.
Attach separate sheets as
necessary for comments.

And No. 156 Page 188

Link No. 156 Page 188

Clerk

STATE OF WEST VIRGINIA

(Form CC No. 3)

Ritchie County Commission Clerk's Office ______April 4th _____, 19_83_.
at 2:35 o'clock P. M.

The foregoing writing, with the certificate of acknowledgment thereto, was this day admitted to record in said office.

Teste: Linda B. Many, Clerk

THIS AGREEMENT, Made and entered into this 29th day of March, 1983, by and between French Creek Development, Inc., party of the first part and Warren R. Haught, party of the second part.

WHEREAS: That certain assignment bearing date the 20th day of January, 1983, by and between Three Crown Corporation and French Creek Development, of record in the Office of the Clerk of the County Commission of Ritchie County, West Virginia in Lease Book No. 153 at page 196.

WITNESSETH: That the party of the first part, for and in consideration of the sum of Five (\$5.00) Dollars to the party of the first part well and truly paid by the party of the second part, the receipt and payment of which is hereby acknowledged, has sold, granted, conveyed, assigned, transferred and set over, and by these presents does sell, grant, convey, assign, transfer and set over, unto the party of the second part, their heirs and assigns all their interest in the lease made by Mace Welch Heirs to Phillip Lemon on the 15th day of August, 1962 of record in the Office of the Clerk of the County Commission of Ritchie County, West Virginia in Lease Book 92, at page 211, with all the property, rights of property, interests, powers and possessions of every kind therein conveyed, all and singular, subject to the conditions therein specified, situate in Murphy District, Ritchie County, West Virginia and bounded and described as follows, to-wit:

North by the lands of Bee East by the lands of Mosser South by the lands of Kirkpatrick West by the lands of Prunty

containing one-hundred and five (105) acres, more or leseEPT. OF MINE

The party of the first part hereby warrants that they are the rightful and legal owners of said lease and leasehold and that said lease and leasehold are in full force and effect, and that there are no liens, taxes, encumbrances or claims published or pending against said lease and leasehold.

Party of the first part does hereby sell, set over, transfer, assign, grant and convey unto party of the second part all of said lease, subject only to the 1/8th royalty interest stated therein, and all working interest in and to the oil and/or gas well known as the Mary Welch Well Number 1 and Mary Welch Well Number 2 and further sells, sets over, transfers, assigns, grants, and conveys unto party of the second part all equipment belonging to the above oil and/or gas well including all oil that is presently in the tanks and all the gas that is being sold or has been sold since the last meter reading. The party of the second part shall also have the benefit, if any, of all the proceeds plus any accrued interest held in escrow by the purchaser of gas from said lease.

All terms, conditions, limitations and covenants between the parties hereto shall extend to their respective heirs, successors, personal representatives and assigns.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year first above written.

FRENCH CREEK DEVELOPMENT, INC.

Its Chief Executive Officer

STATE OF WEST VIRGINIA COUNTY OF WOOD, TO-WIT:

The foregoing instrument was acknowledged before me, a notary public, in and for said County and State, this 29th day of March, 1983, by James Wiles, Chief Executive Officer, French Creek Development, Inc., for and on behalf of the Corporation.

My commission expires APRIL 6, 1992

08/18/2023

NOTARY PUBLIC 3

This instrument prepared by Haught, Inc.

STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS

NOTICE OF EXPIRED PERMIT

Permit number:47- 85-6437 Company:HAUGHT INC. Date:27-Jun-85 Date issued: 5/05/83 County:RITCHIE
Farm:WESTVACO
Well no.:H-1409
Date expired:1/05/84

120

I have inspected the above wellsite and found no well work done. Please cancel this well work permit.

Gisned Samuel M. Harsman

08/18/2023



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS 1615 Washington Street, East Charleston, Wast Virginia 25311 Telephone: 348-3500

ARCH A. MOORE, JR. Governor

Haught, Incorporated 4424 Emerson Avenue Parkersburg, West Virginia 26104 September 11, 1985

arkersburg, West Virginia 26104	In Re:	Permit No:	47-085-6437
		Farm:	Westvaco
		Well No:	н-1409
		District:	Murphy
		County:	Ritcie
			5-05-83
The FINAL INSPECTION REPORT for the in this office. Only the column checked The well designated by the above condense under your Blanket Bond. Please return the enclosed cancelled designated by the above permit numbers aid bond in your behalf, in order records.	below ap aptioned ed single ber to th that the	plies: permit number bond which comp surety comp y may give yo	covered the well cany who executed ou credit on their
Your well record was received and accordance with Chapter 22B, Artic will remain under bond coverage for XXXXX PERMIT CANCELLED - NEVER DRILLED	le 1, Sec	tion 26, the	ts approved. In above captioned well

Theodore M. Streit

Very truly yours,

TMS/ nw

