

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

MILLER, B & KNOWLES, S. Operator Well No.: A-1285

Elevation: 895.00 Quadrangle: SMITHVILLE

District: MURPHY

County: RITCHIE

Latitude: 5775 Feet South of 39 Deg. 7 Min. 30 Sec. Longitude 11450 Feet West of 81 Deg. 2 Min. 30 Sec. 11450 Feet West of 81 Deg. 2 Min. 30 Sec.

Company:ALAMCO, INC.

200 W. MAIN ST., P.O. BOX 174	0 Casing Used in Left Cement
CLARKSBURG, WV 26302-1740	- &
Agent: MARTY L. PERRI Inspector: SAMUEL HERSMAN	Size
Permit Issued: 01/11/91 Well work Commenced: 4/24/91 Well work Completed: 5/10/91	
Verbal Plugging Permission granted on:	SEE ORIGINAL
Rotary Cable Rig Total Depth (feet) 4000' Fresh water depths (ft) 105	
Salt water depths (ft) N/A	
Is coal being mined in area (Y/N)? <u>N</u> Coal Depths (ft):	

OPEN FLOW DATA

fl prod	Producing formation Big Injun Gas: Initial open flow N/A MCF/d (Final open flow N/A MCF/d	Dil: Initial open flow Bbl/	
2530 mcf+	Time of open flow between initi		
		C -	
2560	psig (s	surface pressure) after Hour	s
grand	Second producing formation	Pay zone depth (ft)	
1352 MCT	Gas: Initial open flow MCF/d C	oil: Initial open flow Bbl/	ā
, , ,	Final open flow MCF/d	Final open flow Phi	
93 prod	Time of open flow between initi	al and final tests Hours	s
1560 met	Static rock Pressurepsig (s	urface pressure) afterHours	
94 prod	OV 7107 07		


NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

For:	ALAMCO,	INC.			
	By: Jul	1040		Richard R	. Hoffman
	Date:	1. 10	7/15/0	71	***************************************
			· · · · · · · · · · · · · · · · · · ·	 	



- 1. Set solid plug @ 4,000' to temporarily abandon lower zones.
- 2. Recemented Big Injun through stage tool @ 3,560 w/415 sks. 50/50 POZ, 2% gel, 18% salt, leaving cement top @ 1,500'.
- Fractured well on May 1, 1991, perforated Big Injun 1,876-1,950', pumped 300 sks.
- 4. Well is currently being tested.

11729



IV-35 (Rev 8-81)

MAR 2 8 1986



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

Date March 18, 1986
Operator's
Well No. A-1285
Farm Miller
API No. 47 - 085 - 7475

WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING A	ND/OR	STIMULATING,	OR	PHYSICAL	CHANGE
------------------------	-------	--------------	----	----------	--------

WELL TYPE: OIL / GAS X / LIQUID INJECTION (If "Gas", Production / Undergrou	/ WASTE DIS	SPOSAL/ _/ Deep/	Shallow >	<u> </u>	
2051	Water	rahad Dlim	n Diin	•	
OCATION: Elevation: 905' District: Murphy Count	v: Ritchie	rshed Plum Ou	adrangle:	Smithville	
District: Marphy count	.,				
COMPANY ALAMOO, INC					
200 West Main Street ADDRESS Clarksburg, West Virginia 26301	Casing &	Used in	<u>Ieft</u>	Cement fill up	T
DESIGNATED AGENT ALAMOO, INC	Tubing	Drilling	in Well	Cu. Ft.	
200 West Main Street	Size				_
ADDRESS Clarksburg, West Virginia 26301	20-16				ı
Blaine Miller and	Cond.				-
SURFACE OWNER Sarah Knowles c/o Union National Bank - Parkersburg	11-3/4"	27'	Pulled		
ADDRESS P.O.Box 298, Parkersburg, WV 26101	11-3/4		1 01100		7
Blaine Miller and	9 5/8"				
MINERAL RIGHTS OWNER Sarah Knowles		,	10501		
c/o Union Natinal Bank - Parkersburg	8 5/8"	1050'	1050'	to surface	
ADDRESS P.O.Box 298, Parkersburg, WV 26101	7"				
OIL AND GAS INSPECTOR FOR THIS WORK Samuel	-				
P.O.Box 66	5 1/2"				
Hersman ADDRESS Smithville, WV 26178		50701	50701	3900'	
Outshaw 0 1005	4 1/2"	5979'	5979 '	w/365 sks.	\dashv
PERMIT ISSUED October 9, 1985	3				
DRILLING COMMENCEDFebruary 12, 1986	1,				
DRIMING CONTENDED TOURS	2				
DRILLING COMPLETEDFebruary 20, 1986					
IF APPLICABLE: PIUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR	Liners used				-
REWORKING. VERBAL PERMISSION OBTAINED	useu	1			
ON	_				\perp
			F 400		
GEOLOGICAL TARGET FORMATION Brown Sh	ale	DEPTH	5423	P	EET
	foot Date:	¥ /	Cable.	സഹീ ഭ	
Depth of completed well 5997	Teer Koran	LY/	ever Cante	Salt f	
Water Strata depth: Fresh Damp 105'					
Coal seam depth:		TE cost pe	mig mined	TU CUIZ GLES	ı v <u>NO</u>
OPEN FLOW DATA			•		e.
Producing formation 3 Brown Shale, Elk,	Alexander	Pay zone	e depth	See Back	ree
Gas: Initial open flow 3.7 Mcf/d	Oil:	Initial op	en flow		3b1/0
Final open flow (1,560) Mcf/d					b 1/
Time of open flow between i					
Static rock pressure 1600 psig (surface	e measureme	nt after	<u>72</u> hc	ours shut-in	
(If applicable due to multiple completion			•		
Second producing formation		Pay z	one depth	f	eet
Gas: Initial open flow Mcf/d	Oil:	Initial op	en flow	I	3b1/
Final open flow Mcf/d	- - -	Final open	flow	I	3 b1/
Time of open flow between in				hours	•
Static rock pressure psig (surface i					
practic tory breasure bard (surface)				erse side)	
		(COHETH)	re on reve	273C 377C	

FORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE ETC.

Well was fractured

Perforations:

tions: Brown Shale 5750' - 5937', 12 holes
Brown Shale 5575' - 5726', 12 holes
Brown Shale-Elk 5300' - 5558', 10 holes

Alexander 4850' - 4936', 10 holes

WELL LOG

FORMATION COLOR HARD OR SOF	T TOP FEET	BOTTOM FEET	REMARKS Including indication of all freshand salt water, coal, oil and gas
Sand ans Shale Red Rock Shale Lime Big Lime Big Injun Sand and Shale Gordon Sand and Shale Speechley Sand and Shale Riley Sand and Shale Benson Sand and Shale Benson Sand and Shale Benson Sand and Shale Elk Sand and Shale Elk Sand and Shale Elk Sand and Shale Brown Shale 47 60 220 1140 220 220 220 250 250 250	0 152 610 1770 1798 1893 1900 2740 2750 3410 3430 4380 4390 4650 4665 4915 4930 5345 5370 5475	152 610 1770 1798 1893 1900 2740 2750 3410 3430 4380 4390 4650 4665 4915 4930 5345 5370 5475 5997 T.D.	Hole Damp @105' Gas Check @2514', 35 Mcf/d Gas Check @3037', 103 Mcf/d Gas Check @3099', 94 Mcf/d Gas Check @3500', 60 Mcf/d Gas Check @3720', 60 Mcf/d Gas Check @4519', 84 Mcf/d Gas Check @4550', 60 Mcf/d Gas Check @4831', 60 Mcf/d Gas Check @5107', 60 Mcf/d Gas Check @5688', 84 Mcf/d Gas Check @5997', 60 Mcf/d Gas Check @5997', 60 Mcf/d Gas Check @5997', 60 Mcf/d Gamma Ray Log Tops Litle Lime 1674' Big Lime 1768' Big Injun 1828' Pocono 1939' Weir 2039' Berea 2310' Gordon 2690' Speechley 3339' Balltown 3640' Riley 4335' Benson 4641' Alexander 4864' Elk 5304' Brown Shale 5423'

(Attach separate sheets as necessary)

ALAMCO, INC.

Well Operator

By: Wallace G. Darden/ f.

Manager, Drilling and

Date: March 18, 1986

Note:

1

Regulation 2.02 (i) provides as follows
"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."



1) Date:_ Operator's

Well No. 47 3) API Well No.

6204-Ren 085 -

GAS ADVISION

Permit

State County

DRILLING CONTRACTOR:

Development Drilling P 6. Box 1740

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

C) s	arksburg, WV 26301 OIL AND GAS WELL PE	ERMIT A	APPLICATIO	<u>N</u>
4	WELLTYDE, A. O	•		
4)	WELL TYPE: A Oil / Gas XX/			/ 5
•	B (If "Gas", Production Undergro			
5)	LOCATION: Elevation: 895! Watershed			
	District: <u>Murphy</u> County: _			
6)		11)	DESIGNATI	ED AGENT <u>Daniel L. Wheeler</u>
	Address P.O. Box 1740		Address	P.O. Box 1740
	Clarksburg, WV 26301			Clarksburg, WV 26301
7)	CIL & GAS			
	ROYALTYOWNER Blaine Miller & Sarah Knowles	12)	COAL OPER	RATORN/A
	Address %Union National Bank		Address	
	P.O.Box 298, Parkersburg, WV 26101			
	Acreage 350	13)	COAL OWN	ER(S) WITH DECLARATION ON RECORD:
8)	SURFACEOWNER Blaine Miller & Sarah Knowles		Name Bla	ine Miller & Sarah Knowles
	Address %Union National Bank		Address	%Union Nat'l Bank
	P.O. BOX 298, Parkersburg, WV 26101			P.O.Box 298
	Acreage 350		Name	Parkersburg, WV 26101
9)	FIELD SALE (IF MADE) TO:		Address	
,	Address Consolidated Gas Supply Corp.		. 1441 030	
	445 W, Main St., Clarksburg, WV 26301	14)	COALLESS	EE WITH DECLARATION ON RECORD:
10)	OIL & GAS INSPECTOR TO BE NOTIFIED	14)	Name	1 .
10,	Name Samuel N. Hersman 447-3597			
	Address P.O.Box 66		Address	
	Smithville, WV 26178			
15)	PROPOSED WORK: Drill XX / Drill deeper / F	Redrill	/ Fr	acture or stimulate/

19) Approximate coal seam depths: _ 20) CASING AND TUBING PROGRAM

17) Estima ed depth of completed well,

18) Approximate water strata gepths: Fresh,

CASING OR		SPECIFICATIONS			FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS			
TUBING TYPE	II	Size	Grade	Weight per ti.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)		
Conductor ·		16"		-		X	20'	20'	(c doi: tet)	Kinds Cement to	- Surface
Fran - at-	15	5/3¶					-				
Coal	8	5/8"		20#	X		700'	700/	BI RUE 15.04	Sizes Cement to	- Surfac
ermediate	G.								7		
Production	4	1/2"		J-55 LA 30 id	X		5100'	5100**		Depths set Raq. D	- 7 Rule
10153	1			10.70#		1. 1				1.5	
Lic -i rs	1	<u> </u>								Perforations:	
				i .		i li				Top Bottor	n
											_

_feet;

Perforate new formation

salt,

Is coal being mined in the area? Yes

21) EXTRACTION RIGHTS

Check and provide one of the following:

- Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil or gas. X
- The requirement of Code 22-4-1-(c) (1) through (4). (See reverse side for specifics.)

Plug off old formation_

GEOLOGICAL TARGET FORMATION, Alexander

Other physical change in weil (specify)_

5100'

None

<u>86</u>5'

22) ROYALTY PROVISIONS

Is the right to extract, produce or market the oil or gas based upon a lease or other continuing contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, No lye produced or marketed? Yes

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

- 23) Required Copies (See reverse side.)
- 24) Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed by registered mail or delivered by hand to the above named coal operator coal owner(s), and coal lessee on or before the day of the mailing or delivery of this Permit Application to the Department of Mines at Charlestoff West Virginia. West Wrginta

Notary: February 14 My Commission Expires

Signed: Its: Daniel Wheeler, Vice-President

	OFFICE	USE ON	ILY
1 	DRILLIN	G PERM	AIT.

47-085-6204-Ren Permit number

September Date

19 83


This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector. Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

Permit expires	September 13, 1985	unless dril!	ling is commenced prior to that	date and prosecuted with due diligence.
Bond:	Agent: Plat: Casing	Fee	Carlo Miller	V
-CHELLIGHT		2416	Administrator, (Office of Oil and Gas

FORM WW-2B						Page_3 of 9
.	DEPART	STAT MENT OF F	E OF WEST	VIRGINIA		
		WELL WO	RK PERMIT	APPLICATIO	N AND GAS	Doved 1/11/91
Well Ope	erator:	ALAMCO	, INC. C	175 (3) GII	Expres 1/11/93
Operator	's Well	Number:	A-1285 (M	iller)	3) 1	Elevation: 895'
Well typ	e: (a)	0il_/	or Ga:	5 <u>X</u> X/		
	(b)	If Gas:	Production Deep	n <u>xx</u> / Underg		age/ lowxx/
Proposed	l Target :	Formation	(s): <u>Bi</u>	g Injun		
Proposed	Total D	epth:4	000	feet		
Approxim	mate fres	h water s	trata depi	ths: 105'		
Approxim	mate salt	water de	pths:			
			ths: N/	A		
					ive mine?	Yes/ NoXX_/
) SEE ATTA	. ,	3E	E ATTACHE		grade of the	las Squeige
, SEE ATTA	CHED	CASIN	G AND TUB	NG PROGRAM	. 22000	ui Alematur
PE	S	PECIFICAT	IONS	FOOTAGE I	/	CEMENT
	Size	Grade	Weight per ft.	For	Left in	Fill-up
nductor	11-3/4"			30'	30'	(cu. ft.)
esh Water						
al	8-5/8"			115/1	115/1	
termediate	4-1/2"		J.55	1154'	1154'	To surface
oduction	/-		10.50#	5979'	5979'	top pav zone
bing		-910	This for the	memora	7	365-SKS
ners		9	J.			ID EVER TO THE
CKERS : Kin			/			10000000
Siz a Dep	es ths set _					DEC SO GALL
1.821	Fc	r, Diviso	n of Oil a	nd Gas Use	Only	DEPARTMENT OF LINERG
	and the second second	21	ork Permit			<u> </u>
Plat	7/ 7				lamation Fu	/ <u> </u>
م الماء مع الم	<u>∑</u> ! ₩₩-9	1 WW-:	2B 1 1 B		(Type)	l <u></u> l Agent
'		•				

Page 1 of 9 Form WW2-A (09/87) File Copy

4)



L.Aidid.d	Ð₽	C	; ^;3	
CLPART AE	JT.	7	.NERGY	

Surface Owner(s) to be served:

Date	·::	December	13.	1990		
		s well				
	A-128	5 (Mille	r)			
API	Well	No: 4	7 -	_085_	-	07475 F
						Permit

5) (a) Coal Operator:

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

	(a) Name Address _	Blaine Milla c/o Parkersl	er & Sarah Knor Union burg National	w _{les} Name _{Bank} Address		
	<u> </u>	P. O. Box 29		<u> </u>	1 0 (-) :::	th Declaration
		Parkersburg		•		th Declaration
	Address _					& Sarah Knowles
	(c) Name				P. O. Box 298	1 Bank of Parkershu
	Address				Parkersburg W	
					rarkersburg, w	
6)	Inspector	Samuel Hers	sman	(c) Coa	l Lessee with	Declaration
		Route 1, Bo		Name		
			∍. WV 26362	Address		
		(304)- <u>628</u> -		-		
		TO THE PERS	ON(S) NAMED	ABOVE TAKE	NOTICE THAT:	
	Included	is the leas	e or leases	or other c	ontinuing con	tract or
contr					oil and gas O	
					apter 22B, Ar	
			of West Virg			•
						t Virginia Code
I hav						ion plat, and
accon	panying d	ocuments pa	ges 1 through	nha on t	he above name	d parties, by:
			e (Affidavit			
					eipt attached	.)
			tice of Publ			•
	I have re	ad and unde	rstand Chapt	er 22B and	38 CSR 11-18	, and I agree
to th					d under this	
						xamined and am
famil					application	
						ls immediately
respo	nsible fo	r obtaining	the informa	tion. I be	lieve that th	e information
		ate, and co		, 1 50	11010 0 0	c intothacton
				icant nena	lties for sub	mitting false
infor					and imprisonm	
1	macron, r	craariig cii	Well Operato	ALAMCO	, INC.	,ciic:
			By:		,	
			Its: /		r, Land	
			Address		Box 1740	
					burg, WV 263	301
			Telephone		23-6671	<u> </u>
Subse	ribed and		re me this 1			, 19 <u>90</u>
24236	ribed and	THOUSE DE LO		yen day or	December	
	,	1 / 1/2	/1 (nu	/		COMMISSIONER MAKAKA XĀRĀKKA
Mv co	mmission	expires	February 21	, 1999		——WWWWWWWWW
.17 -	/mm(13510H	Cubiles	-001 GG1 y 21	<u> </u>		

FORM WW-2(B)	FILE COPY
(Obverse)	and the second section of the
7/85	



1)	Date:	October 9	13.85
	_		

2) Operator's A1285 (Miller) Well No.

3) API Well No. County

STATE OF WEST VIRGINIA

WAS OLD API 47-085-6294 REN.

File

60			o DEF	ARTN	ENT C	F ENERGY OU	AND GAS DIVI	SION		
DIVISI	ON OF	11 & GA	45 .22.	Al	PPLICA	TION FOR A WEI	L AND GAS DIVI L <mark>L WORK PERMIT</mark>			
DEPART	MENI	JF CIVE								
4) WELL TY	PE: A O	1l	/ Ga							
				n, 🔀	<u> </u>	/ Underground	storage	/ Deep	_/ Shallow XX	/)
5) LOCATIO		vation:					Plum Run			
			Mur				Ritchie		Smithville	<u>: 7.5</u> '
WELL OP	ERATOR_	Alam	co, I	nc_0	10 CO	DE: 975	7) DESIGNATED	AGENT Marty		
Address		P. 0	. Box	174	0		Address	P. 0.	Box 1740	
		Clar	ksbur	g , W	IV 2	6302		Clark	sburg, WV	26301
) OIL & GA	S INSPEC	TOR TO	BE NOTI	FIED			9) DRILLING CO	ONTRACTOR:		
Name	Sar	nuel :	Hersm	an			Name	Developmen	t Drilling	<u>t</u>
Address	P.	0. B	ox 66			·	Address	P. O. Box		
	Sm	ithvi	11e,	WV	261	78		Jane Lew,	West Virgi	nia
PROPOSE	D WÉLL	WORK:	Drill	XX	/ Dril	l deeper	/ Redrill	/ Stimulate X	O 1	
							rate new formation			
			_			in well (specify)	ate new formation,	/		
GEO! OC!	CAI TAP	GET FOP				Shale 44	1			
12) Estima	ted denth	of complet	ed well	,	999	feet			•	
						1 4 4	t.	feet.		
							7	area? Yes	/ 31	
CASING					One	15 CC	ai being mined in the	area! ies	/ NoXX_	
	NO IODI			_				_	1.	
ASING OR UBING TYPE		SPEC	IFICATION! Weight	5 I		FOOTAGE	INTERVALS	OR SACKS	PACKERS	
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)		
ductor	 11−3/ 4	11	ļ	<u> </u>	XX	130'200	130' 200	Cement to s	riffiece	
sh water ·	 	<u> </u>		ļ						
<u> </u>	 		<u> </u>					C 11	Sizes In wan	Ceme
rmediate	8-5/8		20#	XX		2,000'	2.000'	General S	Thace to Cov	ier
duction	41/2"		10550	#XX		5,999'	5,999'	Required by	Rule: 15.01	alt 501
bing										
L. s			L						Perforations:	
									Тор Во	tiom
								<u> </u>	L	
										•
						OFFICE USE	ONLY			
				****		DRILLING PE	RMIT			
							24			
mit number_	47-0	<u> 85-74</u>	175					Ja	nuary 3	19 86
								Dat	e	
is permit cove	ring the w	ell operato	or and wel	location	on show	n below is evidence	of permission grante	ed to drill in accordan	ce with the pertinent	legal re-
rements subjects to the	ect to the c	onditions (contained	herein a	ind on the	ne reverse hereof No	tification must be gi	ven to the District Oil ell operator or his con	and Gas Inspector, (I	Refer to
trict oil and g	e construct as inspecto	r 24 hours	ius, iocatic s before ac	ons and ctual pe	pits for rmitted	any permitted work. work has commence	d.)	en operator or his con	tractor snall notify th	e proper
_	-			•			•			
e permitted w erse hereof.	ork is as de	escribea in	the Notic	e and A	pplicati	on, plat, and reclam	ation plan, subject t	o any modifications a	nd conditions specifie	d on the
mit expires _	Janu	arv 3	3, 198	88		unless wel	l work is sommensed	l prior to that date and		121:
init expires _						umess wer	work is commenced	prior to that date and	prosecuted with due o	illigence.
Т						T	- T			
Bond;	Agent	: P	lat:	Casi	ng	Fee WPCP	S&E	Other		
	H	4 11	<	W	1	106 M	1//	//		
	1/1		2	///		100 11	D MAD	/ /	1.	
							/ /	111/	///	
							1/51	Molle		
TE: Keep o	ne copy of	this perm	it posted	at the d	rilling lo	cation.	rector, Div	ision of Oil	and Gas	File
										P 110