

RIT-76-A

Clay District, Ritchie County, W. Va.

By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.

On 126 acres, surface and mineral rights owned by E. D. Clayton

Heirs, Earl Clayton, Pullman, W. Va.

Well was completed July 10, 1923.

Elevation, 1037' L.

13" conductor, 16'; 8 $\frac{1}{2}$ " casing, 600'; 6-5/8", 1190'; 5-3/16", 1888'.

No coal was encountered.

Abandonment reported to Dept. of Mines Oct. 21, 1931.

Located 4-23-1923; began drg. 6-6-1923; compl. 7-10-1923.

Producing sand: Big Injun and Squaw.

Well was not shot.

Producing hole. 5-3/16" hole.

	Top.	Bottom.	Thickness.
Clay, yellow, soft	0	15	15
Red rock, soft	15	70	55
Sand, white, open (water, 75')	70	80	10
Slate, white, soft	80	100	20
Red rock, soft	100	150	50
Slate, white, soft	150	200	50
Lime, white, hard	200	225	25
Slate, white, soft	225	315	90
Sand, white, hard	315	350	35
Slate, white, soft	350	400	50
Lime, white, hard	400	430	30
Red rock, soft	430	475	45
Slate, white, soft	475	545	70
Red rock, soft	545	575	30
Lime, white, hard (SLM, 610')	575	610	35
Slate, dark, soft	610	625	15
Lime, white, hard	625	650	25
Slate, white, soft	650	735	85
Sand, white, hard	735	750	15
Red rock, soft	750	780	30
Sand, white, hard	780	790	10
Slate-Shell, hard	790	950	160
Red rock, soft	950	1000	50
Lime, dark, hard	1000	1040	40
Slate-Shell	1040	1075	35
Slate, black, soft	1075	1115	40
Slate, pink, soft	1115	1135	20
Sand, white, hard	1135	1150	15
Slate, white, soft	1150	1185	35
Sand, white, hard (SLM, 1191')	1185	1205	20
Slate, white, soft	1205	1215	10
Sand, white, hard	1215	1245	30
Slate-Shell, soft and hard	1245	1325	80
Sand, white, hard and broken	1325	1575	250
Slate, white, soft	1575	1585	10
Sand, white, hard	1585	1610	25
Slate and shell, white, soft and hard	1610	1635	25
Sand, white, hard	1635	1660	25
Slate and shell	1660	1720	60
Sand, white, hard	1720	1750	30
Slate and shell, hard	1750	1780	30

(OVER)

	Top.	Bottom.	Thickness.
Sand, white, hard	1780	- 1813	33
Slate, dark, soft	1813	- 1848	35
Big Lime, white, hard (SLM, 1852')			
(gas, 1856-58') (oil, 1860')	1848	- 1905	57
Big Injun Sand, white, hard (SLM, 1923';			
gas, 1922') (gas, 1927')	1905	- 1956	51
Slate-Shell, white, soft and hard	1956	- 1978	22
Sand, white, hard (gas, 2016-18')	1978	- 2019	41
Slate-Shell, hard and soft	2019	- 2096	77
Total depth		2096	

Clay District, Ritchie County, W. Va.
 By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.
 On 126 acres, surface and mineral rights owned by F. D. Clayton
 Heirs, Earl Clayton, Pullman, W. Va.
 Well was completed July 10, 1923.
 Elevation, 1037' L.
 1 1/2" conductor, 16"; 8 1/2" casing, 600'; 6-5/8", 1190'; 5-3/16", 1888'.
 No coal was encountered.
 Abandonment reported to Dept. of Mines Oct. 21, 1931.
 Located 4-23-1923; began drg. 6-6-1923; compl. 7-10-1923.
 Producing sand: Big Injun and Squaw.
 Well was not shot.
 Producing hole. 5-3/16" hole.

	Top.	Bottom.	Thickness.
Clay, yellow, soft	0	15	15
Red rock, soft	15	70	55
Sand, white, open (water, 75')	70	80	10
Slate, white, soft	80	100	20
Red rock, soft	100	150	50
Slate, white, soft	150	200	50
Lime, white, hard	200	225	25
Slate, white, soft	225	315	90
Sand, white, hard	315	350	35
Slate, white, soft	350	400	50
Lime, white, hard	400	430	30
Red rock, soft	430	475	45
Slate, white, soft	475	545	70
Red rock, soft	545	575	30
Lime, white, hard (SEM, 610')	575	610	35
Slate, dark, soft	610	625	15
Lime, white, hard	625	650	25
Slate, white, soft	650	735	85
Sand, white, hard	735	750	15
Red rock, soft	750	780	30
Sand, white, hard	780	790	10
Slate-Shell, hard	790	950	160
Red rock, soft	950	1000	50
Lime, dark, hard	1000	1040	40
Slate-Shell	1040	1075	35
Slate, black, soft	1075	1115	40
Slate, pink, soft	1115	1135	20
Sand, white, hard	1135	1150	15
Slate, white, soft	1150	1185	35
Sand, white, hard (SEM, 1191')	1185	1205	20
Slate, white, soft	1205	1215	10
Sand, white, hard	1215	1245	30
Slate-Shell, soft and hard	1245	1325	80
Sand, white, hard and broken	1325	1575	250
Slate, white, soft	1575	1585	10
Sand, white, hard	1585	1610	25
Slate and shell, white, soft and hard	1610	1635	25
Sand, white, hard	1635	1660	25
Slate and shell	1660	1720	60
Sand, white, hard	1720	1750	30
Slate and shell, hard	1750	1780	30

(OVER)

E. D. CLAYTON ET AL. NO. 1853 WELL (Continued).

	Top.	Bottom.	Thickness.
Sand, white, hard	1780	- 1813	33
Slate, dark, soft	1813	- 1848	35
Big Lime, white, hard (S.M., 1852') (gas, 1856-58') (oil, 1860')	1848	- 1905	57
Big Injun Sand, white, hard (S.M., 1923'; gas, 1922') (gas, 1927')	1905	- 1956	51
Slate-Shell, white, soft and hard	1956	- 1978	22
Sand, white, hard (gas, 2016-18')	1978	- 2019	41
Slate-Shell, hard and soft	2019	- 2096	77
Total depth		2096	