

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well Company Makeburgh & West Ve Gas Company. Casing and Tubing Used in Drilling Left in Well Packers Size Location (waters). 16... Kind of Packer..... County. The surface of tract is owned in fee by Eldon Hess et al Address Mole Hill, W.Va., Mineral rights are owned by..... Depth set..... Perf. top..... Perf. bottom..... Drilling completed..... Perf. top.....Depth of shot..... Date shot..... /10ths Water in.....Inch Perf. bottom..... $Open\ Flow$ G CEMENTED. Volume......Cu. Ft. COAL WAS ENCOUNTERED ATbbls., 1st 24 hrs.

		feet				ESFEET	
Salt water		feet	feet	FEE	ETINCH	ESFEET	INCHE
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
test facets	Ted.						
	TO STATE OF		56	150			
and Frank	Bed	*		140			
	***		220				
	*	Russ	270	340			
		Name :					
led Reak	Red	Sett	368				
		EAC.					
ied Reek	244	•	330		,		
			\$100 1000				
Red Reds	Red		10	666			
	High	No.	400 443				
led Reals	Red	845					
	LLAN	*	230	260			
		Traket.	790	ı			
	Idaph.	To PE	1245	1272			
	Dert	Mart		iles	Sh. Ges	76081	
			7452	122	900	1779*	
ines Latebilla Lla	Death	Rapa	1023				
			3,743	397	900	2965-67*	
Harve Har Lime		Seri.					
	•		262.0		Con	2013-151	
saler naken		1257282451(37)					
		1,31,19	+ \$4 \ 				
		11.	5 th 4 S				
		" Chillian"					
•							
		COTOTATEVO)					
<u> </u>	1	ŀ		ver) AIIC	2 2 10.42	1	· · · · · · · · · · · · · · · · · · ·

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
				.			
			. ,				
			·				
•							
			•				
٠							
			·		·		
				;			
	·						e e e
	: :	7			·		
	e e						
*		• •		·			
			*** · · · · · · · · · · · · · · · · · ·				
	e de la companya de l						
					:		
	e e e					17	
•							
					Date	tember 11, 1	194

Luiou	Na. 4801	District	Lorged on L	! Goode	et af	West Da	1989
vision (7)))	District	District No		County	_Drilled under well Or	Stan
buile by	V Orai	-	Bekan (L	ieg 24	192/ Car	mpleted <u>ang 30</u>	`E.
ill drilled by	m. Bere	Sert	/	pt. 12		α 1.	192/
pth of Well_	2061	feet	. /	de 6 5/8	•	lucing Las	A STATE
Juli 9, 17 33 2		,				er 1113	
O.	ASED WITH				REMA		
AMOUNT	Sten	Kird					
305'	10.	Del	1			· · · · · · · · · · · · · · · · · · ·	
1080'	8/4.	,					
989'	65/1"	"	6 5/8 Sh	re	,		
		er Specialistation		Companya wasan sa			
·	en Maria			er green	- 14 A	19 - 88 % - 48 50 5 4 - 5 1 9 2 5	
•		4. 4					(i.e.
AL VEINS	المستعدد الم	and the second	na di kaominina di Kabupaten		and the same of the		
	, i Marie de Carlos de Car	er en	F01	MATIONS		erwania in the second of the s	*
	1 1 2 2 2 2	<u> </u>		Charles and Constitute to the Constitution of			
CRMATION	COLON	OPE	Col Great	TOP	MOTTOM	GASTO	TER
Ducker	-coross	HA		1246	BOTTOM	GVE-915	
Duker	COLOR	HA.		1246 1605	1275	Geo Show 1608	M
Dutar Dutar and	/	e e e e e e e e e e e e e e e e e e e		1246	1275 1625 1825	Ges Show 1608	
Dentar Dentar Steller	/	OPPO HAA		1246 1605	1275	Geo Show 1608: 1719	
Dunker.	/	SPA		1246 1605	1275 1625 1825 1937	1963-69-	
Dunker.		SPA		1246 1605 1705 1710 1754 644	/275 /625 /825 /937 20/8	1963-67 1018-163	STONE THE
Dunker.				1246 1605	/275 /625 /825 /937 20/8	1963-69-	4/13/2 1/2 / 1/2 1/2 / 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2
Dunker.				1246 1605 1705 1770 1931 1931	1275 1625 1825 1837 1818	1963-67 1018-163	
Dunker.				1246 1605 1705 1710 1754 644	1275 1625 1825 1837 2018	1963-69- 1018-15-	1/1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/
Ducker of the Line				1246 1605 1706 1776 1786	1275 1625 1825 1837 1818	Uses Show 1608	
Ducker of the Line				1246 1605 1706 1776 176	1275 1615 1825 1937 2018	" 1963-67 " " 2018-16	Aleka Valentari
Ducker of the Line				1246 1605 1706 1778 1778	/275 /615 /825 /937 20/8	" 1963-67- " 2018-15-	1/10 × 10 × 10 × 10 × 10 × 10 × 10 × 10
Ducker of the Line				1246 1605 1706 1726 1731	1275 1615 1825 1937 2018	Uses Show 1608	
Ducker of the Line				1246 1605 1705 1710 1938 444	1275 1625 1825 1837 1818	1963-67 1018-163-67	1/1/2 3/1/2
Ducker of the Line				1246 1605 1705 1710 1938 444	1275 1625 1825 1837 1818	1963-67 1018-163-67	4/2) 4/2
Ducker of the Line				1246 1605 1708 1776 1776	1275 1625 1825 1937 18618	1963-67 1018-163-67	
Ducker of the Line				1246 1605 1703 1770 1734 244	1275 1625 1825 1837 1918	1963-67 1963-67 1018-16-6	
Ducker of the Line				1246 1605 1703 1700 1731 644	1275 1625 1825 1837 1818	" 1963-67- " 2018-16	
Ducker of the Line				1246 1605 1708 1776 1776	1275 1625 1825 1837 1818	" 1963-67 " 2018-165-1	
Ducker of the Lun				1246 1605 1708 1776 1776	1275 1625 1825 1837 1818	" 1963-67- " 2013-16-	

.

		CASING	REMARKS	1
Sec	lhe.			
Min.				
u'		;		
	_ "			
"	"			
k Pressure	" in			
en	19			
VIZ: - Used 105	D PACKED Set	19 2/ Tuking		
1-65/8×36		ker		
4 50.59 ft	of aucher			
V V				
Sec		TUBING	REMARKS	
Min285-			· · · · · · · · · · · · · · · · · · ·	
" 420	" " " " " " " " " " " " " " " " " " "			
"545				·
" <u>380</u>				
"	"		•	
	1			
"635				
"	" in 40 bes.			
" 635" k Pressure 235" en 61 12	" in <u>40 beo.</u> 192/			
" 635" : Pressure 235" m CCL /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" : Pressure 235" m CCL /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Cl /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" : Pressure 235" m CCL /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Ct /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" Pressure 235" n Cl /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" : Pressure 235" m CCL /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" : Pressure 235" m CCL /2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" c Pressure 235" cm 62 / 2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" c Pressure 235" cm 62 / 2	" in <u>40 beo.</u> 192/		LLOWING SOURCES:	
" 635" c Pressure 235" cm 62 / 2	" in <u>40 bes</u> . 		LLOWING SOURCES:	
1 635 te Pressure 235 en 66 12	" in <u>40 bes</u> . 		LLOWING SOURCES:	
" 635" c Pressure 235" cm 62 / 2	" in <u>40 bes</u> . 		LLOWING SOURCES:	
" 635' k Pressure 235' en 61 12	" in <u>40 bes</u> . 		LLOWING SOURCES:	