

Company HANLON OIL CO.  
 Address 46 L.F. GIRARD, SUPT. HARRISVILLE, W. VA.  
 Farm W.S. & FLORA MCGREGOR  
 Tract \_\_\_\_\_ Acres 50 Lease No. \_\_\_\_\_  
 Well (Farm) No. 5 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 786'  
 Quadrangle ST. MARYS  
 County RITCHIE District CLAY  
 Engineer JOHN W. HAMILTON  
 Engineer's Registration No. 2274  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date JULY 12, 1959 Scale 1" = 20 POLES

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. Rit-1309-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

W.S. & FLORA MCGREGOR NO. 5 - HANLON OIL CO. - RIT-1309-A



1161

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle St. Marys

Permit No. Rit-1309-A

WELL RECORD

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Hanlon Oil Company  
Address Sistersville, W. Va.  
Farm W.S. & Flora McGregor Acres 50  
Location (waters) Bonds Creek  
Well No. 5 Elev. 786  
District Clay County Ritchie  
The surface of tract is owned in fee by \_\_\_\_\_  
A. L. Talkington Address Highland  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced July 6, 1920  
Drilling completed \_\_\_\_\_  
Date Shot 4/6/21 From 1707 To 1715  
With 25 qts  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			Size of _____
13			Depth set _____
10	<u>254'</u>		Perf. top _____
8 1/4	<u>920' ✓</u>		Perf. bottom _____
6 5/8	<u>1,479'</u>		Perf. top _____
5 3/16	<u>520</u>		Perf. bottom _____
3	<u>1159</u>		
2			
Liners Used			


CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Gas Sand			920	975		1707-1715	C
First Salt			1120	1175			
Second Salt			1225	1368			
Third Salt			1490	1540			
Maxon			1575	1615			
Little Lime			1615	1625			
Big Lime			1630	1701			
Keener			1701	1725	Oil		
Injun			1725				
Total Depth				1741			

MAR 26 1960



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date **Nov. 6,** 19 **59**

APPROVED **HANLON OIL COMPANY**, Owner

By *J. M. May*  
**Secretary** (Title)