	UTL AND 'S.	AS WELL PERMIT APPLICA	Date: March 20, 198
WELL TYPE: 0			47 : - 087 4 2678_DD
LOCATION: E		Watershed: Right Fork of	
	istrict: Geary		
	PENNZOIL COMPANY		Quadrangle: Newton 7.5'
Address	P.O. Box 1588	COAL OPERATOR	NU COAL
	Parkersburg, WV 26101	Address	
		COAL CLASER (C)	
OIL & GAS ROYALTY OWNER	Aimee C. Nixon	Name	ITH DECLARATION ON RECORD:
	Gettysburg National Bank		
	Gettysburg, PA 17325	Address	
Acreage	400		Carlo and the second se
SURFACE OWNER		The second section is a second second section of the second section of the second section of the second section sectio	DECLARATION ON RECORD
Address	. JANE	Name_	MAR 24 1981
		Address	111/11/2 ± \$ 1001
Table for a second seco	Annual Committee		OIL & GAS DIVISION
	6 Acreage	BEFORE CONSTRUCT	ION BEGINS NOTIFY
FIELD SALE (IF	MADE) TO:	DISTRICT OIL AND	en e
Name		!lame Richa	STATE THE PROPERTY OF THE PROPERTY OF THE
Address		: Grantsv	lle, WV Street
	ing the growing trace of the soft and the sortion	City	A CONTRACTOR OF THE CONTRACTOR
DESIGNATED AGE	James A. Crews		Zip
Addre	ssP.O. Box 1588, Parkersbu	РН: rg, WV 26101	
The unders	igned well operator is en	ntitled to operate for oil	or gas purposes at the abo
location under	a deed / lease X /	other contract / data	April 22 , 19 21 , to the
undersigned well	l operator from Kate	Nivon	April 22 , 1921, to the
(If said deed,	lease or other contract ?	nas been recorded:)	
Recorded on	, 19, in the	office of the Clerk of the	County Commission of Roane
County, West Vi	rginia, in Lease 8c	ook <u>37</u> , at page 133. A	permit is requested as fol
PROPOSED W	ORK: Drill / Drill De	eper X / Redrill / F	racture or stimulate /
	Plug off old format	ion/ Perforate new f	omation /
	그님, 그 뭐 그 사람들은 하는 아이들이 있다는 것이다. 그 그렇게 그 맛이 되었다면 하다 하다.	ge in well (specify)	
		se in herr (specify)	
	planned as shown	on the work order on the r	everse side hereof.
Capies of the Capies of the Capies of the Capies of the Capies on or between the Capies of the Capie	wish to make or are requies within fifteen (15) danis Permit Application and ail or delivered by hand afore the day of the mail to Charleston, West Virgin	owner(s), and coal lessee red to make by Code § 22-4-ys after the receipt of the the enclosed plat and reto the above named coal opening to the above named coal opening the above na	are hereby one to be a side hereof. The hereby one to be a side hereof. The hereby one to be a side and a si
GEOPENSICAL LOGS OFFICE OF OIL AN	ID GAS	PENNZQII COM	
1015 Washington	Street, East GLANKET Virginia 25311	By: Curtin a Le	Operator


PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

eggical t						ank Pence			
				Addre	55 <u> </u>				
					-				
	12050	TO DWAR			C	1112W			
STATE OF THE PARTY OF								2000000 /	Cable tools X
tonnovi						\			
								feet.	
Marie OXA	mate c	oal se	. dept.	ns: _		13	cost petus mi	ned in the are	2? Yes/ No
THE AND	DHING	PROGRAI	14						
ING OR		1	Weight per ft	1	1	FOOTAGE For drilling		CEMENT FILL-UT OR SACKS (Cubic feet)	
tuetor									Kinds
sit water						47.00			
L									Sizes
ermediate									
duction	4 1/2	J55	9.5			1768'	1768'	tension pkr	Depths set
ing.					10				
##3							-		Perforations:
								,	Top Bottom
							1 m		
*									
where	Tractu	separa ring o	oposea te Porm r stimu	IV-2	shal a is	I not be requ	ired for free	sturing or stim	(v) if applicable, welling within welling a well tie sought and
ultere is not	sed as	separa ring o	te form r stimu n the f	IV-3 Latin Jorn I	shal g is V-2 f	I not be requ to be part of 'iled in conne	ired for free	sturing or stim	ulatina a vall
ultere is not	sed as	separa ring o	te form r stimu n the f	IV-3 Latin Jorn I	shal g is V-2 f	I not be requ	ired for free	sturing or stim	ulatina a vall
THIS All pro	PERMIT	separa ring o such o	te Form r stimu n the F	IV-2 Latin FED A	ehal g ie V-2 j	I not be required to be part of ited in conne	ired for free	sturing or stim	ulatina a vall
THIS All proof the	PERMIT Ovisions W. Vo	MUST being in Code,	te Form r stimu n the F	IV-2: Latin FED A	ehall g is v-2 f	I not be required to be part of viled in conne	ired for free	sturing or stim	ulatina a vall
THIS All proof the	PERMIT	MUST being in Code,	te Form r stimu n the F	IV-3: Latin orm I TED A dance alion is	ehall g is V-2 f T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall
THIS All proof the	PERMIT	MUST being in Code,	te Form r stimu n the F	IV-3: Latin orm I TED A dance alion is	ehall g is V-2 f T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall
THIS All prof the for	PERMIT Ovisions W. Vo deepen	MUST being in Code,	BE POS in according to local	TED A dance alion is This pe	T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall
THIS All prof the for	PERMIT Ovisions W. Vo deepen	MUST being in Code,	te Form r stimu n the F	TED A dance alion is This pe	T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall
THIS All prof the for	PERMIT Ovisions W. Vo deepen	MUST being in Code,	BE POS in according to local	TED A dance alion is This pe	T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall
THIS All proof the for	PERMIT Ovisions W. Vo deepen	MUST being in Code,	BE POS in according to local	TED A dance alion is This pe	T THI with herek	I not be required to be part of riled in conne	ired for free	sturing or stim	ulatina a vall

Diversion
Spring O
Wet Spot
Building Drain Pipe
Waterway
Waterway

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



Comments: All surface equipment will be removed or replaced. All disturbed greas will be revegetated.

All ditches and structures will be maintained.

Signature: Gentla C. Lewas Parkersburg, W.V. 422-6565

Phong/ 15/12023

Please request landowners cooperation to protect new seeding for one growing season.

77-


	OF WEST VIRGINIA	
OFF	CE OF OIL AND GAS	
Company Name PENNZOIL COMP	ANY Designated Age	Curtis A. Lucas
Address PARKERSBURG, L	V. V. Address	Parkersburg W.V.
Telephone 422-6565	Telephone	422-6565
Landowner Thomas Nixo	Soil Cons. Dis	crict Little Kanawha
Revegetation to be carried out b		
This plan has been reveiwed by	little Kangwhi	SCD. All corrections
and additions become a part of t	his plan. 3-6-81	Jarrett Newton
	(Date)	(SCD Agent)
Access Road		eation
Structure Drainage Ditch	A) Structure	
Spacing	Material	Saa CEII
Page Ref. Manual /-//	Page Ref. Manu	ialial
Structure	B) Structure	MOR 2.4 1981
Spacing	Material	THE TO I
Page Ref. Manual	Page Ref. Manu	oil & GAS DIVISION
Structure(DEPT. OF MINE
Spacing	Matarial	
Spacing Page Page Wannal	Material Page Ref War	
Page Ref. Manual	Page Ref. Manu	aal
Page Ref. Manual All structures should be inspect	Page Ref. Manued regularly and repairs	ed if necessary.
Page Ref. Manual All structures should be inspect All commercial timber is to be	Page Ref. Manued regularly and repairs e cut and stacked. A	ed if necessary. 11 brush and small timber
Page Ref. Manual All structures should be inspect	Page Ref. Manued regularly and repairs e cut and stacked. A	ed if necessary. 11 brush and small timber
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I	Page Ref. Manued regularly and repaire e cut and stacked. A te before dirt work b Revegetation	ad if necessary. 11 brush and small timber egins.
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I	Page Ref. Manued regularly and repaire e cut and stacked. A te before dirt work b Revegetation	ad if necessary. 11 brush and small timber egins.
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I	Page Ref. Manued regularly and repaire e cut and stacked. A te before dirt work b Revegetation	ad if necessary. 11 brush and small timber egins.
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To correct to pH To	Page Ref. Manuel Page Revegetation Treating Reverse Lime or correct to the Reverse Ref. Manuel Page Ref. Ma	ed if necessary. 11 brush and small timber egins. etment Area II Tons/Acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To correct to pH To	Page Ref. Manuel Page Revegetation Treating Reverse Lime or correct to the Reverse Ref. Manuel Page Ref. Ma	ed if necessary. 11 brush and small timber egins. etment Area II Tons/Acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revenuel Page Reverse Brevegetation Treating Page Ref. Manuel Page Ref. Manuel Page Ref. And Page Ref.	ad if necessary. Il brush and small timber egins. Atment Area II Tons/Acre o ph 6.5 A50 lbs/acre U-20 or equivalent)
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to pH 6.5 Fertilizer 450 lb (10-20-20 or equivalent) Mulch Straw 12 To	Page Ref. Manuel Page Ref. And Reverse And Reverse Lime or correct to salare Fertilizer (10-3)	aled if necessary. 11 brush and small timber egins. 12 tment Area II Tons/Acre 15
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to pH 6.5 Fertilizer 450 lb (10-20-20 or equivalent) Mulch Straw 12 To Seed*Kv21 Fescue 40 lb	Page Ref. Manuel Page Revegetation Treating Stacre Fertilizer Instacre Mulch Stacre Seed* Contract Ref. Manuel Page Ref. Ma	ad if necessary. 11 brush and small timber egins. atment Area II Tons/Acre to pH 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 40 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to pH 6.5 Fertilizer 450 lb (10-20-20 or equivalent) Mulch Straw 12 To	Page Ref. Manuel Page Revegetation Treating Stacre Fertilizer Instacre Mulch Stacre Seed* Contract Ref. Manuel Page Ref. Ma	ad if necessary. 11 brush and small timber egins. atment Area II Tons/Acre to ph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 20 lbs/acre 20 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaired Page Revegetation Treating Stacked. A Revegetation Treating Stacke Sta	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to pH 6.5 Fertilizer 450 lb (10-20-20 or equivalent) Mulch Straw 12 To Seed*Kv21 Fescue 40 lb	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revegetation Treat Page Ref. Manuel Page Ref.	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revegetation Treat Page Ref. Manuel Page Ref.	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revegetation Treat Page Ref. Manuel Page Ref.	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revegetation Treat Page Ref. Manuel Page Ref.	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. Manuel Page Ref. And repaire Page Revegetation Treat Page Ref. Manuel Page Ref.	ad if necessary. 11 brush and small timber egins. 12 timent Area II Tons/Acre 15 oph 6.5 450 lbs/acre 10-20 or equivalent) Tons/Acre 20 lbs/acre 21 Recerass 40lbs/acre 22 lbs/acre 23 lbs/acre
Page Ref. Manual All structures should be inspect All commercial timber is to be to be cut and removed from sit to be cut a	Page Ref. Manuel Page Ref. Manuel Reverse dirt work by Revegetation Treatins/acre Lime or correct to stack feetilizer Ins/Acre Mulch Strace Stacre	and if necessary. Il brush and small timber egins. Itment Area II Tons/Acre Toph 6.5 A50 lbs/acre Tons/Acre
All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to ph 6.5 Fertilizer 450 lb (10-20-2) or equivalent) Mulch Straw 12 To Seed*Ky31 Fescue 40 lb Perrenial Regrass 40 lb Alsike Clover (5 lb) *Inoculate all legumes such as vet bacterium. Inoculate with 3X reco	Page Ref. Manuel Page Ref. Manuel Reverse dirt work by Revegetation Treatins/acre Lime or correct to stack feetilizer Ins/Acre Mulch Strace Stacre	al dif necessary. Il brush and small timber egins. Atment Area II Tons/Acre O ph 6.5 ASO lbs/acre O-20 or equivalent) Tons/Acre Acre Acre
All structures should be inspect All commercial timber is to be to be cut and removed from si Treatment Area I Lime To or correct to ph 6.5 Fertilizer 450 lb (10-20-2) or equivalent) Mulch Straw 12 To Seed*Ky31 Fescue 40 lb Perrenial Regrass 40 lb Alsike Clover (5 lb) *Inoculate all legumes such as vet bacterium. Inoculate with 3X reco	Page Ref. Manuel Page Ref. Manuel Reverse dirt work by Revegetation Treatins/acre Lime or correct to stack feetilizer Ins/Acre Mulch Strace Stacre	al dif necessary. Il brush and small timber egins. Atment Area II Tons/Acre O ph 6.5 ASO lbs/acre O-20 or equivalent) Tons/Acre Acre Acre

Access Road Summ.

Ch. Summ.

Wallback Oil Well Granny

	Y02-2618
material series	TO A DANY—COMPLETION
	SOUTH PENN OIL COMPANT
	VOTE II OTIME
	FARM 500 E 400 2
	SERIAL N ACRES
	77991 Treek W. Va.
	pic Sandy office Poane state 1827
	DISTRICT CASING CASING DRILLING COMMENCED 1/28/29 COMPLETED CASING BOTTOM ELEV. TOP 8-11 492
	TOP 1 2 770 3 6851
	BOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	Gas 1778 1014
	Big Injun 1787 1807 PACKERS AND DEPTH SET
	Oil PACKERS AND DELTA
	1907
	7: ~ Thinh perth 1787-1007
	INITIAL PROEST. 20 bbl. after shot and Big Injun DEPTH 1787-1807 INS. to test """"""""""""""""""""""""""""""""""
	Big IIII
Salah Sa	CT LINE
	- QUARTE
	SHOT NOT' ShoT'
	REPORTED BY Charleston district ABANDONED
and the second s	charleston distribution
mention to real excipention by the	REPORTED



OIL & GAS DIVISION

DEPT. OF MANAGE

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

12/2/81 Fractured: w/250 gls. 15% HCL, 535 Bbls. 1% KCL 24,400# 20/40 sd

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Original Total Depth		1807	
Shale Squaw Shale	1812 1846 1864	1846 1864 1892	
Total Depth		1892	

(Attach separate sheets as necessary)

Pennzoil Company	
Well Operator	
By: Courtin a Les	09/15/2023
Date: 8-16-84	00/10/2020

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."





IV-35 (Rev 8-81)

RE	GEINE	Commission
212	AUG 2 0 1984	

OIL & GAS DIVISION

State of Mest Airginia Department of Mines

Gil und Gas Bivision

Date	Augus	t 16.	1984	
Operat	or's			and the same of th
Well N	lo	6		
Farm_	Kate Ni	xon		
API No	. 47 -	087	-	2678-DD

DEPT. OF MINES

WELL OPERATOR'S REPORT

OF
DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oil X / Gas / Liquid Injection	/ Wast	e Disposa	1 /	
WEIL TYPE: Oil X / Gas / Liquid Injection (If "Gas," Production / Undergrou	nd Storag	ge/ Deep	o/ Sha	llow/)
LOCATION: Elevation: 919 Watershed	Right Fork	of Big Sa	andy	
District: Geary County Roam	ne	Quadrangle	e Newt	on 7.5'
			Land f	ti beri
COMPANY Pennzoil Company				
ADDRESS P.O. Box 1588, Parkersburg, WV 26101	Casing	Used in	Left	Cement
DESIGNATED AGENT James A. Crews	Tubing	Drilling		fill up Cu. ft.
ADDRESSP.O. Box 1588, Parkersburg, WV 26101	Size			
SURFACE OWNER Aimee C. Nixon	20-16			
ADDRESS 1165 Fairview Drive, York, Pa. 17403	Cond.			
MINERAL RIGHTS OWNER Same as Above	9 5/8			
ADDRESS	8 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK Homer	7			
Dougherty ADDRESS Linden Rt., Box 3-A	5 1/2	-		
PERMIT ISSUED 3-30-81 Looneyville,WV		1045	7045	
DRILLING COMMENCED 11-8-81	4 1/2	1845	1845	set packe
DRILLING COMPLETED 12-08-81	2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners			
GEOLOGICAL TARGET FORMATION Squaw & Bi	a Injun	Dep	th 1800.	-1846 feet
Depth of completed well 1892 feet F				
Coal seam depths:				area? No
	10 0001	20219		
OPEN FLOW DATA Broducing formation Big Injun			100	20 5
Producting formaction by injun		y zone dep		
Gas: Initial open flow 2 Mcf/d				
Final open flow 2 Mcf/d				
Time of open flow between init:				ours
Static rock pressurepsig(surface	e measure	ment) afte	r_hou	rs shut in
(If applicable due to multiple completion			09/	/15/2023
Second producing formation			th 1846	6feet
Gas: Initial open flow 9 Mcf/d				Bb1/d
Final open flow 9 Mcf/d	Oil: Fi	nal open f	low 2	Bbl/d
Time of open flow between init.	ial and f	inal tests	hc	ours
Static rock pressurepsig(surface	measurem	ent) after	hou	rs shut in

Permit No. 087-2678-D.D.





INSPECTOR'S WELL REPORT

DIVISION OF OIL & GAS **DEPT. OF ENERGY**

OII	OF	Gas	Well	_	_	
(KIN	DI				

				(KI	(KIND)		
Company Lenns	burg, W.UA.	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAC	KERS	
Address Parkers	lung, W.UA.	Size					
Farm aimel (C. nipon	16			Kind of Pa	cker	
Well No. #6		13					
District Geary	County Boane	81/4			Size of		
Drilling commenced		65%			Depth set_		
		5 3/16					
Drilling completed	Total depth	3			Perf. top		
Date shot	Depth of shot	2			Perf. bottor	11	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top		
Open flow after tubing	/10ths Merc. inInch				Perf. botton	n	
Volume	Cu. Ft.	CASING CEME	NTED	_SIZE	No. FT	Date	
lock pressure	lbshrs.	NAME OF SER		100			
)iL	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED A	AT	_FEET	INCHES	
resh water	feetfeet		INCHE				
alt water	feetfeet		INCHE				
rillers' Names							
Traines							
emarks:	Cheched Reclam	at in a	at to	206	-		
0-10-85 - (nucua / peram	anon -	/	unas			

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS	3			
Filling Material Used							
Liner Loc	ation	Amount	Packer	Location			
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	SIZE LOST	
	1 =						
rillers' Names		2.7.7					
	Table 10 10 10 10 10 10 10 10			· · · · · · · · · · · · · · · · · · ·			
Remarks:							
	I hereby certify I						



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS 1615 Washington Street, East Charleston, West Virginia 25311 Telephone: 348-3500

October 24, 1985

ARCH A. MOORE, JR. Governor

Pennzoil Company Post Office Box 1588 Parkersburg, West Virginia 26101

3-30-81

Issued:

Gentlemen:

The FINAL INSPECTION REPORT for the above captioned well has been received in this office. ONLY the Column checked below applies:

The well designated by the above captioned permit number has been released under your Blanket Bond.

Please return the enclosed cancelled single bond which covered the well designated by the above captioned permit number to the surety company that executed said bond in your behalf, in order that they may give you credit on their records.

Your well record was received and reclamation requirements approved. In accordance with Chapter 22B, Article 1, Section 26, the above captioned well will remain under XXXXbond coverage for life of the well.

PERMIT CANCELLED - NEVER DRILLED

Respectively,

Theodore M. Streit

TMS/ nw

