

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 17, 2015

#### WELL WORK PLUGGING PERMIT

### Plugging

This permit, API Well Number: 47-8702941, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: P.A. TALLMAN 60

Farm Name: PENNZOIL PRODUCTS CO.

API Well Number: 47-8702941

Permit Type: Plugging
Date Issued: 06/17/2015

Promoting a healthy environment.

## **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

1) Date Janu	,	20 15		
2) Operato	r's	-		
Well No	. P.A. Tallman # 60			
3) API Wel	l No. 47-087		- 2941	_

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	ERMIT TO PLUG AND ABANDON
	uid injection X / Waste disposal / /
(If "Gas, Production or	Underground storage/ Deep/ Shallow
1190' CI	Watershed Trace Fork
5) Location: Elevation 1189'GL	
District Smithfield	County_Roane Quadrangle_Tariff
6) Well Operator Triad Hunter, LLC	7) Designated Agent Kim Arnold
Address 125 Putnam Street	Address P.O. Box 154
Marietta, Ohio 45750	Waverly, WV 26184
-	
8) Oil and Gas Inspector to be notified	9) Plugging Contractor
Name_Ed Gainer	Name N/A
Address P.O. Box 821	Address
Spencer, WV 25276	
Cut 7" csg. @ 800', set 55 sack Class	
3. No coal seams reported.	
3. No coal seams reported.  EXECT MONHMENT W	

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

Date



API No.	47-087-2941	
Farm Name	P.A. Tallman	
Well No.	60	

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operatorhas examined this proposed plugging work done at this location, provided, the well of Virginia Code and the governing regulation	order. The undersigned hoperator has complied wit	
Date:	·	
	Ву:	
	Its	



# STATE OF WEST VIRGINIA DEPARTMENT OF MINES

## Oil and Gas Division

	20	WELL	RECORD		Rotary_X	
Quadrangle Tariff	7.5'				Cable	
Dec.					Recycling_	
Permit No. Roa-2941	L				Water Floor	X Storage
		j.			Disposal	(Kind)
Company Pennzoil	Company					
Address P.O. Box 15		rg, WV 261	.01 Casing and	Used in	Left	Cement fill up
Farm P. A. Talln	nan A	2350	Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters)	Trace Fork	cres_2350				
Well No. 60	E C	1189 12	Size	11.76		
District Smithfield	Country P	1109.12	20-10			
The surface of tract is or	unad in fea ha	oane	Cond.			
Doyle Jones			13-10"			
Address Left Hand,	TATA.		9 5/8	397	397	190 sks.
Mineral rights are owned		Collina	8 5/8			
Addang 10	00 Main Ct. D	COILINS	7	2279	2279	175 sks.
Address 10	9-10-79	t. Pleasant,		-		2.75
Drilling Commenced			4 1/2			
Drilling Completed			3			• • •
Initial open flow	cu. ft	bbls.	2			
Final production	cu. ft. per day_	bbls.	Liners Used			and the second
well open	hrs. before test_	RP.				
Well treatment details:		:	Attach copy of o	ementing reco	ord	4 N.
Fractured: 9-1	9-78 & 10-2-78	8	:			
Salt Sand (Upp	er Section) w	/980BW 38 0	00# 201/0 od	1200 0-1	1 58/ 2202	
		2000,0	001 20740 sa	, 1200 Gal	. 15% HCI	
Salt Sand (Low	er Section) w	/1142 BW 53	700# 20/40	d 1200	C-1 15%	IIOT .
		30	1700# 20740 3	de, 1200	Gal. 15%	HCL
Water Producin	g Well					Con I
Coal was encountered at_		Faat				
Fresh water	Fe	et .	0.14.11	Inche	S	220
Producing Sand B	ig Injun	ct	Sait V	Vater		Feet
			Depth			
Formation Color	Hard or Soft	Top Feet	D-11- D	0.1.0		
	Tanta or Bort	Top Feet	Bottom Feet	Oil, Gas or	Water *	Remarks
Sha le			88			
Siltstone		88	128			
Shale		128	154		(20) <b>-</b>	
Sand		154	164			
Shale		164	228			
Sand		228	240			
Shale		240	264			
Sand		264	306			14
Shale		306	406			
Siltstone		406	450			
Shale	••	450	466			
Siltstone		466	528			
Sand		, 528	550			
Shale & Silt Shale		550	674			
Siltstone		674	766			
Shale		766	782	R	ECEIVED	)
Sand		782	836	Office	of Oil and	06/19/2015
Shale		836	970	,		
Sand	# E.	970	978	٨	PR 0 2 20	15
Shale	* 65	978 990	990	P	11 11 0 22 00	
Sand	1	1042	1042 1064	2.45.7	Departme	ent of .
Shale		1064	1078			retection

<sup>(</sup>over)

<sup>\*</sup> Indicates Electric Log tops in the remarks section.

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil. Gas or Water Remarks
Sand	1078	1182	
Shale Shale	1182	1232	
Sand	1232	1258	
iha le	1258	1268	
Sand	1268	1290	
hale	1290	1304	
and	1304	1342	
hale	1342	1354	;
iltstone	1354	1376	•
and	1376	1398	
hale	1398	1404	
and	1404	1430	
hale	1430	1466	10 10 12 14 14 14 14 14 14 14 14 14 14 14 14 14
and	1446	1484	
hale	1484	1534	
and	1534	1558	
hale	1558	1710	
and	1710	. 1846	
hale	1846	1862	
and	1862	1874	
hale and	1874	1878	
	1878	1892	
Shale	1892	1906	
and	1906	1922	
Shale	1922	1932 -	•
and	1932	1986	
hale	1986	2002	•
Sand	2002	2020	
Shale	2020	2040	
ittle Lime	2040	2072	
encil Cave	2072	2090	•
ig Lime oyalhanna	2090	2132	
Big Injun	2132	2198	Harris 1 1000 T
Shale ·	2198 2228	2228 2295	the state of the s
otal Depth	, ,	2295	the second second
Plug Back Depth	`		
ing pack peptit		2252	
	ľ		
			to y
		· · .	·
•			·
		·	
	İ		
•			
			:
•			
	'		
	1,		RECEIVED Gas
	1		RECEIVE and Gas
	[	Ì	Office of a 2 2015
		ļ	, no 11 b = -
• •		•	LA 1 1 2
		i	fi ant of
			nenariment of
			WV Department of Environmental Protection

	Date	March	27		. 19 79
MPROVED	P	ENNZOIL	COMPANY	•••	Owner
•			al		
	-		4 Letter	<b>- </b> .	

06/19/2015

1)	Date:	1/20/2015	
2)	Operator'	s Well Number	
P.A.	Tallman # 60		

3) API Well No.: 47 -

087

2941 P

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served:	5) (	(a) Coal Operator	•		
(a) Name	Triad Hunter, LLC		Name	N/A		
Address	125 Putnam Street		Address			
	Marietta, Ohio 45750					
(b) Name			(b) Coal Ow	mer(s) with Dec	laration	
Address			Name	N/A		
	_		Address			
(c) Name			Name	-		
Address			Address			
6) Inspector	Ed Gainer		(c) Coal Les	ssee with Declar	ration	_
Address	P.O. Box 821		Name	N/A		
SENIOR 2016 1000 1000 1000 1000 1000 1000 1000	Spencer, WV 25276		Address			
Telephone	(304) 389-7582		The second second			
	#.			84 = 2 · = 1 · .		
Take notice accompany Protection, the Applica	to take are not required to take are that under Chapter 22-6 of ring documents for a permit the with respect to the well at the ation, and the plat have been turnstances) on or before the comparison.	the West Virginia Cod o plug and abandon a ne location described o n mailed by registered	well with the Chief of th n the attached Applicati or certified mail or del	e Office of Oil and Ga on and depicted on the	as, West Virginia De e attached Form WV	epartment of Environmental W-6. Copies of this Notice,
		Well Operator	Triad Hunter, LLC		)	
		By:	Rocky Roberts	Com 1	-	
		Its:	Senior V.P. Appalachi	an Operations		
		Address	125 Putnam Street	- Paramana		
			Marietta, Ohio 45750			
		Telephone	(740) 374-2940	-11		
Subscribed and	sworn before me thi Expires	and	ay of Janu 2-29-1	ary 20	Public The St	TERAY SLUC atg of Dhio Leapires
Oil and Gas Priva	acy Notice		105	E CU O	2-27	l Co
The Office of Oil	S-3-7-00 REPORTMENTS 16	v navsanal inform	ation and as well	o odduor and at		CELVED

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the pormation for business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

06/19/2015
WV Department Protection


	Page	1	of	2
API Number 47	- 087	-	2941	P
Operator's Well	No. P.A.	Tallman #	60	


# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Triad Hunter, LLC	PERMIT FOR OIL AND GAS	OP Code 4944494833
Torre Fords		
" del siled		angle Tariff
Elevation 1189' GL	County_Roane	District Smithfield
Description of anticipated Pit Waste: Oil,	saltwater, and freshwa	ater
Will a synthetic liner be used in the pit?	'No Pit"	
Proposed Disposal Method For Treated Pi Land Application	on	
Reuse (at API)		
Off Site Disppo	sal (Supply form WW-9 for dis	isposal location) k and hauled to Ovapa Injection Facility.
Proposed Work For Which Pit Will Be Us  Drilling  Workover  Other (Explain	S P	Swabbing Plugging
on August 1, 2005, by the Office of Oil an provisions of the permit are enforceable belaw or regulation can lead to enforcement. I certify under penalty of law the application form and all attachments the obtaining the information, I believe that penalties for submitting false information, Company Official Signature.  Company Official (Typed Name) Rock	d Gas of the West Virginia Dep by law. Violations of any term action. nat I have personally examined ereto and that, based on my i the information is true, accura- including the possibility of fine	
Subscribed and sworn before me this 2	2nd day of Jan	Juary , 20 15
My commission expires 2	-29-14	Notory Public  ELIZEBETH B. TERAY  NUTARY PUBLIC  In and For The State of Ohio  My Commission Expires

	LEGEND 87-2941
Property Boundary	Diversion (1:11111111111111111111111111111111111
Road = = = = = = = = = = = = = = = = = = =	Spring
Existing Fence — X — X — X —	Wet Spot
Planned Fence / / /	Drain Pipe with size in inches
Stream	Waterway $\longleftrightarrow$ $\longleftrightarrow$ $\longleftrightarrow$
Open Ditch	Cross Drain
Rock ESESSE	Artificial Filter Strip
North N	Pit: cut walls
Buildings	Pit: compacted fill walls
Water wells	Area for Land Application of Pit Waste
Drill site	
Proposed Revegetation Treatment: Acres Disturbed One	(1) Prevegetation pH 5.5
Lime Two (2) Tons/acre or to correct to pl	6.5
500	
retifizer (10-20-20 or equivalent)	os/acre (500 lbs minimum)
Mulch (50 bales) 2.5	/acre
Sec	ed Mixtures
Area I	Area II
Seed Type lbs/acre	Seed Type lbs/acre
Orchard Grass 30%	
Rye (Annual & BT) 35%	
Timothy (Climax) 25%	
Clover (Med. Red) 10%	
Attach: Drawing(s) of road, location,pit and proposed area for land ap	plication.
Photocopied section of involved 7.5' topographic sheet.	
Plan Approved by:	
Comments:	
3"	
	1 1 6
Title: napactor	Date: 3/9/+5
Field Reviewed? () Yes ()	C) No







## West Virginia Department of Environmental Protection Office of Oil and Gas

### WELL LOCATION FORM: GPS

<sub>API:</sub> 47-087-2941 ₽	WELL NO.: 60	
FARM NAME: P.A. Tallman		
RESPONSIBLE PARTY NAME: Triad Hunter, LLC		
county: Roane	smithfield	
QUADRANGLE: Tariff		
SURFACE OWNER: Triad Hunter, LLC		
ROYALTY OWNER: TUW Anna Lee Collins		
UTM GPS NORTHING: 4277856		
UTM GPS EASTING: 481638	GPS ELEVATION: 1204'	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.  2. Accuracy to Datum – 3.05 meters  3. Data Collection Method: Survey grade GPS: Post Processed Differential		
Real-Time Differential		
Mapping Grade GPS X: Post Processed Differential  Real-Time Differential X		
4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.    RECEIVED   3/30/450   and Gas   Signature   Date R 0 2 2015		
	MPR U 2 2013	

Operator: TRIAD HUNTER, LLC

API: 8702941

WELL No: P.A. TALLMAN 60

Reviewed by: GCS Date: 6/16/15

15 Day End of Comment: 04/07/15

\$100.00 check (\$0.00 if no pit)

### CHECKLIST FOR FILING A PERMIT

## Plugging

WW-4B	
/ Inspector signature on WW-4B	
Completion / Well Records of Previous Work	
WW-4A (Notarized)	-/
Certified Mail Receipts, Waivers, or Affidavits of Personal Service	TRIAD Hunter Surface Or
Surface Owner Waiver	Surface O
Coal Owner / Lessee /Operator Waiver	
WW-9 (Page 1) (Notarized)	
Inspector Signature on WW-9 (Optional)	
Topographic Map of location of well	
WW-7	
OR	
Mylar Plat (Surface owner on plat matches WW-4A)	
Bond	
Company is Registered with the SOS	
Worker's Compensation / Unemployment Insurance account is OK	