

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 02, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8703435, issued to PRIME OPERATING COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 498

Farm Name: SLIVKA, MICHAEL

API Well Number: 47-8703435

Permit Type: Plugging
Date Issued: 10/02/2013

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	е			,	20	
2) Ope:	rator	's				
Wel.	l No.	49	8			
3) API	Well	No.	47-087		- 03435	

Office of Oil and Gas
WV Dept. of Environment 10/04/2013

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

The second secon		d injection/ Waste disposal/ derground storage) Deep/ Shallow X
) Location: Elevat		Watershed Slab fork
Distri	ct Smithfield 05	County Roane 82 Quadrangle Looneyville 7.5
Well Operator Pri	me Operating Company	7) Designated Agent Halsey Whitney
The same of the sa	4 1/2 Lee Street East	Address 714 1/2 Lee Street East
Ch	arleston, WV 25301	Charleston WV 25301
) Oil and Cas Inspe	actor to be notified	9) Plugging Contractor
Name Ed Gainer	ector to be notified	
Address PO Box	821	NameAddress
	, WV 25276	nutess
Pull 2 3/8 tubing out of	hole,cut 4 1/2 casing at 1350	I to surface, set 150' cement plug to cover perfs of and pump 6 % gel to surface and set 200' Cement plug ent plug 100' below and 100' inside 8 5/8" casin
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme	or and pump 6 % gel to surface and set 200. Cement plu
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 4 1/2 casing out of Pull 4 1/2 casing to	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 4 1/2 casing out of Pull 4 1/2 casing out of Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with 2 100 UTM North	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 4 1/2 casing out of Pull 4 1/2 casing out	721' and set a 200' ceme well and fill 8 5/8" casing with 2 100 UTM North	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP
Pull 2 3/8 tubing out of Pull 4 1/2 casing to Pull 4 1/2 casing out of	721' and set a 200' ceme well and fill 8 5/8" casing with 2 100 UTM North	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP 4283232.3
Pull 4 1/2 casing out of Pull 4 1/2 casing out	hole, cut 4 1/2 casing at 1350 721' and set a 200' ceme well and fill 8 5/8" casing with 2 100 0 100 BY THE WORLD STATE OF TH	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP 4283232.3 pil and gas inspector 24 hours before permitted to surface and set a plugging monument with AP 4283232.3
Pull 4 1/2 casing out of Pull 4 1/2 casing out	hole, cut 4 1/2 casing at 1350 721' and set a 200' ceme well and fill 8 5/8" casing with 2 100 0 100 BY THE WORLD STATE OF TH	ent plug 100' below and 100' inside 8 5/8" casin cement to surface and set a plugging monument with AP 4283232.3

WW-4A Revised 6-07

Date: Operator's Well Number	$\frac{9/3}{2}$	10/3		
Hall 498				
3) API Well No.: 47 -	087		03435	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	ner(s) to be served:	/ 5) ((a) Coal Operator
(a) Name	Michael Slivka	W	Name
Address	485 Slab Fork Road		Address
	Spencer WV 25276		
(b) Name			(b) Coal Owner(s) with Declaration
Address	1		Name
	-		Address
(c) Name			Name
Address			Address
3) Inspector	Ed Ganier		(c) Coal Lessee with Declaration
Address	PO Box 821		Name
- 2- 200 Mar 2 - 2 - 2	Spencer WV 25276		Address
Telephone	304-389-7582		
well	application to Plug and Ab its and the plugging work of plat (surveyor's map) show	order; and	Form WW-4B, which sets out the parties involved in the work and describes the on on Form WW-6.
well (2) The The reason However, Take notic accompan Protection the Applic	its and the plugging work of plat (surveyor's map) show a you received these documents you are not required to take any the that under Chapter 22-6 of the ying documents for a permit to the with respect to the well at the	order; and ing the well location in that you have rigor action at all. The West Virginia Codulug and abandon a vilocation described of mailed by registered	this regarding the application which are summarized in the instructions on the reverses side, the undersigned well operator proposes to file or has filed this Notice and Application are well with the Chief of the Office of Oil and Gas, West Virginia Department of Environment in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication in
well (2) The The reason However, Take notic accompan Protection the Applic certain cir	its and the plugging work of plat (surveyor's map) show it you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to you with respect to the well at the eation, and the plat have been cumstances) on or before the data	order; and ing the well location is is that you have rigout action at all. The West Virginia Code plug and abandon a vilocation described of mailed by registered by of mailing or deliver well Operator	this regarding the application which are summarized in the instructions on the reverses side to the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmenta in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication in
well (2) The The reason However, Take notic accompan Protection the Applic certain cir	its and the plugging work of plat (surveyor's map) show it you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to you with respect to the well at the eation, and the plat have been cumstances) on or before the data	order; and ing the well location ing the well location is is that you have rigorous action at all. The West Virginia Code plug and abandon a vilocation described or mailed by registered by of mailing or deliver	this regarding the application which are summarized in the instructions on the reverses side the the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmenta in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication is ery to the Chief. Prime Operating Company
well (2) The The reason However, Take notic accompan Protection the Applic certain cir	its and the plugging work of plat (surveyor's map) show it you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to you with respect to the well at the eation, and the plat have been cumstances) on or before the data	order; and ing the well location is is that you have rigor action at all. The West Virginia Code plug and abandon a vilocation described of mailed by registered by of mailing or deliver well Operator By:	this regarding the application which are summarized in the instructions on the reverses side to the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environments in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication is ery to the Chief. Prime Operating Company **Moderation** **Prime Operating Company** **Moderation** **Description** **Prime Operating Company** **Moderation** **Description** **Descrip
well (2) The The reason However, Take notic accompan Protection the Applic certain cir	its and the plugging work of plat (surveyor's map) show it you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to you with respect to the well at the eation, and the plat have been cumstances) on or before the data	order; and ing the well location is is that you have rigout action at all. The West Virginia Code plug and abandon a valocation described of mailed by registered by of mailing or deliver well Operator By: Its:	this regarding the application which are summarized in the instructions on the reverses side to the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmenta in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication is erry to the Chief. Prime Operating Company Designated Agent/ District Manager
well (2) The The reason However, Take notic accompan Protection the Applic certain cir Notary Public, SAR 5270 Cross La My Commission	its and the plugging work of plat (surveyor's map) show a you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to with respect to the well at the action, and the plat have been cumstances) on or before the data to the well at the cation. CIAL SEAL State Of West Virginia A M LYON Bailey Road nes, WV 25313	order; and ing the well location is is that you have rigout action at all. The West Virginia Code plug and abandon a valocation described of mailed by registered by of mailing or deliver well Operator By: Its:	chts regarding the application which are summarized in the instructions on the reverses side, the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environment in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication erry to the Chief. Prime Operating Company Designated Agent/ District Manager 714 1/2 Lee Street East
well (2) The The reason However, Take notic accompan Protection the Applic certain cir Notary Public, SAR 5270 Cross La My Commission	its and the plugging work of plat (surveyor's map) show a you received these documents you are not required to take any see that under Chapter 22-6 of the ying documents for a permit to with respect to the well at the action, and the plat have been cumstances) on or before the data to the well at the cation. CIAL SEAL State Of West Virginia A M LYON Bailey Road nes, WV 25313 Expires March 28, 2023	order; and ing the well location is is that you have rigout action at all. The West Virginia Code plug and abandon a wall ocation described of mailed by registered by of mailing or deliver well Operator By: Its: Address Telephone	chts regarding the application which are summarized in the instructions on the reverses side, the undersigned well operator proposes to file or has filed this Notice and Application are well with the Chief of the Office of Oil and Gas, West Virginia Department of Environment in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication sery to the Chief. Prime Operating Company Designated Agent/ District Manager 714 1/2 Lee Street East Charleston, WV 25301 304-342-0121
well (2) The The reason However, Take notic accompan Protection the Applic certain cir Notary Public, SAR 5270 Cross La My Commission	its and the plugging work of plat (surveyor's map) show a you received these documents you are not required to take any the that under Chapter 22-6 of the ying documents for a permit to you with respect to the well at the eation, and the plat have been cumstances) on or before the data to the well at the eation. CIAL SEAL State Of West Virginia A M LYON Bailey Road mes, WV 25313 Expires March 28, 2023	order; and ing the well location is is that you have rigout action at all. The West Virginia Code plug and abandon a wall ocation described of mailed by registered by of mailing or deliver well Operator By: Its: Address Telephone	chts regarding the application which are summarized in the instructions on the reverses side, the undersigned well operator proposes to file or has filed this Notice and Application are well with the Chief of the Office of Oil and Gas, West Virginia Department of Environment in the attached Application and depicted on the attached Form WW-6. Copies of this Notice or certified mail or delivered by hand to the person(s) named above (or by publication ery to the Chief. Prime Operating Company Designated Agent/ District Manager 714 1/2 Lee Street East Charleston, WV 25301

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deportuacyottiers wy.gov.

SURFACE OWNER WAIVER



Operator's Well Number

Hall 495

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriffs tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on the			rk described in	these materials, and I have no
FOR EXECUTION BY A NATURAL F			FOR EXEC	CUTION BY A CORPORATION,
ETC.	Date	7/15/13 Name		Received
Signature		By Its		SEP 2 3 20Date
			Signature	Date

Office of Oil and Gas WV Dept. of Environmental Protection 10/04/2013 WW-9 Rev. 5/08

- I	age 1		of 6
API Number 47 -	087	-	03435
Operator's Well No	Hall - 498	1	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

	Name Prime Oper	3	OP Code 306837	
Watershee	Slab Fork		Quadrangle Looneyville7 1/2	
Elevation	1013.76'		District Smithfield	
Descriptio	n of anticipated Pit W	aste: Salt Water, Cement	ng Fluids and gel	
Will a syn	thetic liner be used in	the pit? Yes	20 MIL	
Proposed :	Disposal Method For	Treated Pit Wastes:		
		Application	a Constitution of the Cons	
			umber_2D0873432	
		e (at API Number)
		ite Dispposal (Supply form WW- r (Explain		
Proposed	Work For Which Pit	Vill Be Used:		
	Drill	ng	Swabbing	
	Worl		Plugging	
	Othe	r (Explain	T 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	
on August provisions law or reg I	1, 2005, by the Office of the permit are en- ulation can lead to en- certify under penalty	e of Oil and Gas of the West Virgi forceable by law. Violations of a forcement action. of law that I have personally e	ditions of the GENERAL WATER POLLUTION Pinia Department of Environmental Protection. I underly term or condition of the general permit and/or of examined and am familiar with the information subsequence in a protection of those individuals immediately.	rstand that the her applicable mitted on this
on August provisions law or reg applicatio obtaining penalties t Company	1, 2005, by the Office of the permit are enulation can lead to encertify under penalty form and all attact the information, I be for submitting false in Official Signature Official (Typed Name)	e of Oil and Gas of the West Virgi forceable by law. Violations of a forcement action. of law that I have personally ended that, based of	nia Department of Environmental Protection. I underly term or condition of the general permit and/or of examined and am familiar with the information substant on my inquiry of those individuals immediately respectively, accurate, and complete. I am aware that there is y of fine or imprisonment.	rstand that the her applicable mitted on this esponsible for
on August provisions law or reg I applicatio obtaining penalties Company Company	1, 2005, by the Offic of the permit are en ulation can lead to en certify under penalty of form and all attact the information, I be for submitting false in Official Signature Official (Typed Nam Official Title Desi	e of Oil and Gas of the West Virgiforceable by law. Violations of a forcement action. of law that I have personally elements thereto and that, based eleve that the information is true formation, including the possibility. Halsey M. Whitney gnated Agent/ Distriction	nia Department of Environmental Protection. I underly term or condition of the general permit and/or of examined and am familiar with the information subson my inquiry of those individuals immediately respectively, accurate, and complete. I am aware that there is yof fine or imprisonment.	rstand that the her applicable mitted on this esponsible for
on August provisions law or reg I applicatio obtaining penalties Company Company	1, 2005, by the Office of the permit are enulation can lead to encertify under penalty form and all attact the information, I be for submitting false in Official Signature Official (Typed Name)	e of Oil and Gas of the West Virgiforceable by law. Violations of a forcement action. of law that I have personally elements thereto and that, based eleve that the information is true formation, including the possibility. Halsey M. Whitney gnated Agent/ Distriction	nia Department of Environmental Protection. I underly term or condition of the general permit and/or of examined and am familiar with the information subson my inquiry of those individuals immediately respectively. I am aware that there is not on imprisonment.	rstand that the her applicable mitted on this esponsible for are significant
on August provisions law or reg I applicatio obtaining penalties Company Company	1, 2005, by the Offic of the permit are en ulation can lead to en certify under penalty of form and all attact the information, I be for submitting false in Official Signature Official (Typed Nam Official Title Desi	e of Oil and Gas of the West Virgiforceable by law. Violations of a forcement action. of law that I have personally elements thereto and that, based eleve that the information is true formation, including the possibility. Halsey M. Whitney gnated Agent/ Distriction	nia Department of Environmental Protection. I underly term or condition of the general permit and/or of examined and am familiar with the information subson my inquiry of those individuals immediately reports, accurate, and complete. I am aware that there is yof fine or imprisonment. Ct Manager Notory Public	rstand that the her applicable mitted on this esponsible for

Property Boundary	Diversion (CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
Road = = = = = = = = = =	Spring —
Existing Fence — X — X — X —	Wet Spot 🕊
Planned Fence/_/_//	Drain Pipe with size in inches @
Stream	Waterway $\longleftrightarrow \longleftrightarrow \longleftrightarrow \longleftrightarrow \longleftrightarrow$
Open Ditch	Cross Drain 7////////////////////
Rock 68888	Artificial Filter Strip
North N	Pit: cut walls
Buildings	Pit: compacted fill walls
Water wells	Area for Land Application of Pit Waste
Drill site	
	Prevegetation pH 6.5
Proposed Revegetation Treatment: Acres Disturbed .5	
Lime Tons/acre or to correct to pH	0.0
Fertilizer (10-20-20 or equivalent) 500 lbs/a	acre (500 lbs minimum)
2	ACTION TO THE PERSON OF THE PE
Mulch Z Tons/ac	те
Seed	Mixtures
40.4	Area II
Area I Seed Type lbs/acre	Seed Type lbs/acre
KY 31 Fescue 50	
	1
Attach: Drawing(s) of road, location,pit and proposed area for land appli	cation.
	ication.
Drawing(s) of road, location,pit and proposed area for land appli	ication.
Drawing(s) of road, location,pit and proposed area for land appli	ication.
Drawing(s) of road, location,pit and proposed area for land appli	ication.
Drawing(s) of road, location,pit and proposed area for land applied Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	ication.
Drawing(s) of road, location,pit and proposed area for land application of involved 7.5' topographic sheet.	cation.
Drawing(s) of road, location,pit and proposed area for land applied Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	ication.
Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments:	7/19/13
Drawing(s) of road, location,pit and proposed area for land applied Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	Date: 7/19/13 Received

Oil and Gas Division

WELL RECORD

HALL # 499

Cable Car 2

Recycling Cort ... Water Finns __ Sicopt.

Disposal_____

Concen Sterling Drilling & Prod. Co., Income and Left Lived in Cement Sil Arcon (22 3rd Ave. - NY, NY 10017 Dillin; in Well Cu 11 (51) 7 whing April 251 F. m. Hall 1. = ion (-orn) Slab Fork 5:21 V.11: No _ 498 _ _ _ Ehr. 951.5" 20.16 Doniel Smithfield _ County Roane Cond Tre surface of seact is owned in fee by 13.10 5 3/E Brown Jarvis E 5/E 611 190 sks. Address Spencer, WV Montral rights are owned by Charles H. Hall 7 5 1/2 901 Ann St. Address Ravenswood, WV Driving Communice 6/8/81 4 1/2 2135 100 sks. Dilling Commercia 6/12/81 Institut open from _____ bbls. 2093 Fr.2 production K cu. 11. per day 4 bbls Liners Used Well open - _____ his before test_ 80 # RF. AND LEVEL AND ADMINISTRATION OF THE PARTY OF Asset copy of comenting record Well treatment details. Perforated Injun with 10 holes from 2064 to 2074 2 holes from 2012 to 2014 Fractured Injun with 500 gallon 15% MCAAcid, 15, 000 # 80/100 Sand. 30,000 # 20/40 Sand and 525 gallons water. Coal was encountered at ______0 _____Fee1.____ Inches Sall Water_ Feet __ D:pih 2012 to 2074 Incoming Sant Injun Top Fret Oil, Gas o: Wate: . Kemaiks Cole: Haid of Soft Estion Feet Rock 0 40 Rock & Shale 40 Shale & Red Rock 625 625 Shale 1060 1060 1535 Shale & Sand 1535 Salt Sand 1660 1660 1995 Shale 1995 2175 ELECTRIC LOG Sand 1702 1798 Shale 1798 1820 Sand 1820 1862 Slate 1862 Sand 1872 1872 1928 Slate 1928 1942 Rig Lime 1942 2050 Sand 2050 Shale 2085 2085 2170 T.D. 2170

(0:11)

in these by up, it the nearly seening

Cuiciangh Walton NE

1 cmil No ROA - 3435

SEP 2 3 2013

Received

10/04/2013

W. Va. Code, the location is hereby approved STATE	OF WEST VING	SINEC	
	MENT OF IV	lines	
tions have not commenced by 1-27-82.			
eputy Director - Oil & Gas Division GAS WEI	I PEDIA	T APPLICATI	ON
eputy birector OIL AND GAS WEI	_L	741 - 20 - 20 - 20 - 20 - 20 - 20 - 20 - 2	
	•	HALL	#/.QR
		IIALL	11470
O THE DEPARTMENT OF MINES,	DATE	May 7, 1981	
Charleston, W. Va.	DATE	Ctowling Drilling	ng and Production Co.
urface Owner Brown Jarvis	Compan	y Sterring 5:2222.	Ave N.Y., N.Y. 100
ddress Spencer, W.V.			Acres251
- 1 - 11 Uall	Farm	-14/31/1	
fineral Owner Charles H. Hall 901 Ann St. Ravenswood, W.V.	26164 Locatio	n (waters) Slad FOT	Elevation 951.50
Coal OwnerUnknown - Unoperated			
ddoor		Smithtield	County Roane
Address.	Quadra	ngle Looneyvii	1e 7.5' N E
Dai Operator		(D Maccion	
Address			
33 - Carrow			
May Viren	INSPECTO	· D	
	TO BE NO	R TIFIED <u>Richard Mo</u>	orris
GENTLEMEN:			
The Gas	ADDRESS	P.O. Box 372 Grant	tsville, W.V. 26147
OR Wisio	DUONE	354 - 7259.	
	PHONE	334 1233.	
OSV CO			•
GENTLEMEN: The undersigned well operator is entitled to drill up	on the above na	med farm or tract of lan	d for oil and gas, having fee
The undersigned well operator is entitled to	lease datedDi	ec. 16 19	
The undersigned well operator 2 denotes grapt or title thereto, (or as the case may be) under grapt or Sterling Drilling made to	ig and Produ	nd recorded on the	th day of March
14	8 Page	576 Lease	# 095 - 001
	- -	REDRILLFR	ACTURE OR STIMULATE
X NEW WELLDRILL DEEPER	T	F JUNE 5 1969.	
OIL AND GAS WELL ORIGINALLY DE	HLLED BEFOR	E DONE Of Least	
The enclosed plat was prepared by a registered eng	ineer or licensed	d land surveyor and all o	coal owners and/or operators
	nereby notified t	hat any objection they w	within ten (10) days.
The above named coal owners and/or operator are leto make by Section 3 of the Code, must be received by	y, or filed with	the Department of Inner	- hour named cost operators
Coming of this notice and the enclosed plat were ma	iled by registere	d mail, or denvered to the	before, or on the
Copies of this notice and the enclosed plat were ma or coal owners at their above shown respective addre- same day with the mailing or delivery of this copy to	the Department	of Mines at Charleston,	West Virginia.
some day with the mailing or deliver; or this copy		ly yours,	n
CORTES OF ATT	•		& Misse
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Na	me Well Open	
CEOPHISICAL LOGS PIREST - 2		Rt. 1 Box 30	_
	Address	Rt. 1 Box 30 Street	
WEST VIRGINIA GEOLOGICAL AND		Duck	
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY	oſ	DUCK	
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY		City or Tox	WN
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505	oſ	City or To	
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY	oſ		
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505	oſ	City or Too West Virginia	
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505	of 'ell Operator	City or Ton West Virginia State	d of ten days from the receipt


"I have read and understand the reclamation requirements Chapter 22, Article 4, Section 12-b and will carry out the specific signed by


HIS PERMIT MUST DE . --

SEP 2 3 2013

8703435 P


Office of Oil and Gas





Received

8703435F





PRECEIVEU

SEP 27 2013

Office of Oil and Gas Protection

10/04/2013

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-087-03435	WELL NO.: 498
FARM NAME: Hall	
RESPONSIBLE PARTY NAME:	Prime Operating Company
COUNTY: Roane	DISTRICT: Smithfield
OUADRANGLE: Looneyville	7 1/2 Smithfield
surface owner: Michael	Slivka
ROYALTY OWNER: Charles	H. Hall
UTM GPS NORTHING: 42831	
HTM CPS FASTING: 471416	GPS ELEVATION: 295.6 m 1013.76 FT
preparing a new well location plat for a	s chosen to submit GPS coordinates in lieu of plugging permit or assigned API number on the will not accept GPS coordinates that do not meet
preparing a new well location plat for a above well. The Office of Oil and Gas with the following requirements: 1. Datum: NAD 1983, Zone: 1' height above mean sea level 2. Accuracy to Datum – 3.05 m 3. Data Collection Method:	plugging permit or assigned API number on the will not accept GPS coordinates that do not meet
preparing a new well location plat for a above well. The Office of Oil and Gas with following requirements: 1. Datum: NAD 1983, Zone: 1 height above mean sea level 2. Accuracy to Datum – 3.05 m 3. Data Collection Method: Survey grade GPS: Post Proce	plugging permit or assigned API number on the will not accept GPS coordinates that do not meet 7 North, Coordinate Units: meters, Altitude: (MSL) – meters. heters ssed Differential
preparing a new well location plat for a above well. The Office of Oil and Gas with the following requirements: 1. Datum: NAD 1983, Zone: 1 height above mean sea level 2. Accuracy to Datum – 3.05 m 3. Data Collection Method: Survey grade GPS: Post Proce	plugging permit or assigned API number on the will not accept GPS coordinates that do not meet 7 North, Coordinate Units: meters, Altitude: (MSL) – meters. heters ssed Differential
preparing a new well location plat for a above well. The Office of Oil and Gas with the following requirements: 1. Datum: NAD 1983, Zone: 1 height above mean sea level 2. Accuracy to Datum – 3.05 m 3. Data Collection Method: Survey grade GPS: Post Proce	plugging permit or assigned API number on the vill not accept GPS coordinates that do not meet 7 North, Coordinate Units: meters, Altitude: (MSL) – meters. neters ssed Differential