

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 11, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8704080, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: W. M. LOONEY 49

Farm Name: McGLOTHLIN, CARL

API Well Number: 47-8704080

Permit Type: PluggingDate Issued: 06/11/2015

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4A Revised 6-07 1) Date: 1/20/2015
2) Operator's Well Number
W.M. Looney # 49

3) API Well No.: 47 -

087


4080 P

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	V 6 771 19 196	27.5	W. M. (1941) - 20 to 440			∌.
	ner(s) to be served:	5)	(a) Coal Operator			
(a) Name	James Lloyd		Name	N/A		
Address	549 Tariff Road	<u> </u>	Address			
	Left Hand, WV 25251					
(b) Name			(b) Coal Own	er(s) with	Declaration	
Address			Name	N/A		
			Address			
(c) Name			Name			-
Address			Address			
6) Inspector	Ed Gainer		(c) Coal Lesse	ee with De	claration	
Address	P.O. Box 821		Name	N/A		
	Spencer, WV 25276		Address			
Telephone	(304) 389-7582					
However, y Take notic accompany Protection, the Applic	you are not required to take are e that under Chapter 22-6 of ying documents for a permit to with respect to the well at the	the West Virginia Coc o plug and abandon a e location described of mailed by registered	de, the undersigned well op well with the Chief of the Con the attached Application I or certified mail or delive ery to the Chief.	erator proposes Office of Oil are and depicted of	s to file or has file ad Gas, West Virgi on the attached Fo	e instructions on the reverses side. In this Notice and Application and inia Department of Environmental orm WW-6. Copies of this Notice, amed above (or by publication in
		By:	Rocky Roberts	hy	-	
		Its:	Senior V.P. Appalachian	Operations		
		Address	125 Putnam Street			
		noman and	Marietta, Ohio 45750	70	1011	
		Telephone	(740) 374-2940	1/4/55	1776	
Subscribed and	sworn before me thi	~ 	lay of Januar	4, 20 Not	ary Public	INTERPRETATION OF THE STATE OF
		J		-	Receiv	vea
Oil and Gas Priv	acy Notice			-	ffice of O	il & Gas
ml - 000001	A C		antion cuph as name	address O	MICE OF O	ner as a part of our

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

4708704080 87-4080P





James Lloyd

W.M. Looney #46,#49,#50,#52

(4 wells)

915 Greening Road (16rgantown, WV 16508 Tall Free 888 297 0001 Fax 104 297 9263



803 Quarrier Sr. Suge 310 Charleston, WV 25303 Toll Free 888 292,0001 Fax 304,345 0644 WW-4B Rev. 2/01

1) Date January 20	, 2015
2) Operator's	
Well No. W.M. Looney#	49
3) API Well No. 47-0	87 - 4080

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERI	AIT TO PLUG AND ABANDON
4) V		d injection X/ Waste disposal/
	(If "Gas, Production or Unc	derground storage/ Shallow
5) I	ocation: Elevation 1215 GL	Watershed Trace Fork
	District Smithfield	County Roane Quadrangle Tariff
C) 1	Well Operator Triad Hunter, LLC	7) Designated Agent Kim Arnold
6) N	Address 125 Putnam Street	Address P.O. Box 154
	Marietta, Ohio 45750	Waverly, WV 26184
	Mariotta, Onio 10700	vvavony, vv zoro-
8) (Dil and Gas Inspector to be notified	9) Plugging Contractor
	Name Ed Gainer	NameN/A
	Address P.O. Box 821	Address
	Spencer, WV 25276	
10 10 10 15	50' - 200' Bottom hole plug in 4 1/2" 50' - Cut plug (4.5" csg.) Estimated cemel 50' - Elevation plug @ 1,225'. 50' - Surface casing plug @ 675'. 50' - Surface plug in 8 5/8" casing. 50te! 1. All cement plugs - Class A ce 50 Class A cel 50 Class	ement. Perceived Office of Oil & Gas mar 1 6 2015
	ication must be given to the district or can commence.	il and gas inspector 24 hours before permitted
Work o	order approved by inspector	Date 3/9/15

06/12/2015

State of West Virginia
DEPARTMENT OF ENERGY
Division of Oil and Gas

4708704080

-Well Operator's Report of Well Works of the Control

Fara mame: McGLOTHLIN, CARL Operator Well No.: W.M. LOONEY 49

LOCATION: Elevation: 1215.00 Quadransle: TARIFF

District: SMITHFIELD County: ROANE

Latitude: 3300 Feet South of 38 Des. 40Min. 0 Sec. Lonsitude 2200 Feet West of 81 Des. 12 Min. 30 Sec.

Company:PENNZOIL PRODUCTS COMPANY P. O. BOX 5519 VIENNA, WV	1 &	Used in	1	Fill Up
Asent: JAMES A. CREWS			 ·	
Inspector: HOMER DOUGHERTY	1	! .	1	1
Permit Issued: 06/28/88 Well work Commenced:8-26-88	8-5/8	655	655	To surface
Well work Completed: 9-1-88	i !		ſ	1 1
Verbal Plussins Permission granted on:	4-1/2	2291	2291	160 sks.
Rotary_X Cable Ris Total Derth (feet)2306	! 1	 	 	 ! !
Fresh water depths (ft)				
Salt water depths (ft)			 	
Is coal beins mined in area (Y/N)?N_Coal Depths (ft):	!	!	1	1 1 1 1
	1			1

OPEN FLOW DATA

Producins formation Big Injun	Pay zone depth (ft) <u>2226</u>
Gas: Initial open flowMCF/d Oi	
Final open flow*MCF/d	Final open flowBbl/d
	l and final testsHours
Static rock Pressurepsis (su	rface pressure) afterHours
* Water Injection Well Second producing formation	
Second producing formation	Pay zone depth (ft)
Gas: Initial open flowMCF/d Oi:	l: Initial open flowBbl/d
Final open flowMCF/d	Final open flowBbl/d
Time of open flow between initial	l and final testsHours
Static rock Pressurepsid (su	rface pressure) afterHours

NOTE: ON BACK OF THIS FORM FUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

Received

For: PENNZOIL PRODUCTS COMPANY

MAR 1 6 2015

Office of Oil & Gas

Ry: Curtis A. Lücas

06/12/2015

Perforations: 2230-2236; 2246-2257....

coorder well word u.w. ec ore

Frac w/250 gal. HF acid, 150 Bbls. gelled $\rm H_2O_*$ 1500# 20/40 sand.

Sand	1524	0-100
Shale		. 100–217
Sand	2 απ π π	217-253
Slate	3	253-570
Sand	#1 !# I	570-600
Slate		600-900
Sand & Shale		900-1743
Salt Sand	2 <u>5</u>	1743-1910
Shale		1910-1982
Salt Sand		1982-2055
Little Lime		2055-2086
Pencil Cave		2086-2114
Big Lime	K.	2114-2226
Big Injun		2226-2259 .
Pocono Shale		2259-2306

Received Office of Oil & Gas MAR 16 2015

WW-9 Rev. 5/08


	Page	1	of	2	
API Number 47	7 _ 087	-	4080	P	
Operator's Well	No. W.M.	Looney #	49		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Triad Hunter, LLC	Ending For Old Art Contains	OP Code 4944494833	
Watershed Trace Fork	Quadrangl		
	County_ Roane	District Smithfield	
Description of anticipated Pit Waste: oil, s	saltwater, and freshwater	(
Will a synthetic liner be used in the pit?			
Reuse (at API No	ection (UIC Permit Number umberal (Supply form WW-9 for dispo	sal location) ad hauled to Ovapa Injection Facility.	
Proposed Work For Which Pit Will Be Used Drilling Workover Other (Explain_	Swa	bbing gging	
on August 1, 2005, by the Office of Oil and provisions of the permit are enforceable by law or regulation can lead to enforcement ac	Gas of the West Virginia Departs law. Violations of any term or etion. It I have personally examined an eto and that, based on my inquire information is true, accurate,	condition of the general permit and/or am familiar with the information uiry of those individuals immediate, and complete. I am aware that the imprisonment.	or other applicable submitted on this ly responsible for
Company Official (Typed Name) Rock	y Roberts		AR 1 6 2015
Company Official Title Senior V.P	. Appalachian Oper	ations	
Subscribed and sworn before me this 2	and day of Janua	20 15 ELIZABETE	I R. TEBAY
Elysbeth R	Sleby	Notory Public NOTARY In and for The My Commiss	PUBLIC State of Ohio
My commission expires	-29/10	2-2	1-10

	EGEND 87-4080P
Property Boundary	Diversion Control of the Control of
Road = = = = = = = = = = = = = = = = = = =	Spring
Existing Fence — X — X — X —	Wet Spot
Planned Fence////	Drain Pipe with size in inches
Stream	Waterway \longleftrightarrow
Open Ditch	Cross Drain 77777777
Rock E88688	Artificial Filter Strip
North N	Pit: cut walls
Buildings Water wells	Pit: compacted fill walls
	Area for Land Application of Pit Waste
Drill site	Care and a second
Proposed Revegetation Treatment: Acres Disturbed one (1) Prevegetation pH 5.5
Lime Two (2) Tons/acre or to correct to pH	The state of the s
The state of the s	
78	acre (500 lbs minimum)
Mulch (50 bales) 2.5	ere .
	Misdana
Seed	Mixtures
Area I	Area II Seed Type lbs/acre
Seed Type Ibs/acre Orchard Grass 30%	Seed Type lbs/acre
Rye (Annual & BT) 35%	
Timothy (Climax) 25%	
Clover (Med. Red) 10%	
Attach: Drawing(s) of road, location,pit and proposed area for land appl	ication.
Photocopied section of involved 7.5' topographic sheet.	
	3
Plan Approved by:	
Comments:	
Comments.	
	Received
1	
66166141	Office of Oil & Gas
Title: Inspector	Date: 3/9/15 Office of Oil & Gas







West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-087-04080 W	ELL NO.: 49
FARM NAME: W.M. Looney	
RESPONSIBLE PARTY NAME: Triad Hunte	r, LLC
COUNTY: Roane DIST	RICT: Smithfield
QUADRANGLE: Tariff	
SURFACE OWNER: James Lloyd	
ROYALTY OWNER: TWW Anna Lee	Collins
UTM GPS NORTHING: 4278805	_
UTM GPS EASTING: 481221 GP	S ELEVATION: 1209
The Responsible Party named above has chosen to submpreparing a new well location plat for a plugging permit above well. The Office of Oil and Gas will not accept Githe following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordin height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential	or assigned API number on the PS coordinates that do not meet ate Units: meters, Altitude:
Real-Time Differential Mapping Grade GPS X: Post Processed Differen	X
Mapping Grade GPS: Post Processed Differen Real-Time Differential	RECEIVED
4. Letter size copy of the topography map she I the undersigned, hereby certify this data is correct to the belief and shows all the information required by law and prescribed by the Office of Oil and Gas. Signature Title	Office of On and Gase e best of my knowledge and Gase

Operator: TRIAD HUNTER, LLC

API: 8704080

WELL No: W. M. LOONEY 49

Reviewed by: GCS Date: 6/10/15

15 Day End of Comment: 03/24/15

CHECKLIST FOR FILING A PERMIT

Plugging

Inspector signature on WW-4B
Completion / Well Records of Previous Work
WW-4A (Notarized)
Certified Mail Receipts, Waivers, or Affidavits of Personal Service
Surface Owner Waiver
Coal Owner / Lessee /Operator Waiver
WW-9 (Page 1) (Notarized)
Inspector Signature on WW-9 (Optional)
Topographic Map of location of well
WW-7
- W W-/
OR
OR
OR Mylar Plat (Surface owner on plat matches WW-4A)
OR Mylar Plat (Surface owner on plat matches WW-4A) Bond