

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 17, 2014

WELL WORK PERMIT

Secondary Recovery Well

This permit, API Well Number: 47-8704745, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SB KINKEAD 103

Farm Name: MCCLAIN, JOHN R. & KEATON, 1

API Well Number: 47-8704745

Permit Type: Secondary Recovery Well

Date Issued: 12/17/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

FORM WW-3 (B) 1/12



1)	Date: 10/21/2	014					
2)	Operator's Well	No.	S.	S. B. Kinkead 103			
3)	API Well No.:	47	-	Roane	*	s	
		State		County			Permit
4)	UIC Permit No.	LIIC	DENE	704AD			

STATE OF WEST VIRGINIA
NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION
FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS


	2000	5260 Dupor	nt Road			8) DESIGNA	TED AGE Addre	NT Diane	ngle Looneyville 7.5' 445 White Dupont Road
		Parkersburg							sburg, WV 26101
9) OIL & GAS		OR TO BE	NOTIFI	ED		10) DRILLIN	G CONTI	RACTOR	
- 1-10-0-1	Gainer					Name To	Be Determ	ined Upon Ap	proval of Permit
	D. Box 821					Address			
Spe	encer WV 25	276							
12) GEOLOGIC 13) Estimated E 14) Approximat 15) Approximat 16) Is coal being 17) Virgin reser 18) Estimated re	E TARGET Depth of Co e water stra e coal sean g mined in voir pressu eservoir fra	FORMA' mpleted W mata depths: n depths: the area? re in targe cture press	Other prices of the prices of	old form hysical of Big Injuractual de esh 42 on 125	pth of exis No psi	/ Performed programmed	2150 2150 217VD 2615 Salt	Feet (top 5' TMD Feet 1650	Feet psig (BHFP)
20) DETAILED Fresh water, p 21) FILTERS (I	IDENTIF roduced wat F ANY)	ICATION er, bacterici Cartridge fil	OF MAT des and of ters and/o	TERIAL ther chem r coal bed	S TO BE I licals as nee I filters	NJECTED, INCoded to maintain w	CLUDING rater quality	ADDITIVE and improve	S
Fresh water, p 21) FILTERS (I 22) SPECIFICA	IDENTIF roduced wat F ANY) _ TIONS FO	ICATION er, bacterici Cartridge fil OR CATHO	OF MAT des and of ters and/o	TERIAL ther chem r coal bed	S TO BE I licals as nee I filters	NJECTED, INCoded to maintain w	CLUDING rater quality	ADDITIVE and improve	S
20) DETAILED Fresh water, p 71) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR	IDENTIF roduced wat F ANY) _ TIONS FO	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM	OF MAT des and of ters and/o	TERIAL ther chem r coal bed ROTECT	S TO BE I licals as nee I filters	NJECTED, INC eded to maintain w	CLUDING rater quality	ADDITIVE and improve	SS
20) DETAILED / Fresh water, p 21) FILTERS (I 22) SPECIFICA	IDENTIF roduced wat F ANY) _ TIONS FO	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM	OF MAT des and of ters and/o ODIC PR	TERIAL ther chem r coal bed ROTECT	S TO BE I licals as nee I filters	NJECTED, INCoded to maintain w	CLUDING rater quality	ADDITIVE and improve	S
20) DETAILED Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor	DENTIF roduced wat F ANY) _ TIONS FO	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI	OF MA des and of ters and/o ODIC PR A ECIFICATI Weight	TERIAL ther chem r coal bed COTECT	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI	CLUDING rater quality ROSION C	ADDITIVE and improve of the control co	SS
20) DETAILED Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor	DENTIF roduced wat F ANY) _ TIONS FO	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI	OF MA des and of ters and/o ODIC PR A ECIFICATI Weight	TERIAL ther chem r coal bed COTECT	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI	CLUDING rater quality ROSION C	ADDITIVE and improve of the control co	PACKERS
20) DETAILED Fresh water, p 1) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor Fresh Water	DENTIFICATION FOR THE STATE OF	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade	OF MAT des and of ters and/o DDIC PR A ECIFICATI Weight per ft.	TERIAL ther chem r coal bec COTECT ONS New	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI FOOTAGE IN For Drilling	CLUDING rater quality ROSION C TERVALS Left In Well	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACKERS
20) DETAILED Fresh water, p 1) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor Fresh Water Coal	DENTIFICATION FOR THE STATE OF	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade	OF MAT des and of ters and/o DDIC PR A ECIFICATI Weight per ft.	TERIAL ther chem r coal bec COTECT ONS New	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI FOOTAGE IN For Drilling	CLUDING rater quality ROSION C TERVALS Left In Well	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACKERS Kinds
20) DETAILED / Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate	DENTIFICATION FOR THE STATE OF	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade	OF MAT des and of ters and/o DDIC PR A ECIFICATI Weight per ft.	TERIAL ther chem r coal bec COTECT ONS New	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI FOOTAGE IN For Drilling	CLUDING rater quality ROSION C TERVALS Left In Well	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACKERS Kinds Sizes 2.375" x 4.5"
20) DETAILED Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production	IDENTIF roduced wat F ANY) _ TIONS FO D TUBING Size 7*	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade LS ST&C	OF MAT des and of ters and/o ODIC PR A ECIFICATI Weight per ft.	TERIAL ther chem r coal bec COTECT CONS New	S TO BE I licals as nee I filters ION AND	NJECTED, INC ded to maintain w OTHER CORI FOOTAGE IN For Drilling 550'	CLUDING rater quality ROSION C IERVALS Left In Well 550'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS Kinds Sizes
20) DETAILED Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production Tubing	IDENTIF roduced wat F ANY) _ TIONS FO D TUBING Size 7"	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade LS ST&C	OF MAT des and of ters and/o ODIC PR A ECIFICATI Weight per ft. 17#	TERIAL ther chem r coal bed COTECT ONS New X	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI FOOTAGE IN For Drilling 550'	CLUDING rater quality ROSION C IERVALS Left In Well 550'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS FACKERS Kinds Sizes 2.375" x 4.5" Depths set
20) DETAILED / Fresh water, p 21) FILTERS (I 22) SPECIFICA 23) CASING AN CASING OR	IDENTIF roduced wat F ANY) _ TIONS FO D TUBING Size 7"	ICATION er, bacterici Cartridge fil DR CATHO PROGRAM SPI Grade LS ST&C	OF MAT des and of ters and/o ODIC PR A ECIFICATI Weight per ft. 17#	TERIAL ther chem r coal bed COTECT ONS New X	S TO BE I licals as nee I filters ION AND	NJECTED, INC eded to maintain w OTHER CORI FOOTAGE IN For Drilling 550'	CLUDING rater quality ROSION C IERVALS Left In Well 550'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS PACKERS Kinds Sizes 2.375" x 4.5" Depths set 2250'

RECEIVED
Office of Oil and Gas

OCT 2 8 2014


12/19/2014

Office of Oil and Gas 87 04745 S



OCT 2 8 2014

FORM WW-3 (A) 1/12





2) OFERWIRE	ental F	F.O.t	Retion	03	
3) API Well No.:	47				
	State		County		Permit
4) UIC Permit No.	LIIC2	R0870	MAP		

	STATE OF OF LIQUID INJECTION OF WAST E DEPARTMENT OF ENVIRONM	E DISPOS	AL WELL WO	
(a) Name Address	John R McClain & N June Keaton 41 Clay Road Spencer, WV 25276	7) (a) Coal Name Address		
(b) Name Address	Reva Snodgrass 3740 Tranquility Drive Melbourne, FL 32934	7) (b) Coa Name Address		eclaration Of Record
(c) Name Address		Name Address		
6) Inspector Address Telephone	Ed Gainer PO Box 821 Spencer, WV 25276 304-389-7582	7) (c) Coal Name Address	Lessee with Decla	aration Of Record
parties inv (2) The plat (s (3) The Const plan for en The date	ication For A Liquid Injection or Waste I volved in the drilling or other work; surveyor's map) showing the well location truction and Reclamation Plan on Form W rosion and sediment control and for reclam proposed for the first injection or waste	on Form W'W-9 (unless ation for the	W-6; and the well work is c site and access roa	only to plug a well), which sets out the d.
APPLICATION	YOU HAVE RECEIVED THESE DO WHICH ARE SUMMARIZED IN THE TION [(FORM WW-3(B)] DESIGNATE LL.	"INSTRUC	TIONS" ON THE	REVERSE SIDE OF THE COPY OF
Notice and App West Virginia Application and and Reclamatio	t under Chapter 22-6 of the West Virginia plication and accompanying documents for Department of Environmental Protection I depicted on the attached Form WW-6. On Plan have been mailed by registered or in certain circumstances) on or before the design of the contract of	or a Well W , with respect Copies of the certified ma	ork Permit with the ect to a well at the is Notice, the Appl il or delivered by l	e Chief of the Office of Oil and Gas, e location described on the attached lication, the plat, and the Construction and to the person(s) named above (or
	The person signing this docum	nent shall m	ake the following	g certification:
am familiar wit	penalty of law that I have personally exame the information submitted in this docume I that, based on my inquiry of those individe	ent and all	Well Operator Address	HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101
immediately res	sponsible for obtaining the information, I b is true, accurate and complete. I am aware	elieve that e that there	By: Its:	Diane White Agent
	penalties for submitting false information, in fine and imprisonment.	including	Signature:	Diane White

١	ř	V	y-;	24	W	3/	8	urf	8C9	W:	ilvar
---	---	---	-----	----	---	----	---	-----	-----	----	-------

SURFACE OWNER WAIVER

County	Roane	Operator Operator well number	HG Energy, LLC S. B. Kinkead 103

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WWZ-A / 3A

The well operator named on page WW-2A / 3A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE; YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as skatches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- Damage would occur to publicly owned lands or resources;
- The proposed well work falls to protect fresh water sources or supplies;
- The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has falled to abate or seek review of the violation

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

List of Water Testing Laboratories. The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have reed the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A / 3A, and attachments consisting of pages 1 through _ work order on Form WW-2B / 3A, a survey plat, and a soil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these meterials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON				FOR EXECUTION BY A CORPORATION, ETC.		
	Date	10-25-14	1461110			
John R Mcclain			By Its		Date	
Print Name RECEIV Office of Oil 8		as		Signature	Date	

OCT 2 8 2014

WV Department of **Environmental Protection**

1250	CERTIFIE (Domestic Mail C	nly; No In	surance Co	verage Provid	
_	OFF	IC	IAL	USI	
U	Postage	\$	101	P	1
n	Centified Fee	-	330	18	(%)
TOOD	Return Receipt Fee (Endorsement Required)	G	2000	Postmark Here	RERSE
	Restricted Delivery Fee (Endorsement Required)	-	4	(BU
זרח		•	211	1	53/
1	Total Postage & Fees	\$		SBK	103
1	Sent To	John	R Mo	Clarn	
1	Street Ant No :	41 C		***************************************	
	City, State, ZIP+4	Spance		25274	

RECEIVED Office of Oil and Gas

OCT 2 8 2014

WV Department of Environmental Protection

	ation visit our website a	t www.usps.com _®
Postage Certified Fee	\$	000
Return Receipt Fee (Endorsement Required) Restricted Delivery Fee		Postmark Here
(Endorsement Required)	6	
Total Postage & Fees Sent To	\$	5BK 103
Street, Apt. No.; or PO Box No. 3	va Snodgr	ross /

RECEIVED Office of Oil and Gas

OCT 2 8 2014

WV Department of Environmental Protection WW-2B1 (5-12)

Well No. S. B. Kinkead 103

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sturm Environmental Lab

Sampling Contractor

Sturm Environmental Lab

Well Operator HG Energy, LLC

Address

5260 Dupont Road

Parkersburg, WV 26101 ·

Telephone

304-420-1119

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

Surface Owners Identified w/ Water Sources Sampled and Tested:

- * John R McClain Ivan Bryant 41 Clay Road Spencer WV 25276
 - · Ivan Bryant 4434 Charleston Rd Gandeeville WV 25243
- · James Shamblin 4292 Clay Road Spencer WV 25276

- * Terry Rexroad . Holly Cottrell * Reva Snodgrass
 4026 Clay Road 89 Edgle Fork Road 3740 Tranquility
 Spencer WV 25276 Spencer WV 25276 Melbourne FL
 - 3740 Tranquility Drive Melbourne FL 32934

* Tested and Sampled

WW-9 Rev. 5/10

Pa	nge	204	of	
API Number 47 -	51.	- 40		
Operator's Well No.	S. B.	Kinkead 1	03	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE.


Operator Name HG Energy, LLC	OP Code _ 494497948
Watershed Rush Creek of Henrys Fork	Quadrangle Looneyville 7.5'
Elevation1114' County_Roane	District_Smithfield
Description of anticipated Pit Waste: Fluids encountered v	vhile drilling subject well
Do you anticipate using more than 5,000 bbls of water to co	
Will a synthetic liner be used in the pit? Yes	. If so, what mil.? 20 mil
Proposed Disposal Method For Treated Pit Wastes:	
Land Application Underground Injection (UIC Per	mit Number
Reuse (at API Number	int Number
Off Site Disposal (Supply form \	WW-9 for disposal location)
Other (Explain_	
Drilling medium anticipated for this well? Air, freshwater, of -If oil based, what type? Synthetic, petroleum, etc. Additives to be used?Water, soap, KCl Will closed loop system be used?No Drill cuttings disposal method? Leave in pit, landfill, remove	NA ved offsite, etc. Leave in pit
-Landfill or offsite name/permit number?	be used? Cement, lime, sawdust_Native soil, cement, lime
on August 1, 2005, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violation law or regulation can lead to enforcement action. I certify under penalty of law that I have person application form and all attachments thereto and that, be	
Company Official (Typed Name) Diane White	7
	NOTARY PUBLIC
Company Official Title Agent	STATE IN WEST VIRGINIA TINAL PETHTEL PG Energy, LLC
01 7 1 1 1 0 21	October 20 14M Commission Expires Nov. 12, 2018
Subscribed and sworn before me this 21 day of	October 20 14M. Commission Expires Nov. 12, 2018
E) MIX PITTO	Notary Public Office of Oil and Gas
My commission expires 1100 12,	20/8 OCT 2 8 2014

WV Departmental Protection

		LEGEND	
Property Boundary		Diversion (1.11/11/11/11/11	
Road = = = = =	=====	Spring	
Existing Fence — 🗙 —		Wet Spot	
Planned Fence / _	_/_/_	Drain Pipe with size in inches	
Stream / 1.7			P.
Open Ditch			
Rock 888888		Artificial Filter Strip AXXXX	***************************************
North N	-	Pit: cut walls	
Buildings		Pit: compacted fill walls	yerry.
Water wells		Area for Land Application of Pit	Waste
Drill site 🕀			
Proposed Revegetation Treatm		1.0 acres Prevegetation pH	
Lime_5	Tons/acre or to correct t	o pH6.5	
Fertilizer (10-20-20 o	500	Ibs/acre (500 lbs minimum)	
Strow	2		
Mulch_Straw	T	ons/acre	
		Seed Mixtures	
Area	. 1	Area	11
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	40	Tall Fescue	40
Ladino Clover	5	Ladino Clover	5
		+	
			RECEIVED
Attach:		F	Office of Oil and Gas
Drawing(s) of road, location,p	it and proposed area for land	application.	OCT 2 8 2014
Photocopied section of involve	ed 7.5' topographic sheet.		
			WV Department of
V	7/9		Environmental Protection
Plan Approved by:	000	12 1 12 11 1	7)
Comments:	Secliment	control et all t	ines
		W	
Title: Inspector		Date: 10/5 2/14	
Title:	Deans	Date: [0]23/19	 ,
Field Reviewed? (Roano Yes () No	
/	^		









HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

October 21, 2014

Mr. Jeff McLaughlin WVDEP Division of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE: S. B. Kinkead No. 103

Smithfield District, Roane County

West Virginia

Dear Mr. McLaughlin:

Enclosed are Forms WW-3A, WW-3B, WW-9, WW-3(B1), mylar of plat, reclamation plan, topo map and copies of the certified mailing receipts for a permit to drill the above referenced injection well. Also enclosed is our check in the amount of \$650.00 to cover the associated permit fees.

Very truly yours,

Diane White

Diane C. White

Enclosures

cc: John R. McClain & N. June Keaton - Certified

Reva Snodgrass - Certified Ed Gainer – Inspector RECEIVED
Office of Oil and Gas

OCT 2 8 2014

WV Department of Environmental Protection

