

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

API 47 - 087 - 04806 County ROANE District SMITHFIELD
Quad LOONEYVILLE 7.5' Pad Name FERRELL, C.B. Field/Pool Name CLOVER
Farm name WILLIE KING Well Number 132
Operator (as registered with the OOG) H.G. ENERGY LLC
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 4,285,148 M Easting 476,099 M
Landing Point of Curve Northing _____ Easting _____
Bottom Hole Northing 4,285,273 M Easting 475,960 M

Elevation (ft) 1,055' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
N/A


RECEIVED
Office of Oil and Gas
OCT 12 2022
WV Department of
Environmental Protection

Date permit issued 6/16/22 Date drilling commenced 8/5/22 Date drilling ceased 8/10/22
Date completion activities began 8/17/22 Date completion activities ceased 8/23/22
Verbal plugging (Y/N) N Date permission granted _____ Granted by _____

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft N/A Open mine(s) (Y/N) depths None
Salt water depth(s) ft 1800' Void(s) encountered (Y/N) depths None
Coal depth(s) ft N/A Cavern(s) encountered (Y/N) depths None
Is coal being mined in area (Y/N) N


10-12-22

Reviewed by:


10/14/2022

API 47-087 - 04806

Farm name WILLIE KING

Well number 132

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/ N) * Provide details below*
Conductor	15"	13 3/8"	10'	New	LS 54#		Sand In
Surface	8 7/8"	7"	449.85'	New	LS 17#		Y
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/4"	4 1/2"	2373.6'	New	J-55 11.6#		Y
Tubing							
Packer type and depth set							

Comment Details Circulated Est. 60 sks to surface on 7" job. Circulated Est. 65 sks to surface on 4 1/2" job

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	130	15.6	1.18	153	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix	125/125	13.2/14.2	1.64/1.27	205/159	50'	8
Tubing							

Drillers TD (ft) 2403'

Loggers TD (ft) 2396'

Deepest formation penetrated Big Injun

Plug back to (ft) N/A

Plug back procedure N/A

RECEIVED
Office of Oil and Gas

OCT. 12 2022

Kick off depth (ft) 550'

WV Department of
Environmental Protection

Check all wireline logs run

- caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No

Conventional Sidewall

Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING

8 Centralizers every 88' from bottom on 4 1/2", Centralizer placed mid string and 42' from bottom on 7"

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS _____

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS _____

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED _____


10/14/2022

WR-35
Rev. 8/23/13

API 47- 087 - 04806 Farm name WILLIE KING Well number 132

PRODUCING FORMATION(S)	DEPTHS	
Big Injun	2038'- 2116'	TVD 2175'- 2267' MD

RECEIVED
Office of Oil and Gas
OCT 12 2022
WV Department of
Environmental Protection

Please insert additional pages as applicable.

GAS TEST Build up Drawdown Open Flow OIL TEST Flow Pump

SHUT-IN PRESSURE Surface _____ psi Bottom Hole _____ psi DURATION OF TEST _____ hrs

OPEN FLOW Gas _____ mcfpd Oil _____ bpd NGL _____ bpd Water _____ bpd GAS MEASURED BY Estimated Orifice Pilot

LITHOLOGY/ FORMATION	TOP DEPTH IN FT NAME TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H ₂ S, ETC)
Sand/Shale	0	1904	0	2017	
Little Lime	1904	1922	2017	2035	
Pencil Cave	1922	1929	2035	2046	
Big Lime	1929	2038	2046	2175	
Big Injun	2038	2116	2175	2267	Drilled directional N 48.1° W a distance of 614'
Shale	2116	2234	2267	2403	
TD	2234		2403		

Please insert additional pages as applicable.

Drilling Contractor Noah Horn Well Drilling
Address 1070 Sandy Valley Lane City Vansant State VA Zip 24656

Logging Company Appalachian Well Surveys
Address 10291 Ohio Avenue City Cambridge State OH Zip 43725

Cementing Company Lightning Energy Services
Address PO Box 580 City Bridgeport State WV Zip 26330

Stimulating Company Reliance Well Services
Address 510 Cranberry Street Suite 230 City Erie State PA Zip 16507

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107
Signature [Signature] Title Operations Manager Date 10/6/22

Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry
[Signature]
10-12-2022