


LATITUDE 38° 47' 30"

LONGITUDE 81° 30' 00"



7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 _____ (calc.) _____

Company _____

Farm _____

Quad Gay 1/2'

County Roane

District Curtis

WELL LOCATION MAP

File No. 087-674

67A

Curtis District, Roane County, W. Va.
 By Union Gasoline & Oil Corporation, 800 Union Trust Bldg.,
 Pittsburgh, Pa.
 On 76 acres, surface owned by G. H. Lance (Harmon), Gay, W. Va.,
 and mineral rights by Union Gasoline & Oil Corporation,
 Pittsburgh, Pa.
 Elevation, 1039'.
 16' conductor; 8½" casing, 760'; 6-5/8", 1300'.
 No coal was encountered.
 Drilled prior to June 1, 1929.
 Abandonment reported to Dept. of Mines June 1, 1933.
 Swabbed 8" in 100 bbls., first 18 hours before shot, showed
 150,000 cu. ft. gas.
 All wood rig.
 Nothing on bottom of 6-5/8" but casing ring.
 Dept. 7, 1918, shot with 40 qts.

	Top.	Bottom.	Thickness.
1st Pittsburgh Sand	500	- 600	100
2nd Pittsburgh Sand	680	- 720	40
Big Dunkard Sand	1140	- 1200	60
Gas sand	1565	- 1600	35
Soft Sand (pay gas, 1809-1812'; pay oil, 1746-1752')			
Total depth			1758

Curtis District, Roane County, W. Va.

Union Gasoline & Oil Corp.

On 76 acres, surface owned by G. H. Lance (Harmon), Gay, W. Va.

Elevation, 1039'.

16' conductor; 8 $\frac{1}{4}$ " casing, 760'; 6-5/8", 1300'.

No coal encountered.

Abandonment reported to Dept. of Mines June 1, 1933.

Swabbed 8" in 100-bbl., first 18 hours before shot, showed 150 M. gas.

All wood rig.

Nothing on bottom of 6-5/8" but casing ring.

Shot, 40 qts., Dec. 7, 1918.

	Top.	Bottom.
1st Pittsburgh Sand	500	600
2nd Pittsburgh Sand	680	720
Big Dunkard Sand	1140	1200
Gas Sand	1565	1600
Salt Sand (gas from 1709-1712'; oil from 1746-1752')		Top of sand not given.
Total depth		1758

ROA-67-A