



New Location   
 Drill Deeper   
 Abandonment  X - C-1135

F.B\* 683 P 27-28-MAP 515-543 W 45

Company HOPE CONSTR. & REF. CO.  
 Address CLARKSBURG, W. VA.  
 Farm W. J. DAVIDSON  
 Tract 1 Acres 116 Lease No. 7089  
 Well (Farm) No. 24 Serial No. C-1135  
 Elevation (Spirit Level) 1015  
 Quadrangle SPENCER  
 County ROANE District SPENCER  
 Engineer W. M. Bowers  
 Engineer's Registration No. 900  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date MAY 7, 1940 Scale 1" = 40 FEET

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. ROA-266A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Now: 087 - 30266

W. J. DAVIDSON NO. 4 WELL.

70085

Spencer District, Roane County, W. Va.  
By South Penn Oil Co. (H # C-1135).  
On 100 acres. (Hope--266 ac.)  
Elevation, 1015'.  
Completed Dec. 1, 1912.  
Oil well. 12 bbls.  
Hope abandonment notice checks record for #C1135 on 116 ac. F. M. 1064.  
From Heck's notes.

now 30266

	Top.	Bottom.
Salt Sand	1840	- 2120
Big Lime	2120	- 2225
Big Injun Sand	2225	- 2240
Berea Sand (oil, 2637-2647')	2631	- 2650
Total depth		2655

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION



WELL RECORD

Permit No. 265-A

Oil or Gas Well Oil  
(Kind)

Company Hope Construction & Refining Company  
Address Clarksburg, W. Va.  
Farm W. J. Davidson Acres 116  
Location (waters) Scaffold Run  
Well No. 1135-4 Elev. 1015  
District Spencer County Roane  
The surface of tract is owned in fee by Basil Wilson  
Address Spencer, W. Va.  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced 9-27-1912  
Drilling completed 12-1-1912  
Date shot 7-21-1915 Depth of shot 2637-2647  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water None recorded feet \_\_\_\_\_ feet  
Salt water None recorded feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	930	Pulled	Size of
8 1/2	1320	Pulled	
6 1/2	2204	2204	Depth set
5 3/16	2235	2235	
3			Perf. top
2	2645	2645	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
Not cemented  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET No coal INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Sand			640	710			
Sand			825	867			
Little Dunkard Sand			1115	1150			
Big Dunkard Sand			1180	1300			
Gas Sand			1435	1490			
Salt Sand			1840	2120			
Big Lime			2120	2225			
Big Injun Sand			2225	2240			
Berea Sand			2631	2650	Oil & Gas	2637-2647	
Total Depth				2655			



