



New Location...
 Drill Deeper.....
 Abandonment.....

Company SAM BEREN
 Address 514-4th St. MARIETTA, OHIO
 Farm C. L. DAUGHERTY
 Tract _____ Acres 38.0 Lease No. 1917
 Well (Farm) No. 1 Serial No. 2773
 Elevation (Spirit Level) 898.0
 Quadrangle WALTON
 County POANE District WALTON
 Engineer G. E. Krebs
 Engineer's Registration No. 9
 File No. _____ Drawing No. _____
 Date 7-23-49 Scale 1" - 1320'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. ROA-670-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

670A

Walton District, Roane County, W. Va.

By The Ohio Fuel Oil Co.

Rig commenced Sept. 3, 1910, and completed Sept. 9, 1910.

Drilling commenced Sept. 10, 1910, and completed Oct. 8, 1910.

Contractor, Pratt Drilling Co., Charleston, W. Va.

Drillers: J. W. Reishman and H. T. Owens.

Conductor, 16':

Well shot Oct. 15, 1910, with 40 qts.

1st day's production, 10 bbls.

6-5/8" casing. Threads 15' 1"; 10" casing, threads 24"*

Examined and approved by E. H. Lange, Foreman.

Copied from Record Books of The Ohio Fuel Oil Co.,

by C. E. Krebs, Nov. 11, 1911.

	Top.	Bottom.	Thickness.
Conductor	0	- 16	16
Red rock, slate, L (lime?)	16	- 173	157
Sand	173	- 208	35
Red rock and slate	208	- 248	40
Sand	248	- 348	100
Lime sand	348	- 448	100
Lime	448	- 478	30
Sand	478	- 508	30
Red rock	508	- 568	60
Lime sand	568	- 608	40
Red rock	608	- 683	75
Little Dunkard Sand	683	- 803	120
Slate	803	- 823	20
Big Dunkard Sand	823	- 1008	185
Slate and lime	1008	- 1098	90
Sand lime	1098	- 1388	290
Slate	1388	- 1468	80
Salt Sand (water, 1573')	1468		
Little Lime	1795		
Big Lime	1810	- 1945	135
Top sand (Big Injun)	1945	- 1987	42
Total depth		1987	