

Longitude 81° 15'

New Location
 Drill Deeper
 Abandonment

Company Va Roy Hildreth
 Address Spencer, W. Va.
 Farm J. N. Morford
 Tract _____ Acres 73 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 1216'
 Quadrangle Spencer
 County Roane District Spencer
 Surveyed by Holly Nestler
 Engineer Donald W. Morris
 Engineer's Registration No. 1653
 File No. _____ Drawing No. _____
 Date 9/22/56 Scale 1" = 4'

STATE OF WEST VA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. ROA-1000-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

569

Quadrangle Spencer

WELL RECORD

Permit No. 1000-A

Oil or Gas Well Gas
(KIND)


Company Va Roy Hildreth
Address Spencer, W. Va.
Farm J.N. Morford Acres 7.3
Location (waters) Triplet Run
Well No. 2 Elev. 1216
District Spencer County Boone
The surface of tract is owned in fee by J.N. Morford
Address Spencer, W. Va.
Mineral rights are owned by J.N. Morford
Address Spencer, W. Va.
Drilling commenced January 1929
Drilling completed March 1929
Date Shot From _____ To _____
With _____
Open Flow 30 /10ths Water in _____ 1 Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. 600 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	893		Size of
8 1/2	1246		
6 1/2	2120	2120	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red	Soft	0	280			
Sand	Light	Hard	280	310			
Red Rock	Red	Soft	310	450			
Sand	Gray	Hard	450	470			
Red Rock	Red	Soft	470	678			
Pitt'gh Sand	Gray	Hard	678	704			
Slate	Dark	Soft	704	830			
Red Rock	Red	Soft	830	850			
Sand	Light	Hard	850	900			
Red Rock	Red	Soft	900	1216			
Dk Sand	Gray	Hard	1216	1291			
Slate	Gray	Soft	1291	1396			
Gas Sand	White	Soft	1396	1445			
Lime	Gray	Hard	1445	1803			
Sand	White	Hard	1803	1850			
Slate	Black	Soft	1850	1905			
Sand -Marin	Gray	Hard	1905	2075			
Little Lime	Gray	Hard	2075	2105			
Sand	Gray	Hard	2105	2115			
Big Lime	White	Hard	2115	2225			
Injun Sand	White	Hard	2225	2290	Gas	2255	



MAR 28 1957

