



New Location..
 Drill Deeper.....
 Abandonment.....

MAP SHEET 51S S45W45

Company LLOYD G. JACKSON
 Address HAMLIN, W.VA.
 Farm B.R. REYNOLDS
 Tract _____ Acres 25 Lease No. _____
 Well (Farm) No. _____ Serial No. 2
 Elevation (Spirit Level) 1029
 Quadrangle SPENCER
 County ROANE District CURTIS
 Engineer Jay H. Bradley
 Engineer's Registration No. 2425
 File No. _____ Drawing No. _____
 Date _____ Scale 1"=20P

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. ROA-1006-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

BEN REYNOLDS NO. 2 WELL.

Curtis District, Roane County, W. Va.

By Godfrey L. Cabot, Inc.

On 24 acres.

Keller Map H-23.

Elevation.....

Completed April 12, 1914.

Gas well. 20/10 Merc. in $6\frac{5}{8}$ ". 6363 MCF

From Heck's notes.

	Top.	Bottom.
Berea Sand (gas, 2631-49')	2628	2649
Total depth		2649



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

581

WELL RECORD

Spencer Pond
AB 1006-A

Oil or Gas Well Gas
(KIND)

Permit No. 1006-A

Company Lloyd G. Jackson
 Address Hanlin, W. Va.
 Farm B. R. Reynolds Acres 21
 Location (waters) _____
 Well No. 2 (8812) Elev. 1229
 District Curtis County Roane
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced February 27, 1914
 Drilling completed April 11, 1914
 Date Shot No Record From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume Exhausted _____ Cu. Ft.
 Rock Pressure No record _____ lbs. _____ hrs.
 Oil None _____ bbls., 1st 24 hrs.
 Fresh water No record _____ feet _____ feet
 Salt water No record _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10			Size of _____
8 1/4			
6 5/8	2215	2215	Depth set _____
5 3/16			
4"	2646	2646	Perf. top _____
2"	2696	2696	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
No Cementing
No Coal
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			615	675			
Little Dunkard			1100	1115			
Big Dunkard			1135	1255			
Gas Sand			1385	1560			
First Salt			1815	2080			
BIG LIME			2080	2215			
BEREA			2628	2645	Gas	2633 to 2644'	
Total Depth				2646'			



September 13, 1956

JUN 20 1957

Lloyd G. Jackson