# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	Blanche Swishe	er	Operato	or Well No.:_	1116	9	<del></del>		
LOCATION:	Elevation: 1508'		Quadr	angle: Tho	rnton (	638)			
	District: Knottsville	<del>)</del>	 Count	Tox	lor				
	Latitude:		outh of 39 D	eg. 17	Min.	10	Sec.		
	Longitude:			Deg. 59	Min	11	Sec.		
		<del></del>	·	- •					
Well Type: 0	OIL GASX	<del></del>							
Company	ICG Tygart Valley		Coal Operator or Owner	100 Tygart D				<u>.                                    </u>	
Agent	Charles Duckwo		Coal Operator or Owner						
Permit Issu			or Owner						
								RECEI	VED
STATE OF W	/EST VIRGINIA,		AFFIDAV	/fT				Office of Oil	and Gas
	Taylor ss:							MAR 3	<b>n</b> 2010
Michael W	/. Campbell and	ŀ	Kevin S. Wright	beir	na first d	tulv sw	orn according to		J 2010
well operator the 19th	hey are experienced in the , and participated in the day of April	work of plug	gging and filling and the well was	the above we	ell say t	hat said	d work was comi	n <b>enta</b> nenta	l Protection
TYPE	FROM	ТО	Pl	PE REMOV	ED	4	LEFT		
Expandable		966'				<del> </del>			
Thixotropic Expandable		461' Surfac		<del>-</del>		+			
7"	Surface	10'	-	10'			0,		
8 5/8"	581'	1002'		Milled 24'			421'		
11 3/4"	Surface	20'		0'			20'		
16" Conducto	or Surface	5'		0'			5'		
	of monument: <sup>77" of 7" casing</sup> completed on the 8th			ate cemented. 20 <u>17</u> .	and	d that th	e work of pluggin	g and filling OFFICIAL SEAL	
And furthe	r deponents saith not.	Kh.	(1) b. le	ngit	_ _		M	Richard O'De Notary Public State of West Virg y Commission Ex June 17, 2021 RR 7 Box 72	ginia cpires
Sworn and	subscribe before me this	3 <u>20</u> da	y of March	20_/	8/1/	<u></u>		Clarksburg, WV 2	6301
My commissi	on expires: <i>0b/17/2</i>	2/	Pu	los () Notary	A/UL/ Public				
Affidavit revie	ewed by the Office of Oil a	ınd Gas:	Imsel.	1 Lay	razziste	_ Title:	012 166	<u>5 1,45</u> F 607	in the second

			1	Plugging R	Report for MS	SHA			$(C(n) \circ)$	
Well Number: 11169		11169	Mine: ICG Tygart Valley, LLC Surface							
Permit Nmb	per:	47-91-000	)88-P						Top of 16" condcutor casing, and 11 3/4" casing at the	
Date Clean	Out Started	:	4/19/2017			(4)			surface  Bottom of 16" conductor casing	
Date Well B	Date Well Bore Plugged:							Expan	at 5' Bottom of 11 3/4" casing at 20'	
Lower Kitta	ning Coal Se	eam:	561.9 ft.	То 565.8	ft			dable	Dottom of 11 0.4 dating at 20	
Plugs: From 1032'		To 966'		Bi	Cement w/ Gas ocker			Expandable Gement	N.	
966'		461'			ement w. Green Dye				2	
461'		Surfac	e e		able Cement	Thix Top:	461'			
Casing F  3/4" Cable 2 3/8" tubing 4 1/2" casing 7" casing 8 5/8" casing 11 3/4" casing	Top  Surface 581' Surface	10' 1002' 20'		Pulled 10' Milled 24'		ower ing Coal	561.9' to 565.8'		Top of 8 5/8" casing at 581'	
16" conductor casing	Surface	5'	5'	0'	*			<b>=</b>		
Other		u			I				,	
Cement: Expansive Thixatropic Econofill Mud Flush Other		21 16 0 10 Gas Bi	5 1 00	_ sacks _ sacks _ sacks _ Gal.	Th	ix Bottom:	966'		Bottom of 8 5/8" Casing at 1,002'	
Est. Top Thix		46	1'	_						
Did Coment Cir		Vo	ic.					1535555555	1	

Did Cement Circ. Comments:

Caving: Moderate

Normal

Yes

Lost Circulation: Extreme Moderate
Difficulty in Removing Casing: Extreme
Debris in Well Bore: Wood S

Steel

Normal Moderate Normal Other:

Expandable Cement

RECEIVED Office of Oil and Gas

MAR 3 0 2018

WV Department of Environmental Protection

Total Depth: 1032'

FORM WR-38 (Affidavit of Plugging)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS WELLS DIVISION

### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
100 TYGART DRIVE, GRAFTON, WV 26354
Address
COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
100 TYGART BRIVE, GRAFTON, WV 26354
Address
HART INDUSTRIES, INC
Lease or Property Owner
RR1, BOX 405H GRAFTON, WV 26354

ICG TYGART VALLEY, LLC
Name of Well Operator
188 TYGART DRIVE, GRAFTON, WV 28354
Complete Address
THORNTON (88)
Well Location
KNOTTSVILLE
District
TAYLOR
County
11169
Well No.
SWISHER, BLANCHE
Farm

COPY

STATE INSPECTOR SUPERVISING PLUGGING

Address

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

MICHAEL CAMPBELL and KEVIN S. WRIGHT being first duly owom according to law depose and say that they are experienced in the work of plugging and filling cit and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of April, 2017 and that the well was plugged in the following manner:

	Filling Material	Casing	Casing Pulled	Casing Left In		
Formation		Size & Kind				
	from surface to 10'. Cleaned a 9 7/8' hote from the 5/8' casing at 557'. Reduced hole to 7 7/8' at 557'.	16° Conductor Casing	O'	5'		
Cleaned a 7 7/8" hole from	n 557' to 1032'. Tagged solid plug at 1032'. Milled 580' through the Lower Kittanning Coal Seam	11 3/4" Casing	O'	20'		
561.9" - 565.8"). Cut 8 5/	6" casing at 670". Attempted to remove 8 5/6" casing a 200% of string weight. Attempt was unsuccessful.	8 5/8' Casing	24' Milled	422'		
Left 422 of 8 5/8" casing	in the hole from 580° to 1002° due to extreme bond. the hole at surface from surface to 5°. Left 20° of	7* Casing	10'	ď		
From 1032' to 866' with 2 with 165 sacks of Thixoto	12' back to Surface as follows: 5 sack of Expandable Centent: From S56' to 461' pic Cement with green dye. From 461' back to the Expandable Cement. Cement did circulate at the					
Coal Szams		Description of Monument				
LOWER KITTANNING	561,9' to 565,8'	77" of 7" casing w/company name, well number,				
(Name)		permit number and date cemented stated on 7"				
(Namo)		casing. Well marker will be a	asing. Well marker will be attached to the			
(Nama)		cement plug at ground level.				

... And that the work of plugging and filling said well was completed on the 8th day of May, 2017

And further deponents saith not.

Wishes Warshall

Kush I wingst

Sworn to and subscribed before me this  $\beta^{th}$  day of  $\beta^{tr} = 2v i t$ 

Carl A Magle

My commission expires: 7.75 -22

Permit No. <u>47-91-00988-P</u> Well No. <u>11169</u> Latitude: <u>39° 17' 10"</u> Longitude: <u>79° 59' 11"</u>

NOTARY PUBLIC OFFICIAL SEAL CAROL A MAYIF IS State of West Verifies My Commission Expires September 15, 2012 698 asks page 160 cgs. WY 2644

RECEIVED
Office of Oil and Gas

MAR 3 0 2018