



State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

Latitude: Longitude ROLEUM DEVELO O. BOX 26 DGEPORT, WV VEN R. WILLIA DONALD ELLIS ed: commenced: completed: ging granted on: Cable	COURT HOUSE 480 Feet Son 3980 Feet Wes OPMENT COR 26330-0000 AMS 10/23/89 01/22/90 01/26/90 Rig	casing Tubing Size	Deg. 15Min Deg. 5 Min Used in Drilling	. 0 Sec. n. 0 Sec Left	Cement Fill Up
Latitude: Longitude ROLEUM DEVELO O. BOX 26 DGEPORT, WV VEN R. WILLIA DONALD ELLIS ed: commenced: completed: ging granted on: Cable (feet)	480 Feet Son 3980 Feet We: OPMENT COR 26330-0000 AMS 10/23/89 01/22/90 01/26/90	casing Tubing Size	Deg. 15Min Deg. 5 Mir Used in Drilling	. 0 Sec. n. 0 Sec Left	Cement Fill Up
O. BOX 26 DGEPORT, WV VEN R. WILLIA DONALD ELLIS ed: commenced: completed: ging granted on: Cable (feet)	26330-0000 AMS 10/23/89 01/22/90 01/26/90 Rig	Tubing	Drilling		Fill Up
DONALD ELLIS ed: ommenced: ompleted: ging granted on: Cable (feet)	10/23/89 01/22/90 01/26/90	Size			
ed: ommenced: ompleted: ging granted on: Cable (feet)	10/23/89 01/22/90 01/26/90 Rig	_11_3/4''	42']
ompleted:	01/26/90 Rig	8 5/8"			
(feet) 4			1148.	1148'	265 sks
	696' 85'	4 1/2"	4660'	4660'	382 sks
depths (ft)		•			
ng mined in a (ft): <u>170-17</u>	area (Y/N)? <u>n</u>		,		
ing formation nitial open fi inal open flo ime of open f rock Pressur	Flow MCF ow 184 MCF Flow between i	nitial and	Pay zone ditial open inal open flinal test	flow .ow :s	Bbl/d Bbl/d Hours
inal open flo ime of open f rock Pressur	low MCF w co-mingled MCF low between i e psi	<pre>/d Fi nitial and g (surface</pre>	nal open fl final test pressure)	flowsafter	Bbl/d Bbl/d Hours Hours
CK OF THIS F FRACTURING C IS A SYSTEMA	FORM PUT THE OR STIMULATING ATIC DETAILED RED BY THE OEL	FOLLOWING , PHYSICA GEOLOGICA LBORE	: 1). DETA L CHANGE, L BECORD O	TIS OF PE	PPOPATED
	nal open floome of open for ock Pressur ducing format: COP THIS ENGINEERACTURING CONTENTS A SYSTEMS	nal open flow co-mingled MCF ne of open flow between i cock Pressure psi ducing formation Balltown/Spe C OF THIS FORM PUT THE CACTURING OR STIMULATING C A SYSTEMATIC DETAILED AL ENCOUNTERED BY THE MEL	nal open flow co-mingled MCF/d Fine of open flow between initial and cock Pressure psig (surface ducing formation Balltown/Speechley COF THIS FORM PUT THE FOLLOWING CACTURING OR STIMULATING, PHYSICA A SYSTEMATIC DETAILED GEOLOGICA L ENCOUNTERED BY THE FELLBORE.	Tal open flow co-mingled MCF/d Final open flow of open flow between initial and final test cock Pressure psig (surface pressure) ducing formation Balltown/Speechley Pay zone department of THIS FORM PUT THE FOLLOWING: 1). DETARACTURING OR STIMULATING, PHYSICAL CHANGE, A SYSTEMATIC DETAILED GEOLOGICAL PROOF.	all how

Kaufman #3

STAGE	FORMATION	PERFS	80/100 SKS	20/40 S KS	ACID GAL	N2 (MCF)
1ST	Benson	8 (4570-4572)	100	400	500	66
2nd	Riley	8 (4289-4292)	0	0	1000	0
3rd	Balltown, Speechley	3 (3474-3475) 3 (3286-3287)	100	650	750	82.6
		3(2911-2913)				

WELL LOG

FORMATION	T	OP FEET BOT	TOM FEET	REMARKS: FRESH & SALT WATER, COAL, OIL & GAS
KB - GL		0	10	
sand, shale,	סס	10	1623	Damp 85'
Little Lime	rcr.	1623	1655	Coal 170-173;
sand, shale		1655	1672	· •'
Big Lime		1672	1756	· •
Big Injun		1756	1869	
sand, shale		1869	1883	•
Squaw		1883	1905	•
sand, shale		1905	2093	gas chk @ 1919' No Show
Gantz		2093	2114	gas cinc e 1919 no bhon
sand, shale		2114	2140	
50 ft		2140	2191	•
sand, shale	•	2191	2196	gas chk @ 2177' No Show
30 ft		2196	2229	gub omi e 21// no onow
sand, shale		2229	2268	
Gordon		2268	2297	•
sand, shale		2297	2460	gas chk @ 2265' No Show
3rd	•	2460	249 6	gub omi e 2200 no bnon
sand, shale		249 6	2544	
4th		2544	258 6	.gas chk @ 2355' No Show
sand, shale		2586	2607 ·	.gas cint e 2333 no onon
4th A		2607	2646	
sand, shale		2646	2666	
5th		2666	2710	
sand, shale		2710	2912	gas chk @ 2711' No Show
Speechley		2912	3291	gas chk @ 2743' No Show
sand, shale		3291	3373	gas chk @ 3272' No Show
Balltown		3373	3693	gas chk @ 3649' No Show
sand, shale		3693	3778	gub omi (5015 no one.
Bradford		3778	3912	
sand, shale		3912	4191	gas chk @ 3961' 2/10-1" H20
Riley	•	4191	4296	940 0.01 (0)01 2/10 2 1100
sand, shale		4296	4568	gas chk @ 4337' 2/10-1" H20
Benson	7.	4568	4615	gas chk @ 4430' 2/10-1" H20
sand, shale	0,8	4615	4696	gas chk @ 4618' 2/10-1" H20
Jana, Share	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.	4710	Driller TD 2/10-1" H20
	100	كوزأ	1149	gas chk @ DC 4/10-1" H20
		30		J
	92 0	ř.		

FORM WW-2B

1)	Wall One	ratori	WELL WO	RK PERMIT	APPLICATION	ion 36200, 3	2,544
-,	One	le Well	Year b	Martin Va	ifman #2	1011 00 7	44401
						3) Ele	evation: 1440'
4)	Well type			or Gas			
		(b) :	If Gas:	Production Deep	u_XX/ Undergr D/	ound Storage Shallow	<u>***</u> /
5)	Proposed	Target 1	Formation	(s):	Benson 4	35	
6)	Proposed	Total De	epth:	5000	feet		
7)	Approxim	ate fresi	h water s	trata dept	hs: 30, 210,	378'	
8)	Approxim	ate salt	water de	pths:	None		
9)	Approxim	ate coal	seam dep	ths: 353-357	, 497 - 500, 708	3-710, 1028-103	2
10)	Does land	d contai:	n coal se	ams tribut	ary to acti	ve mine? Yo	es/ No_XX_/
							te Kur Well
12)	·		The state of the s	ill J	emilitie	Stimulat	t Duilled
			CASIN	G AND TUB	NG PROGRAM	1	·
TYPE		31	PECIFICAT	IONS	FOOTAGE IN	ITERVALS	CEMENT
		Size	Grad e	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)
Condu	ictor	11 3/4	H-40	42	. 30		
Fresh	Water						
Coal						(7	38CSP18-11-2-2
Inter	mediate	8 5/8	J-55	20/23	1150	1150	C.T.S NEAT
Produ	ction	4 1/2	J-55	10.5	5000	5000	400 SKS
Tubin					Solf		38CSR18-11-1
Liner			·			1.12	GROOM
PACKE	ERS : Kin						J V BELL
1251	9 Siz	es ths set					OCT 0 6 1989
351		F	ęŗ Diviso	n of Oil a	and Gas Use		SION OF OIL & GAS

Reclamation Fund

Page	1	of	
Form	W	N2-A	L
(09/8	37)	
r:lo	~		

4)

0	OCT		W		
117	OCT	06	1989	3 7	U

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

1)	Date:_	00	tober	3,	1989	
21	Operat	oris	well	מומ	mber	

) Operator's well number Kaufman #3

API Well No: 47 - 091 - 0613

State - County - Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

3)

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

Surface Owner(s) to be served: 5) (a) Coal Operator:

	(a) Name <u>Martin Kaufma</u>	n	Name
	Address 3770 S.W. 76t	h Ave.	Address
	Davey, FL 33	328	
	(b) Name		(b) Coal Owner(s) with Declaration
	Address		Name Tygart East Company
			Address 724 James Street
	(c) Name		Bridgeport, WV 26330
	Address		NameMartin Kaufman
			Address 3770 S.W. 76th Ave.
			Davey, FL 33328
6)	Inspector <u>Donald Ell</u>	is #1	(c) Coal Lessee with Declaration
	Address 2604 Crab	Apple Lane	Name
	Fairmont,	WV 26554	Address
,	Telephone $(304) - 534$	5596	
	TO THE PERS	ON(S) NAMED A	BOVE TAKE NOTICE THAT:

	Included is the leas	e or leases o	r other continuing contract or
cont			extract oil and gas OR
			red by Chapter 22B, Article 1,
	ion 8(d) of the Code		
			Chapter 22B of the West Virginia Code
T ha			d application, a location plat, and
			on the above named parties, by:
accc	Personal Service		
			ostal receipt attached)
	Publication (No		
	Publication (No	otice of Public	cation attached;
	I have read and unde	exetand Chanto	r 22B and 38 CSR 11-18, and I agree
+- +	i have read and unde	rstand Chapte.	r 226 and 30 CSR II-10, and I agree
נט נ			mit issued under this application.
c :			at I have personally examined and am
			d on this application form and all
			iry of those individuals immediately
			ion, I believe that the information
is t	rue, accurate, and co		,
	I am aware that ther	e are signific	cant penalties for submitting false
into	rmation, including th	ie possibiliza	of fine and imprisonment. Petroleum Development Corporation
1341	OFFICIAL SEAL		recrotediii beveropiilent corporacion
	- SA NULARY PUBLICA N	By: _///	
1	- IN STATE OF WEST VIDOSANA	Its:	President
1	JERRY ALAN STIRE P. O. Box 439	Address	PO Box 26
\$ 17.0°	Anmoore, WV 26323 My Commission Expires March 1, 1990		Bridgeport, WV 26330
~~	The second	Telephone	842-6256
Subs	scribed and sworn before	ore me this 4	# day of <u>clatri</u> , 19 <u>67</u>
	(1. /	IV. n &	
	Jarye	can tu	Notary Public
My c	commission explices	Much	1,1879

Aug-92

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their

respective	addresses.					
Farm name:	RAGER, REG	INA	Operato	r Well No	o.:KAUFMAI	N 3
LOCATION:	District: Latitude:	1440.00 Qu COURT HOUSE 480 Feet S 3980 Feet W	South of 39	County: Deg. 1	TAYLOR 5 Min. 0	Sec. Sec.
Well Type:	OIL	GAS x				
Company: Pet PO Bri	roleum Develop Box 26, 103 Ea dgeport, WV 2	ment Corporationst Main Street	n Coal or Ow	Operator mer	724 James	Street
	ric R. Stearns		Coal or Ow	Operator ner	Bridgepor	t, WV 26330
*		AF	FIDAVIT			
STATE OF WI	EST VIRGINIA Taylor	ss:				
the above and filling Gas Inspectommenced the well with the well with the well with the well well with the well well well with the well well well well well well well we	named well ng the above ctor repre on the was plugged YPE nent	ng and fillir	phillip Director, ay of Sep in the form 182 3300 2860 2318 2218 1270 1170 surface	gas well pated in Tracy say t tember Dllowing PIPE	s and wer the work hat sai , 19 ₉₂ , manner: REMOVED	LEFT 2342' 4½" csg 1148' 8 5/8" cs
and the 2nd	hat the wor	k of pluggin September				completed on
OFFICE MOTARY MARJOR:: AI	ion expires: ALSEAL / PUBLIC EST VIRGINIA	fore me this JULY 31,2001	54.A day	arprie Co	earns Tember MASS Jotary Pub	, 19 <u>9-2</u> 21 or of 1