



New Location  
 Drill Deeper  
 Abandonment

7553  
 (6810)

NOV 27 1945

Map Sheet 42 South 193 S 11 E 23 FB 527 P 17

Company Hope Natural Gas Co.  
 Address Clarksburg, W. Va.  
 Farm J. H. McDonald  
 Tract 15 Acres 45 Lease No. 45457  
 Well (Farm) No. \_\_\_\_\_ Serial No. 7553-7554  
 Elevation (Spirit Level) 1155 - 1337  
Fairmont Reservoir 75'  
 County Taylor District Booths Creek  
 Engineer W. M. Bowen  
 Engineer's Registration No. 910  
 Date 11-9-25 Scale: 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. TAY-15-A; WELL # 7553

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



34

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 154

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Hope Natural Gas Company.  
 Address 445 West Main St. Clarksburg, W. Va.  
 Farm J. H. McDonald Acres 15  
 Location (waters) \_\_\_\_\_  
 Well No. 7553 Elev. 1155  
 District Booths Creek County Taylor  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced October 12, 1927  
 Drilling completed November 22, 1927  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With Purchased  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water 410 500 feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>164</u>	<u>Pulled</u>	Size of
8 1/4	<u>635</u>	<u>635</u>	
6 5/8	<u>1145</u>	<u>Pulled</u>	Depth set
5 3/16			
3			Perf. top
2	<u>2235</u>	<u>Pulled</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED Not cemented SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT none recorded FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Dunkard			175	212			
Big Dunkard			230	275			
Gas sand			285	350			
First Salt			450	515	water	410- 500	
Second Salt			600	825			
Little Lime			1105	1115			
Pencil cave			1115	1130			
Big Lime			1130	1206			
Big Injun			1206	1310	gas	1278	
Fifty foot			1648	1730	gas	1715	
Thirty foot			1740	1900			
Gordon stray			2004	2030	gas	<del>1778</del> 2012	
Fifth Bayard			2105	2145			
			2200	2218			
Total depth				2235			



