

New Location..
 Drill Deeper.....
 Abandonment.....

MAP SH. 1233: SQ. C-6: F.B. 1200 P. 31-32

1 SE (G-12)

Company	HOPE NATURAL GAS CO.
Address	CLARKSBURG, WEST VA.
Farm	LEE MILLER
Tract	Acres 83 Lease No. 58695
Well (Farm) No.	Serial No. 10201
Elevation (Spirit Level)	1719'
Quadrangle	BELINGTON-NE
County	TUCKER District LICKING
Engineer	Guy H. Bradley
Engineer's Registration No.	2425
File No.	Drawing No.
Date	Nov. 12, 1958 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JUC-29

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Deep Well

F59



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 12

Quadrangle Belington

Permit No. TUC-29

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Hope Natural Gas Company
Address Clarksburg, W. Va.
Farm Lee Miller Acres 83
Location (waters) _____
Well No. 10201 Elev. 1719'
District Licking County Tucker
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced 12-12-58
Drilling completed 3-31-59
Date Shot Not From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume 60 M Cu. Ft.
Rock Pressure 1711# lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
WELL ACIDIZED No
WELL FRACTURED 4-8-59

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	25	25	
10	450	450	Size of
8 1/4	1355	1355	
6 5/8	4850	4850	Depth set
5 3/16			
3			Perf. top
2	4974	4974	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
7" cemented with 100 bags uniflo
COAL WAS ENCOUNTERED AT None FEET INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES


RESULT AFTER TREATMENT 227 M

ROCK PRESSURE AFTER TREATMENT Same

Fresh Water 30' Feet Salt Water _____ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Gravel			0	25			
Slate			25	180	Water	30'	
Sand			180	233			
Slate			233	282			
Sand			282	300			
Lime			300	365			
Lime		Gritty	365	470			
Slate & Shells			470	515			
Gritty Lime			515	600			
Slate & Shells			600	815			
Gritty Lime			815	850			
Slate & Shells			850	905			
Gritty Lime			905	1215			
Shells			1215	1280			
Slate			1280	1610			
Sand			1610	1674			
Lime			1674	1776			
BENSON			1776	1911	Gas	1865	Show
Shale			1911	1945			
Slate & Shells			1945	2000			
Lime			2000	2240			
Slate & Shells			2240	2655			
Shale			2655	2691			
Shells			2691	2725			
Lime			2725	2790			
Slate & Shells			2790	3200			
Brown Shale			3200	3295			
Grey Shale			3295	3590			
Lime			3590	3673			

(over)



759

