3915

Latitude

+15 0.285

Topo Location

7.5' Loc.______ 15' Loc._____ (calc.)

company Hope Nati Gas

Farm Thaddeus Pritt

(10242)

15' Quad <u>Farsons</u> (sec.)

7.5' Quad St 600 96

District Licking CK

WELL LOCATION PLAT

County Tucker Permit 30


Cappy . 0-20-59

TO 8951 (Homes 121/5 Chief)

2 - Late 3

Dead Well

1 (2.60





Quadrangle	.DORU		VA/ELL	RECORD	12786 C. C.	ala lattala jih		Con
Permit NoTU	C-30	n sekungantan menenganan seringah	VVELL		and the great makes the company of the company of		Gas Well_	Gas (
Company Hop	e Natural	Gas Company		Casing and	Used in	Left in	_	
Address Cla	irksburg,	W. Va.		Tubing	Drilling	Well	P	ackers
Thaddeu	ıs Pritt	A	cres 79, 7			:		_ *
Location (waters)	. 1		`	Size			·	4.
Well No. 102	.2		Elev. 1927!	16			Kind of	Packer
District Licking		County Tuck	er	13	23	23	L	
The surface of tra-			. ,	10	418	է է 18	Size of_	
The surface of tra-		Address	- 1	81/4	1606	1606		
		' '	1	65/8	4494	4494	Depth s	set
Mineral rights are						· ·		
	T 7 ヴ	, 1959					Perf to)p
Drilling commence	octobo	m 20 7059		3			1 1	ottom
Drilling completed	OGRODE	1 20, 1///		2			1 :)p
Date Shot Not	From	тоТо		Liners Used				
With							Perf. bo	ottom
Open Flow			Inch				1	
/	10ths Merc. i	in		CASING CEM	ENTED	SIZE	_No. Ft	Date
Volume 377 M	<u> </u>			7" casi	ng cemented	with 100	bags u	niflo .
Rock Pressure	???	lbs	hrs.					
Oil			_bbls., 1st 24 hrs.	* F (1	1	1	INCHES
WELL ACIDIZE				FEE	;	1		INCHES
		·		FEE	TINC	CHES	_FEET_	INCHES
WELL FRACTU	RED 1022	7/59	: :			1		
RESULT AFTER	TREATMEN	r 8,951	M					
POCK PRESSUR	E AFTER TE	REATMENT	1593# in 48	hours				
Fresh Water	901 4181	Feet				F	eet	
rresn water						1		
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Dept	h :	Remarks
		4	0	.20				
Shale	1		20	60				٠
Lime Slate		,	60	69				
Lime	ļ		69	75				Hole full
Slate & Shel	lsx		75	100	Water	901	;	HOTE TATT
Lime			1.00	180				
Slate			180	320 400				
Slate & Shel	1		320 400	1,20	Water	418	38	
Lime			420	450				
Slate & Shel			450	512				
Dark Lime Slate & Shel	n e		512	1090				
Line		1	1090	1128		i		
Slate			1128	1202				
Lime	3		1202	1423		3		
BENSON	,		11,23	11,95				
Slate & Shel	1		1495	1595		10		
Slate			1595	1645				
Lime			1645	1890		į		
Slate & Sha	ITS		1890	1930				
Shell			1930	2252			6789	10%
Gray Shale Light Shell	-		2252	2280		1	ير آررد	1/23
Slate & She			2280	2860		14,5	DE	`` <i>``[</i> }
Lime	T		2860	2900	d City	A	F- F0 15	250 E
Slate & She	lls		2900	3140	1147		CEA	, S
Lime			3140	3305		医加	STVIDA	101755 SASSIFITION SOLUTION SO
Slate & She	11		3305	3360			T. OF MAN	VIA SO
Lime		· Constitution	3360 3570	3570 3615		A 18 18 18 18 18 18 18 18 18 18 18 18 18	E. THE	1. 19. 1
Shale	1		1 2510			<u> </u>	- 676282G	<u> </u>
(1		# N.	(over)		1		

Formation	Color	Hard or Soft	Top 20	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Shale Gray Shale Black Shale TULLY LIMEST Grey Shale ONONDAGA CHERT ORISKANY	ONE		3615 3758 4025- 4080 4130 4443 4468 XXXXX4656	3758 4025 4080 4130 4443 4468 4634 4656	Gas	Jul. 76°	8,951 M
Total Depth	urgiorization de la constanta			46561			
	We consider the state of the st						

	Date De	cember 9,	1959	, 19
APPROVED	Hope Natura	l Gas Com	ony .	, Owne
Bv	Bailey	I James	and the	
	······································	(Title)		-1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at

	tive addresses.	sopies ii required/should be iii	alled to each coal operator
Farm name	: Wiles, Dwight P. Opera	tor Well No.: 10242 (7074)	
LOCATION	: Elevation: 1955' Quadrangle: District: Licking County: Latitude: 9700 Feet South of 3 Longitude: 1720 Feet West of 79	Tucker 9 Deg. <u>15 Min. 00 Sec.</u>	
Well Type:	OIL GASX	•	
Company:	Dominion Exploration & Production, In P O Box 1248 Jane Lew, WV 26378	or Owner	
		Coal Operator	
Agent: Ro	dney J. Biggs	or Owner	Office of Oil & Gas
Permit Issu	ed Date: <u>4/12/2001</u>		JUL 3 n 2001
		AFFIDAVIT	302 36 2001
	OF WEST VIRGINIA, of <u>Tucker</u> ss:		WV Department of Environmental Protection
of plugging in the work Director,	chnson being first duly sworn according and filling oil and gas wells and were a coffine plugging and filling the above we say that said work was commence and filled in the following manner:	employed by the above named ell, and <u>Tim Bennett</u> Oil and G	d well operator, and participat Sas Inspector representing
TVDE	EDOM TO	DIDE DEMOVED	IEET

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	TD - 4550	4412	7" Baker Cement Retainer	
Cement	4412	3100	N/A	N/A
Gel	3100	1601	Perf 7" Casing	
Cement	1601	1412	N/A	N/A
Gel	1412	400		
Cement	400	300	Perf 7" & 8 5/8"	
Gel	300	100		MULATB
Cement	100	Surface	105' – 7" & 8 5/8"	1501' – 8 5/8" , 4355' –\7"

Description of monument: 2" Tag w/ 1/2" x 12" x 12" plate w/ Well no., Co. Name, API no., Date, and that the work of plugging and filling said well was completed on the 24th day of May, 2001.

And furthur deponents saith not.

Sworn and subscribe before me this 12th day of 5

My commission expires:

Oil and Gas Inspector:

NOTARY PUBLIC LINDA E. RIFFLE

RT. 1, BOX 271-A WESTON, WV 26452