Owwo 9-0 Wilber



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Rotary_XX Oil___

Cable

Gas

Quadrangle West Union NE 4.3-4 Permit No. TYL-453-Red		atterning of the second of the	apastulia no li bili last	Recycling Water Floo Disposal	d. Storage XX ⁶ (Kind)
Company Equitable Gas Address 420 Blvd. of the All	1521 ies, Pgh.	Pa. Casing and Pa. Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Pratts Run Well No. 5476 Ele	v. 914	Size 20-16 Cond.			
District McElroy County Ty The surface of tract is owned in fee by The surface of tract is owned in fee by		XX10 " 9"578	326	326	165 sks.to
Roy D. Headley Address Middlebourne, W. Va.	26149	8 5/8 7	1049	1049	530 sks.to
Mineral rights are owned by James E. O Address Belpre, Ohio	45714	5 1/2 4 1/2	1847	1847	190 sks.to
Drilling Commenced 10-20-72 Drilling Completed 8-9-73		3			
Initial open flow cu. ft Final production cu. ft. per day	bbls.	Liners, Used			
Well open hrs. before test Well treatment details:	RP.	Attach copy of			
Coal was encountered at 530-535	Fec	et	Inc	hes	
Coal was encountered at 530-535	Fect gas s	Salt	Inc Waterth	hes	ka prostor. Zarije se estrumentenia estrum strate
Coal was encountered at _530-535 Fresh water Formation Color Hard or Soft Pittsburgh Coal Gas Sand	Top Feet 530 1046	Salt Salt Dep Bottom Feet 535 1096	WaterthOil, Gas	hes	* Remarks
Coal was encountered at 530-535 Fresh water February Fromation Color Hard or Soft Pittsburgh Coal Gas Sand Salt Sand Maxton Sand Little Lime	Top Feet 530 1046 1160 1655 1758	Salt Salt Dep	WaterthOil, Gas	hes or Water	* Remarks
Coal was encountered at 530-535 Fresh water Formation Color Hard or Soft Pittsburgh Coal Gas Sand Salt Sand Maxton Sand	Top Feet 530 1046 1160 1655	Bottom Feet 535 1096 1596 1670 1788	WaterthOil, Gas	hes or Water	* Remarks
Coal was encountered at 530-535 Fresh water Formation Color Hard or Soft Pittsburgh Coal Gas Sand Salt Sand Maxton Sand Little Lime Big Lime Big Injun Sand Weir Sand Gantz Sand Gantz Sand	Top Feet 530 1046 1160 1655 1758 1790 1852 2180 2368	Bottom Feet 535 1096 1596 1670 1788 1848 2026 2260 2386	WaterthOil, Gas	hes or Water	* Remarks
Coal was encountered at 530-535 Fresh water February Front Formation Color Hard or Soft Pittsburgh Coal Gas Sand Salt Sand Maxton Sand Little Lime Big Lime Big Injun Sand Weir Sand Gantz Sand Gordon Sand Redrilled to Cement Plug Back to Completed Total Depth	Top Feet 530 1046 1160 1655 1758 1790 1852 2180 2368 2592	Bottom Feet 535 1096 1596 1670 1788 1848 2026 2260 2386 2634 2653 1897 1897	WaterthOil, Gas	hes or Water	* Remarks
Coal was encountered at 530-535 Fresh water Formation Color Hard or Soft Pittsburgh Coal Gas Sand Salt Sand Maxton Sand Little Lime Big Lime Big Injun Sand Weir Sand Gantz Sand Gordon Sand Redrilled to Cement Plug Back to	Top Feet 530 1046 1160 1655 1758 1790 1852 2180 2368 2592	Bottom Feet 535 1096 1596 1670 1788 1848 2026 2260 2386 2634 2653 1897 1897	WaterthOil, Gas	hes or Water	Feet * Remarks

(over)

^{*} Indicates Electric Log tops in the remarks section.



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

EVJ2

West Union Quadrangle

WELL RECORD

€ _{as}	


Permit No. 1715000 1 1 1 453	Oil or Gas Well			(KIND)	
Company L45 West Main St., Clarksburg, W. Va Address Viola E. Dotson 70	• Casing and Tubing	Used in Drilling	Left in Well	Pack	
Location (waters) Well No. District County Acres 914 Flev. County	Size 16 13			Kind of Pack	(er
The surface of tract is owned in fee byAddress	10 8¼			Size of	
Mineral rights are owned byAddress	6% 5 3/16	1791 1826	1791 1826	Depth set	
Drilling commenced 11-4-10 Drilling completed	3 2			Perf. top Perf. bottom	
Date Shot From To With	Liners Used			Perf. top Perf. bottom	
Open Flow /10ths Water in Inch	CASING CEME		SIZE	_No. Ft	Date
Rock Pressure lbs. hrs. Oil bbls., 1st 24 hrs.	COAL WAS EN	60		FEET 48	INCHES
Fresh water feet feet Salt water feet feet	FEET FEET		HES	FEET	INCHES
Tout on 1		0.1 0	Dandle		

Rock Pressure Oil None Fresh water 138		lbs	hrsbbls., 1st 24 hrsfeet	COAL WAS EI		FEET	INCHES
Salt water		feet	feet	FEET			
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal Coal Little Dunk Big Dunkard Gas Sand First Salt Second Salt Maxon Little Lime Pencil Cave Big Lime Big Injun			76 530 935 1047 1150 1375 1450 1670 1761 1776 1786	80 536 950 1115 1235 1395 1494 XXXX 1715 1776 1786 1858 1878	Water	1385	
Total Depth				1950'			
				RECZIVATE OF MANA AUG 12	55 ED 333		

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
				~. /			
: :							
<i>;</i>							
					, , , , , , , , , , , , , , , , , , ,	4	
			·				September 1988
:							
	·						· }
•			~		2		
			,	-			West Colored
		·					
		·					
	,						
	-						
				£			(A)
			·				
			·				
							30 (40) (40) (10)
		:	*				
		1.5					5 5 5 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8
							1
		•				N.	
							7 1 1 1 2 4 4 4 5
							20 20 20

Date June 13, 1955 , 19					, 19
APPROVED	Hope	Natural	Gas Compa	ny	, Owner
Bv					2
			(Title)	P	0.







DEPARTMENT OF MINES

oil & cas dividion DEPT. OF Winders

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEBARTMENT OF MINES	
TO THE DEPARTMENT OF MINES, Charleston, W. Va.	DATE Oct. 10, 1972
Surface Owner Roy D. Headley	Company Equitable Gas
3.61 1 11 1 34F 37- 0.03.40	Dittohurah Do 15210
Address Middlebourne, W. Va. 26149 Mineral Owner James E. Orr et al	Vonneth C Om et al 70
002 Domorou Diko Bolono Obio	
11441000	Location (waters) Pratts Run Well No. 5476 Elevation 914
Coal Owner Unknown	
Address	District McElroy County Tyler
Coal Operator	
Address	
	JAMES BE NOTIFIED Delle
CHIS PERHIT MIST ED 105 TO AT THE UNIL SAYS	Dry 296 PH 775-5611
All provisions being in accordance with Chapter	Amdred
of the W. Na. Code, the location is here'w annu	20 0 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3
for reclined. This permit shall expir operations have not commer in by	'e
Notest L May	<u> </u>
Deputy Director - Oil & Gas Division	
GENTLEMEN:	
The undersigned well operator is entitled to drill upon the	above named farm or tract of land for oil and gas, having fee
title thereto, (or as the case may be) under grant or lease da	
	and recorded on the 27th day of Apr.
1966, inTyler County, Book	Page
NEW WELLDRILL DEEPER	XX REDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILLED	BEFORE JUNE 5, 1969.
The enclosed plat was prepared by a registered engineer or have been notified as of the above date.	licensed land surveyor and all coal owners and/or operators
	chisted that are chication than mid to make
to make by Section 3 of the Code, must be received by, or file	otified that any objection they wish to make, or are required ed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were mailed by r	registered mail, or delivered to the above named coal operators
or coal owners at their above shown respective address	daybefore, or on the
same day with the mailing or delivery of this copy to the Depa	
V	Very truly yours, S. M. Lines o
(2)	Sign Name) Equitable Gas Co.
	Well Operator
	420 Blvd. of the Allies
Address of	
Well Operat	
	City or Town
	Pa. 15219
	State

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

Jyl-453 Red PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	X RE DRILL	DEEPENFR	ACTURE-STIMULATE
DRILLING CONTRACTOR: (If Kr		RESPONSIBLE AGENT:	
NAME		NAME H. E. Gard	lner, Div. Supt.
ADDRESS			, Clarksburg, W. Va. 26
TELEPHONE		TELEPHONE (304) 62	
ESTIMATED DEPTH OF COMPLET		ROTARY XX	CABLE TOOLS
PROPOSED GEOLOGICAL FORMA	TION: Big Injun		
TYPE OF WELL: OIL	GAS CO	OMB STORAGE	XX DISPOSAL
	RECYCLIN	NG WATER FLOO	ODOTHER
$\mathbf{v} = \mathbf{v} \cdot $			
TENTATIVE CASING PROGRAM:		,	
CASING AND TUBING	USED FOR	LEFT IN	CEMENT FILL UP
SIZE	DRILLING	WELL	OR SACKS - CUBIC FT.
20 - 16			
MX - 10	320	320	Cem. to surface
9 - 5/8			
8 - 5/8	1033	1059	Cem. to surface
7	1791	1791	Cem. to surface
5 ½	1873	1873	Cem. to 1500
4 ½ 3	<u>-</u>		Perf. Top
2			Perf. Bottom
Liners			Perf. Top
	*,		Perf. Bottom
APPROXIMATE FRESH WATER D	EPTHS 100 FEET	SALT WATER	1385 геет
APPROXIMATE COAL DEPTHS		7	
IS COAL BEING MINED IN THE			
TO DRILL: SUBMIT FIVE (5) COPIES O OF PLAT.	F OG - 1, \$100.00 PERMI	T FEE, PERFORMANCE BO	OND AND PERMANENT COPY
TO DRILL DEEPER OR REDRILL:			
	1929, A PERMANENT CO		D PERFORMANCE BOND. ON HE ORIGINAL WELL RECORD
TO FRACTURE - STIMULATE:			
BOND, PERMANENT PLAT A			OPIES OG - 1, PERFORMANCE
OIL AND/OR GAS WELL ORI ING ORIGINAL PERMIT NUM			o, five copies og - 1, show-
Required forms must be filed four (24) hours in advance.	within ninety (90) days of o	completion for bond release.	Inspector to be notified twenty-
			on agriculture reach, hally representation representation for the second of the second
The following waiver must be thereof.	completed by the coal ope	erator if the permit is to be i	ssued within ten days of receipt
WAIVER: I the undersigned, Agent this lease have examined		Coal Company, Owner aps this proposed well locati	· · · · · · · · · · · · · · · · · · ·
	-		ell being drilled at this location,
•			, Chapter 22 of the West Virginia
Code.			
		Fr	or Coal Company
		attention to the state of the s	Official Title