

Plot Log Card CSD MflmM LATITUDE 39 0.005 3.56 W Leuman A. Hinkle m,08.885 Zirkle Source of Elevation Elev. at old Post School = 2063 I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia. Fracture New Location.... Mestoe Drill Deeper...... Signed: Map No. Squares: Abandonment.... STATE OF WEST VIRGINIA Company J. & J. ENTERPRISES. ING. 69 W. Moin St., Buckhannon, W. Va. Address (Avonmoro, Penna.) DEPARTMENT OF MINES OIL AND GAS DIVISION CHARLESTON Morrison Lease Farm_ Acres 56 Lease No. WELL LOCATION MAP One Well (Farm) No. Serial No. Elevation (Spirit Level) 2057 FILE NO. UPS - /2 55 Quadrangle Soco & Philippi + Denotes location of well on United States County Upshur District Union Topographic Maps, scale 1 to 62,500, latitude Mistole and longitude lines being represented by border lines as shown. Engineer's Registration No. 1222 - Denotes one inch spaces on border line of _Drawing No. original tracing. Date Nov. 8. 1969 Scale 1. 30p - 495

6-0 Buckhannon - Century 25

NOV 24 1969

CC-AW RECEIVED DEPT. OF ENERGY

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

MORRISON, ERNEST Farm name:

Operator Well No.: 1-3-36

LOCATION:

Elevation: 2057.00 Quadrangle: ELLAMORE

District: UNION

County: UPSHUR

Latitude: 100 Feet South of 39 Deg. 0 Min. 0 Sec. Longitude 6410 Feet West of 80 Deg. 2 Min. 30 Sec.

Company: EXCEL ENERGY, INC

P.O. BOX 1020

BRIDGEPORT, WV 26330-0000

Agent: H. L. BARNETT

Inspector: PHILLIP TRACY

Permit Issued: 08/03/89 Well work Commenced: 04/04/91

Well work Completed: 04/04/91

Verbal Plugging

Permission granted on:

Rotary X Cable Total Depth (feet)

Fresh water depths (ft) Salt water depths (ft)

Is coal being mined in area (Y/N)? N

Coal Depths (ft): N/A

Casing	Used in	1	Cement
-	Drilling	in Well	Fill Up Cu. Ft.
Size		 	
11 3/4"	78 '	20'	
8 5/8"	 816'	 816'	 175 Sks
4 1/2"	5255 '	 5255 '	464 Sks

OPEN FLOW DATA

Producing formation __Pay zone depth (ft) Gas: Initial open flow MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow Time of open flow between initial and final tests MCF/d Oil: Initial open flow Bb1/d _Bbl/d Hours Static rock Pressure _____psig (surface pressure) after Hours

ner BANG

Second producing formation Balltown Pay zone depth (ft)2620-2664 Gas: Initial open flow 0 MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow MCF/d Final open flow Bb1/d Bbl/d Time of open flow between initial and final tests Hours Static rock Pressure 740 psig (surface pressure) after 60 Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

For: EXCEL ENERGY, INC

Darwy H.L. Barnett

April 10, 1991

DEIALLS OF PERFORMED INTERVALS, FINCTURING OR STUTULATING, PHYSICAL CHARGE, EIC.

STAGE I (2620-2664) 14 Holes, 220 BBL Water, 40,000# Sand, 750 Gal. Acid, 270,000 s.c.f. N2

WELL LOG .

FORMATION	COLOR	IIARD OR S	OF'I'	TOP FEE	r borro	M FEET	NEWWS Including indication of all fres and salt water, coal, oil and que
			.				
SEE ORI	GINAL I	IV-35 ATTA	CHED	•			
THIS CO	MPLETI(ON REPORT	IS FOR	THE ST	IMPLATION	OF T	HE BALLTOWN ZONE.
			·				•
	٠.					.	
	:						•
		÷					
						.	·
			ı			1	

426

IV-35 (Rev 8-81) DECEIVED
JUL 31 1989



State of Mest Mirginia

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

Repartment of Alines noision little and ban little

Date_	DECE	MBER 12	2, 198	6
Opera	tor's	3		
Well 1	No	E-36		
Farm_	MOR	RISON	1	
API N	0. 47	- 033		1255DD

WELL OPERATOR'S REPORT

097

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

(If "Gas," Production/ Undergrou	/ Wast and Storag	e Disposa e / Dee	1/ p/ Sha	· illow X /)			
LOCATION: Elevation: 2057 Watershed	•						
	ID MILDULAE	Cundren-1	₹				
District: UNION County UPSHI	,	Queidrangt	e Sago &	Philippi			
COMPANY EXCEL ENERGY, INC.	_						
ADDRESS 901 W. MAIN STREET, SUITE 201, B-PORT, WV	Caging	Used in	Leſt	Cement			
DESIGNATED AGENT H. L. BARNETT	Tubing	1	in Well	fill up Cu. ft.			
ADDRESS RT 1 63 ST. JAMES DRIVE, CLARKSBURG, WV	Size		23. 11.311	cu. It.			
SURFACE OWNER ERNEST MORRISON:	20-16	20					
ADDRESS 305 CENTER STREET, EAST CANTON, OH 44730	Cond	20	20				
MINERAL RIGHTS OWNER ERNEST'S MORRISON	13-10"			·			
ADDRESS 305 CENTER ST., EAST CANTON, OH 44730	9 5/8						
OIL AND GAS INSPECTOR FOR THIS WORK STEVE CASEY RT. 2 BOX 232-D	8 5/8	816	816	175 SKS			
ADDRESS JANE LEW, WV 26378	7						
PERMIT ISSUED 11-19-86	5 1/2						
DRILLING COMMENCED 11-21-86	4 1/2	5255	5255	464 SKS			
DRILLING COMPLETED 11-22-86	3						
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2						
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners						
REMORKING. VERBAL PERMISSION OBTAINED ON	used :						
GEOLOGICAL TARGET FORMATION HAVER	:						
Depth of completed well 5403 feet R		Dept	<u> 5080</u>	feet			
Water strata depth: Fresh N/A feet;	Sale wa	/ Cable	Tools				
			_	•			
	ra coar i	cing mine	d in the 5074-85	area? NO			
OPEN FLOW DATA (COMINGLED)	. ·		4648-60	& 4440-67			
Producing formation HAVERTY, ELK, BENSON, RII	EY Pay	zone dept	3702-24 h 3534-65a	feet			
ous: Intrial open flow Mcf/d (Dil: Init	ial open	flow _o_	Db1 /.1			
Gas: Initial open flow Mcf/d Oil: Initial open flow -0- Bbl/d Final open flow 750 Mcf/d Final open flow -0- Bbl/d							
Time of open flow between initial and final tests 4 hours							
Static rock pressure 1200 psig(surface measurement) after 75 hours shut in							
(If applicable due to multiple completion-)	aic) arcer	/3 hour	s shut in			
Second producing formation	Pour			• '			
Gas: Initial open flow Mcf/d (Pay	zone dept	11	feet			
Final open flow	ur: Init	rar obeu	flow	Bb1/d			
Final open flow Mcf/d (וון: Fina	l open flo	w	Bb1/d			
Time of open flow between initial Static rock pressure	u and fin	al tests_	hou	rs			
Static rock pressure psig(surface n	easurenen	t) after_	hour	s shut in			
	• 1	COULTE	e on rev	erse side)			

DETAILS OF PERFORMED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, EIC. HAVERTY - Perf. 5076 - 82 - 9 Holes Fraced = 550 bbls H20, 10,000 #80-100, 30,000 # 20-40 Sand, 500gal Acid.

ELK - Perf. 4446-4653 - 12 Holes

Fraced - 490 bbls H2O, 9;000 #80-100 n; 30,000 #20-40 Sand, 500 Acid, 50,000 s.c.f.

- Perf. 3708-21 - 12 Holes: ... BENSON

• Fraced - 580 bbls H2O, 10,000#80-1.00,46,000#20-40Sand,500Acid, 50,000 S.c.f. 1

- Perf. 3428-40 - 4 Holes 3541-60-8 Holes RILEY

Fraced - 500 bbls H2O, 8,000#80-100,30,000#20-40Sand,500 Acid & 50,000 s.c.f.

WELL LOG

FORMATION			REMARKS
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all and salt water, coal, oil and
Surface N/A N/A Sand & Shale" Red Rock "" Sand & Shale" Big Lime : "" Big 'Injun "" Sand&Shale "" Gordon "" Shale "" 5th Sand "" Sand&Shale ""	0 700 810 1130 1258 1380 1830 1896 1920 1976 2024	700 810 1130 1258 1380 1830 1896 1920 1976 2024 3420	JUL 31 1989
IOG DEPTH 34 2nd Riley N/A N/A Shale Gray Soft Shale """ Shale Gray "" Shale Gray "" Shale	3420 3442 3535 3611 8701 3724 4440 4618 5062 5083 5204 5214	9TH 3442 : : 3535 3611 3701 3724 4440 4618 5062 9083 5204 5214 : : 5403	DIVISION OF OIL & GAS DEPARTMENT OF ENERGY
	T.Ď.	5403	New 40. 5403 0 (d.+0, 3968 New ftg. 1435

(Attach separate sheets as necessary)

EXCEL ENERGY, INC.

Well Operator

PRESIDENT

1.11

DECEMBER 12,

: Regulation 2.02(i) provides as follows: "The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well."

Quadrangle



UPS-1255

Sago & Philippi-

/10ths Merc. in _____Inch

Volume No guage Cu. Ft.

Rock Pressure lbs. hrs.

Oil bbls, 1st 24 hrs.

WELL ACIDIZED (DETAILS).....

WELL FRACTURED (DETAILS).....

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

Rotary	
Spudder	
Cable Tools	

WELL RECORD

Permit No. UPS-1255	WELL.	RECORD		Oil or	Gas Well Dry
Company J. & J. Enterprises, Address Box 754, Indiana, Pa		Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Morrison		Size			The state of the s
Location (waters) Middle Fork		16	Francisco de la composición de la compansión de la compan		Kind of Packer
Well No One	Elev. 2057	13			
District Union County Upsh	ur	m 11-3/4	20'	20'	Size of
The surface of tract is owned in fee by Mattie		жж. 8-5/8	816	816	
Address Buckhan	mon, W.Va.	1			Depth set
Mineral rights are owned by Mattie Morris					
Address Buckhan					
Drilling commenced 11-15-69		3			Perf. top
Drilling completed 11-22-69	WM F F S R R C C C C C C C C C C C C C C C C C	2	******************		
Date Shot From To		Liners Used	******	*********************	Perf. top
With					Perf. bottom
Open Flow 0 /10ths Water in 8-5/8	Inch	Attach copy of co	ementing recor	d.	

CASING CEMENTED 8-5/8IZE816 No. Ft.11-17-69 Date Amount of cement used (bags) 175 sx. 60-40 POZ Name of Service Co. Lawson COAL WAS ENCOUNTERED AT FEET INCHES FEET INCHES FEET INCHES FEET INCHES FEET INCHES

HOURS
Sait Water Feet

Formation Color Hard or Soft Top Bottom Oil, Gas or Water Depth Remark	Fresh Water			· · · · · · · · · · · · · · · · · · ·	Sait Water	TRANSCO CONTRACTOR SERVICE AND ADDRESS OF THE PARTY OF TH	Feet	
Color Soft Top Bostom or Water Depth Remark	roducing Sand	None				Depth	CARAMITTE MERCHANIC CONTRACT AND CONTRACT	·
Sd & sh 700 810 Red rock 810 1130 Sd. & sh. 1130 1258 Big Lime 1258 1380 Big Injun 1380 1830 Sh & sd. 1830 1896 Gordon 1896 1920 Sh. 1976 2024 Sd. & sh. 2024 2089 No Benson 2089 3968 TD	Formation	Color	Hard or Soft	Тор	Boltona	Oil, Gas or Water	Depth	Remarks
MAR 26 1971	Sd & sh Red rock Sd. & sh. Big Lime Big Injun Sh & sd. Gordon Sh. 5th Sd. & sh.			700 810 1130 1258 1380 1830 1896 1920 1976 2024	810 1130 1258 1380 1830 1896 1920 1976 2024 2089	D		
COLL C. LANCES CO.			1 :					

Josued 8/3/89 Exprés

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

•		.1	_	. 4		
	0	1	2	,	a	
	D	•	J	1	។	1

					APPLICATION					
1) W	ell Oper	ator:	Excel En	ergy, Inc.	145	70 (4)	336			
							evation: 2057!			
				or Gas						
·		(b) I	f Gas:	Production Deep		ound Storage Shallov				
5) P	roposed	Target F	ormation	(s): <u>Ball</u>	town					
6) P	Proposed Total Depth: 5403 feet									
7) A	pproxima	ate fresh	water s	trata dept	hs: <u>N/A</u>					
8) A	pproxima	ate salt	water de	pths:	N/A					
9) A	pproxima	ate coal	seam dep	ths: N/	Α					
10) D	oes land	d contain	coal se	ams tribut	ary to acti	ive mine? Ye	es/ No_X_/			
11) P	roposed	Well Wor	k: Re	-frac exis	ting well.					
12)					_					
					NG PROGRAM		·			
TYPE	i	SF	ECIFICAT	IONS	FOOTAGE I	NTERVALS	CEMENT			
-		Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)			
Conduc	tor				20	0				
Fresh	Water					,				
Coal						() () () () () () () () () ()				
	mediate	8 5/8"			816	816	175 sks			
Produc	tion	4 1/2"	J - 55		5255	5255	464 sks			
Tubino	3				V	W				
Liners	5					10115	PENNIE			
PACKE	RS : Kin	.d					GEG V			
	Siz Dep	es ths set				30	JUL 1 2 1989 C			
			or Diviso	on of Oil a	and Gas Use	Only DEPA	SION OF OIL & GA S RTMENT OF ENERG			
ζν Υ ΄,	Fee(s) Æ		21	Vork Permi	141	lamation Fun	(41)			
	Plat) WW-9		\sim	Bond Harke	t sue	A Agent			
	I I d L		""			(Type)				

Page 1 of Form WW2-A (09/87) File Copy

	C		V	
717	JUL	12	1989	And A

DIVISION OF OIL & GAS

1) 2)

Date: <u>July 7, 1989</u>

Operator's well number

Morrison E-36

API Well No: 47 - 097

- <u>1255</u> -FRAC

State - County - Permit

DEPARTMENT OF ENERGY

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

3)

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4)	Surface O	wner(s) to	o be served:	5) (a) Coal Operator:			
			Morrison	-			
			Box 553	Address			
			non, WV 2620				
	(b) Name			(b) Coal Owner(s) with Declaration			
	Address			NameEarnest_Morrison			
				Address Rt. 4, Box 553			
	(c) Name			Buckhannon, WV 26201			
	Address			Name			
	-			Address			
6)	Inspector	Phillip	Tracy	(c) Coal Lessee with Declaration			
	Address	Rt. 2,	Box 37-A	Name			
	-	Montros	e, WV 26283	Address			
	Telephone	(304) - 6	36-8798				
	- -	,					
		TO THE PE	RSON(S) NAMED	ABOVE TAKE NOTICE THAT:			
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	Included	is the lea	ase or leases	or other continuing contract or			
				to extract oil and gas <u>OR</u>			
				uired by Chapter 22B, Article 1,			
				ginia (see page 2)			
				r Chapter 22B of the West Virginia Code			
T ha				and application, a location plat, and			
acco	whanlind c	ocuments	pages I chron	gh on the above named parties,by:			
			ice (Affidavi				
				postal receipt attached)			
	Publ	ication (Notice of Pub.	lication attached)			
	T 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10						
				ter 22B and 38 CSR 11-18, and I agree			
to t				ermit issued under this application.			
_	l certify	under per	nalty of law	that I have personally examined and am			
fami	liar with	the inform	mation submit	ted on this application form and all			
atta	chments, a	ind that be	ased on my in	quiry of those individuals immediately			
resp	onsible fo	or obtaini:	ng the inform	ation, I believe that the information			
is t	rue, accur						
				ficant penalties for submitting false			
info	rmation, i	including	the possibili	ty of fine and imprisonment.			
			Well Operate	or Excel Energy, Inc.			
~~~	OFF)	CIAL SEAL	By:	Bassella H.L. Barnett			
1111	NOTAL	RY PUBLIC	Its: Presi				
16.00		WEST VIRGINIA	Address	P.O. Box 1020			
S. P. C.		YN K. ALVAREZ . Box 1020		Bridgeport, WV 26330			
	Bridgepoi	rt, W.Va. 26330	Telephone	(304) 842-6927			
Subs	aribad and	xpires November 9, 1998	fore me this				
//		1 . /	A. A				
X	Were Kal.	a 7 /	'Iluares.	Gwendolyn K. Alvarez Notary Public			
My c	ommission/	éxpires	November				
	- //	_					

FORM WW-2 (Obverse)	(B)	FILEC			SM
7/85			19	198ri	



1)	Date:Nov	ember 12		, 19_86	
	Operator's	Manual a an	U 7	(B. 3C)	
	Well No	Morrison	井上	(E-36)	
3)	API Well No.		097	1255 DD	
		State	County	Permit	

DIVISION OF OIL & DATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY, OIL AND GAS DIVISION
APPLICATION FOR A WELL WORK PERMIT

		D /	£ 11021			X/	Underses		/ D=:::	/ GI II V ::	
•								Underground storage/ Deep/ Shallow _X_/)			
3)	LOCATIO					_					
۵.	District: Union CODE					CODE.		County: Upshur Quadrangle: Sago & Philippi			
O)	WELL OPERATOR EXCEL ENERGY VOTO CODE:  Address 901 West Main St.  Bridgeport, WV 26330					t.	' <del>`                                   </del>	Address		West Main St.	
						26330		Address		dgeport, WV 26330	
۵,	OIL & GA	S INSDEC						9) DRILLING C			
٠,	Name				ried			•		1e	
		-		-	'erra	ce Apt	#24	Address	1100 4141140		
	radics	Elkins				- And		Audicss			
n\	PROPOSE					/ Deili	deener X	/ Dadeill	/ Stimulate	,	
"	PROPOSE	D WELL	WUKK:					rate new formation			
				_							
11	CEOLOGI	CAL TAD	CET FOR				ty <u>and and and and and and and and and and </u>				
							<u> </u>				
			-					700	fact		
										/ NoX/	
	CASING A						18 CC	oar oeing mined in th	caica: ies	/ NO/	
•	CASING A	II Man i abi		CKAM	c	H	FOOTACE	INTERVALS	II CEMENT PILL	l provens	
	BING TYPE			Weight	ı	.		1	OR SACKS	PACKERS	
	<del></del>	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)		
ond	uctor	20"		·	X.	<del>  </del>			#	Kinds	
resh	water			<del> </del>		<del>  </del>		<u> </u>	<u> </u>		
oal					ļ	<del>                                     </del>				Sizes	
ntern	nediate	£ 5/8		23.0	Х	<del>                                     </del>	800	800	175	<u></u>	
rodi	ection	41/2		10.5	X	<b>  </b>	5500	5500	200	Depths set	
ubin	8			ļ	<u> </u>	<del>  </del>			1250 SKS	OR AS KERUK	
iner	<u> </u>		······································	<b> </b>	ļ	<b>  </b>		ļ	BYRUCEISI	Perforations:	
				ļ	ļ					Top Bottom	
_		ļi		ļ	ļ			r test			
				1	<u> </u>	1		L		1	
							Artij, i			o die ak spi∰n. Spin	
								~			
							FFICE USE			Service of Company of States	
				w. *		Di	RILLING PE	RMIT			
ern	it number_	47-09	7-125	5DD				•	Novemb	er 19 86	
			<del></del>						Dat	<u> </u>	
nis	permit cove	ring the we	ell operate	or and we	ll locati	on shown be	low is evidence	of permission gran	ed to drill in accordan	ice with the pertinent legal re-	
uire	ments subje	ct to the co	nditions	contain <b>e</b> d	herein a	and on the re	everse hereof No	tification must be g	iven to the District Oil	and Gas Inspector, (Refer to tractor shall notify the proper	
. 8) stri	Prior to the	construct	ion of ros	ids, locati	ons and	pits for any	permitted work, k has commence	In addition, the v	vell operator or his con	tractor shall notify the proper	
	ŭ	•			•			•		The Western Contracting of	
	permitted we se hereof.	ork is as de	scribed in	the Notic	e and A	Application, p	plat, and reclam	ation plan, subject	to any modifications a	nd conditions specified on the	
		T.	Jovenh	er 19.	102	8	. 1181666 11:51	work is some	d neige to that data and	proceed with due 4111	
i m	it expires _	· <u>+</u>	·Ovemb	<u> </u>	170	<u>~</u>	uniess wei	work is commence	u prior to that date and	prosecuted with due diligence.	
_	T					1	· · ·			•	
B	ond /	Agent	:   1	Дат	Çasi	ng Fe	e WP/CI	SEP	Other		
1		1/	1/	X	IX	5 104		>1/K	, <i>V</i> /	1	
	V			ンソイト	<u>,                                    </u>		<u> </u>		i IN		
L									-/1 / 1/ //		
L_								/1//			