

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, April 4, 2023 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for Hull 1 47-097-03866-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: Bob Hull

U.S. WELL NUMBER: 47-097-03866-00-00

Not Available Plugging Date Issued: 4/4/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date Feb 16		20 23
2)Operator's		
Well No. Hull 1		
3) APT Well No.	47-097	- 03866

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

		APPLICATI	ON FOR A PERM	IIT TO PLUG AND A	BANDON	
4) Well	l Type: 0	il / Gas	X / Liquid	i injection	/ Waste di	sposal /
ŕ						p/ ShallowX
5) Loca		evation 1466'		Watershed Bull Ru	n of French C	reek of Buckhannon River
	Di	strict Meade		County Upshur	Quadran	_{igle} Adrian
6) Well		DEP Paid Plug	iging Contract			
	Address	601 57th St.	<u> </u>	Addr	ess 601 57	
		Charleston, V	VV 25304		Charles	ston, WV 25304
0) 011	d T	···		O) Diversion Cont		
	and Gas 1 _{Name} Bryan	_	e notified	9) Plugging Cont		
		D.Box 157				
F		lga, WV 26238		Address_		-
		igu, *** 20200		_		
see	Piuggii	ig Project.	47097030	66 Hull 1, bel	OW	
	cion must commence.	be given to th	e district oi	l and gas inspec	tor 24 hou	rs before permitted
Work orde	er approve	d by inspector	Bryan Harris		Date	Feb 16, 2023

HULL PACKAGE 4709703866 Hull 1

V. REMEDIATION AND/OR PLUGGING WORK PLAN

Notify Inspector Specialist, Bryan Harris @ 304-553-6087. Notification is required 24 hrs prior to commencing plugging operations

- 1. Move in rig up to 6 5/8" casing.
- 2. Load hole with water. Check TD.
- 3. Run in hole to TD, Run 2 sks Gel followed by 200' cement plug. Pull work string, WOC. Tag plug, add cement if needed. Shot Hole.
- 4. Pull 6 5/8" casing. Gel hole to 700'.
- 5. Set cement plug 1800' 1700' to cover casing seat. Tag plug, add cement if needed.
- 6. Set cement plug 1500' to 1400' to cover elevation. Tag plug,
- 7. Set cement plug 1100' 1000' to cover salt water. Tag plug.
- 8. Pull 8 1/4" casing, set cement plug from 700' to 600' to cover casing seat. WOC.
- 9. Pull 10" casing.
- 10. Pull 16" casing.
- 11. Set cement plug from 200' to surface.
- 12. Set monument. Reclaim

NOTE.. Any casing found in the well with out cement in the annulus that cannot be retrieved must be perforated and cement at all saltwater, freshwater, coal, oil, gas, casing shoe and elevation points.

Bond log my be required. Class A or Class L cement required.





HULL PACKAGE 4709703866 Hull 1

Well detail:

No records available for this well.

Sits in farmers field a few hundred feet from 4709700007.

6 5/8" visible at surface.

Farmer broke casing off at ground level 30+ years ago.

No production equipment or tank.

Well leaking gas at surface.

Elev. 1468

Offset well 4709700007 Burrough 1.

Offset Records indicate:

Elev - 1471'
13" - 16'
10" - 91'
8 1/4" - 647'
6 5/8" - 1754'
2" - 2136'
TD - 2136'

Water - 12' and 140' Salt water - 1060' and 1070'

Gas show - 2089'

Packer set in 6 5/8' @ 2013'

Site-based considerations:

Well is located in the field between 9700007 Burrough 1 and the Booney Hull Road.
Located 20' from Bull Run of French Creek of Buckhannon River.
Approximately 200 yds off Booney Hull Road.
Access road will need to be maintained thru farmers field.
Additional E & S structures as needed.

WW-4A	
Revised	6-07

1)	Date:	Feb 16, 2023
2)	Operator's	Well Number
Hull	1	

3) API Well No.: 47 -

097 - 03866

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Surface Ow	ner(s) to be served.	9)	(a) Coal Operato			
(a) Name	Bob Hull		Name	NA		
Address	528 Booney Hull Road		Address			
	Buckhannon, WV. 262	01				
(b) Name			(b) Coal Ov	vner(s) with Dec	laration	
Address			Name	Rossco LLC.		
			Address	P.O.Box 219		
				100 Broadway A	ve. Coalton, WV. 2	6257
(c) Name	and the second s		Name			
Address			Address	·		
2V T						
6) Inspector	Bryan Harris			ssee with Declar	ation	
Address	P.O.Box 157		Name	Na		
	Volga, WV 26238		Address	S-11-11-11-11		
Telephone	304-553-6087					
(2) The	application to Plug and Al its and the plugging work plat (surveyor's map) show you received these document	order; and ing the well locat is is that you have ri	ion on Form WW-6.			
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work	order; and ing the well locat is is that you have ri- action at all. e West Virginia Co- plug and abandon a location described of mailed by registered	ion on Form WW-6. ights regarding the applie de, the undersigned well well with the Chief of the on the attached Applicati d or certified mail or de	eation which are summoperator proposes to fi e Office of Oil and Gason and depicted on the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice.
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work plat (surveyor's map) show you received these document you are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have riaction at all. e West Virginia Copplug and abandon a location described of mailed by registered y of mailing or delivity. Well Operator	ion on Form WW-6. ights regarding the application of the undersigned well with the Chief of the control of the certified mail or devery to the Chief.	operator proposes to fi e Office of Oil and Ga- on and depicted on the livered by hand to the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice.
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work plat (surveyor's map) show you received these document you are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have riaction at all. West Virginia Coplug and abandon a location described of mailed by registered y of mailing or delivity. Well Operator By:	ion on Form WW-6. ights regarding the application of the attached Application or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon	operator proposes to fi e Office of Oil and Gas on and depicted on the livered by hand to the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice.
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work plat (surveyor's map) show you received these document you are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have riaction at all. e West Virginia Coplug and abandon a location described omailed by registered yof mailing or delivity. Well Operator By: Its:	de, the undersigned well well with the Chief of the on the attached Applicated or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon (601 57th St.	operator proposes to fi e Office of Oil and Gar on and depicted on the livered by hand to the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice.
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work plat (surveyor's map) show you received these document you are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have riaction at all. West Virginia Coplug and abandon a location described of mailed by registered y of mailing or delivity. Well Operator By:	ion on Form WW-6. ights regarding the application of the attached Application or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon	operator proposes to fi e Office of Oil and Gar on and depicted on the livered by hand to the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice.
well (2) The The reason However, y Take notic accompany Protection, the Applic	its and the plugging work plat (surveyor's map) show you received these document to are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have riaction at all. e West Virginia Copplug and abandon a location described of mailed by registered yof mailing or delivity. Well Operator By: Its: Address	de, the undersigned well well with the Chief of the on the attached Applicated or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon (601 57th St.	operator proposes to fi e Office of Oil and Gar on and depicted on the livered by hand to the	arized in the instruction le or has filed this Notes, West Virginia Department of the communication of the communi	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice, ve (or by publication in
well (2) The The reason However, y Take notic accompany Protection, the Applic certain circ	its and the plugging work plat (surveyor's map) show you received these document to are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have ri action at all. e West Virginia Coplug and abandon a location described omailed by registered yof mailing or delivity. Well Operator By: Its: Address Telephone	de, the undersigned well well with the Chief of the on the attached Applicated or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon 601 57th St. Charleston, WV 25	cation which are summore operator proposes to five Office of Oil and Garon and depicted on the livered by hand to the Contract	arized in the instruction le or has filed this Not s, West Virginia Department attached Form WW-6 person(s) named about	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice, ve (or by publication in
well (2) The The reason However, y Take notic accompany Protection, the Applic certain circ	its and the plugging work plat (surveyor's map) show you received these document you are not required to take any e that under Chapter 22-6 of thing documents for a permit to with respect to the well at the ation, and the plat have been umstances) on or before the da	order; and ing the well locat is is that you have ri action at all. e West Virginia Coplug and abandon a location described omailed by registered yof mailing or deliver well Operator By: Its: Address Telephone	de, the undersigned well well with the Chief of the on the attached Applicated or certified mail or devery to the Chief. DEP Paid Plugging Jason Harmon 601 57th St. Charleston, WV 25	operator proposes to fi e Office of Oil and Gar on and depicted on the livered by hand to the	arized in the instruction le or has filed this Not s, West Virginia Department attached Form WW-6 person(s) named about	ons on the reverses side. tice and Application and rtment of Environmental 6. Copies of this Notice, ve (or by publication in OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Zachary Johnson of Diand Gas 801 3/TM Street SC, Charleston, W 253 801 3/TM Street SC, Charleston, W 253

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

Hull 1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON

ETC.

FOR EXECUTION BY A CORPORATION.

Bob Hull	Date 03-07-23	Name	DEP Paid Plugging	Contract
Signature			Bryan Harris Inspector Specialist	
		Its	A. H.	Date
			Signature	3-7-23

04/07/2023

WW-4B

API No.	4709703866	
Farm Name	BOB HULL	
Well No.	Hull 1	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

.......

	WAIVER
has examined this proposed plugging work order.	/ lessee/ of the coal under this well location . The undersigned has no objection to the work proposed to be or has complied with all applicable requirements of the West
Date: 3-7-23	Huke Ross
	Its Owner-

API Number 47 -	097	_03866
Operator's Well No.	Hull 1	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name DEP Paid Plugging Contract OP Code
Watershed (HUC 10) Bull Run of French Creek of Buckhannon River Quadrangle Adrian
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No V
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: Na
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Na
-If oil based, what type? Synthetic, petroleum, etc. Na
Additives to be used in drilling medium? Na
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Na
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) Na
-Landfill or offsite name/permit number? Na
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature
Company Official Title Deputy Chief
Subscribed and sworn before me this 4th day of April , 2023 Notary Public OFFICIAL SEAL NOTARY PUBLIC
My commission expires 2 - 15 - 28

Operator's	Well	No.	Hull	1	
•					


Lime 2 tons	Tons/acre or to correc	ct to pH	
Fertilizer type 20-2			
Fertilizer amount 50		lbs/acre	
Mulch 2 tons		_Tons/acre	
		Seed Mixtures	
Tem	porary	Perms	ment
Seed Type	lbs/acre	Seed Type Meadow Mix	lbs/acre 30 lbs
		Clover	5 lbs
		Contractor Mix	10 lbs
ed). If water from the pi and area in acres, of th		d application (unless engineered plans incluvide water volume, include dimensions (L,	
e) of road, location, pit and location in the pit and area in acres, of the opied section of involve	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve oproved by: Bryan	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	
e) of road, location, pit and area in acres, of the opied section of involve opproved by: Bryan onts:	t will be land applied, pro e land application area. ed 7.5' topographic sheet.	ovide water volume, include dimensions (L,	W, D) of the pit,



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

height above mean 2. Accuracy to Datun 3. Data Collection Management of the service of the ser	sea level (MSL) – 1 n – 3.05 meters ethod: Post Processed Different: Post Processed Different: Post Processed Different: The transfer Different of the topography not be topog	erential tial tifferential rential nap showing the well to the best of my k	ters, Altitude: Il location. Inow ledge and
1. Datum: NAD 1983 height above mean 2. Accuracy to Datum 3. Data Collection Mosurvey grade GPS: F Mapping Grade GPS X 4. Letter size copy of the undersigned, hereby certibelief and shows all the information of the size and shows all the information of the size copy of the undersigned of t	sea level (MSL) —: n — 3.05 meters ethod: Post Processed Diffe Real-Time Different : Post Processed D Real-Time Differ f the topography n ify this data is corre nation required by 1	meters. erential ifferential rential nap showing the well ct to the best of my k	ters, Altitude: Il location. Inow ledge and
 Datum: NAD 1983 height above mean Accuracy to Datum Data Collection Mosurvey grade GPS: F Mapping Grade GPS 	sea level (MSL) – : n – 3.05 meters ethod: Post Processed Different Post Processed Different Post Processed D Real-Time Different	meters. erential tial tifferential rential	ters, Altitude:
 Datum: NAD 1983 height above mean Accuracy to Datum Data Collection Months Survey grade GPS: F 	sea level (MSL) –: n – 3.05 meters ethod: Post Processed Diffe Real-Time Different : Post Processed D	meters. erential tial tifferential	
 Datum: NAD 1983 height above mean Accuracy to Datum Data Collection Months Survey grade GPS: F 	sea level (MSL) —: n — 3.05 meters ethod: Post Processed Diffe Real-Time Different	meters. erential	
 Datum: NAD 1983 height above mean Accuracy to Datun Data Collection Mosurvey grade GPS: Feed to the part of th	sea level (MSL) –: n – 3.05 meters ethod: Post Processed Diffe	meters.	
 Datum: NAD 1983 height above mean Accuracy to Datum Data Collection Months 	sea level (MSL) – : n – 3.05 meters ethod:	meters.	
1. Datum: NAD 1983 height above mean	sea level (MSL) -:		
1. Datum: NAD 1983			
	and Gas will not ac	cept of 5 coordinates	s mai do noi meet
preparing a new well location above well. The Office of Oil	plat for a plugging	permit or assigned A	PI number on the
The Responsible Party named	ahaya has ahasan t	o submit CDS coordi	nates in lieu of
UTM GPS EASTING: 43	U8 46 T	_ GPS ELEVATION	ON: 1400
			4.4001
UTM GPS NORTHING: 5			
royalty owner: An	na Maure	en Hull	
SURFACE OWNER: BO	b Hull		
QUADRANGLE: Adria	<u>n</u>	· · · · · · · · · · · · · · · · · · ·	
COUNTY: Upshur		DISTRICT: Me	aut
RESPONSIBLE PARTY NA	AMIE:	NA	ade
RESPONSIBLE PARTY NA	JEP P	aid Plugging	Contract
FARM NAME: Bob H	ull		
_{арі:} 4709703866 _{farm name:} Bob H	ull	WELL NO.: H	<u>ull 1</u>



PLUGGING PERMIT CHECKLIST

Pluggii	ng Permit
	WW-4B
✓	WW-4B signed by inspector
$\overline{\mathbf{V}}$	WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
✓	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
	WW-9 PAGE 1 (NOTARIZED)
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
✓	RECENT MYLAR PLAT OR WW-7
\checkmark	WELL RECORDS/COMPLETION REPORT
√	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED

WEST VIRGINIA DEPARTMENT OF MINES Oil and Gas Section

File No				Well No. 1
.Union.Gas.Corpor	ation	Company, of	Kentucky	
	VANCOUS CONTRACTOR		Y. Burrough	Farm
83		Salar Maria	:	Upshur County
containing \ 83			2000 A 2000 A 2000	County, West Virginia
<u>ئۇنىڭ ئىستىنىنىنىنىنىنىڭ يېشىن</u>	A STATE OF THE STA	District, in,		County, West, Virginia
The surface of the al	bove tract is owner	d in fee by	Burrough	
of Adrian, W.	Y		address and the min	eral rights are owned by
J. W. Burrough		of Sad	rian distribution	
The oil and gas privi	leges are held unde	r lease by the above	named company, and	this well is drilled under
permit No	issued by t	he West Virginia.	Department of Mines	Oil and Gas Section
23rd of moo c Av		STATE OF LEVEL		
		學可能們們		Spirit
Elevation of surface		5条12000000000000000000000000000000000000		Barometric
The number of feet of the	e different sized car	sings used in the wo	The state of the s	
16		feet 13*	with the property of the	
91	fect1Q#		feet	81 sized esg
1754	fcet6-5/8*	L size, ceg.	leel.	sized esg
2136 /	fcet 2" Tuhir	gleetest	. leet	sized esg
	packe		自己为决定的 五子子	-2013
***	packe		nise, set a	<i>(a)</i>
		有点 转换分类的设计	(1998) 高级发展	
	in casing perfora	34 - 334 - 34	feet to	Barrier 🕶 🕶 🧸 🔭
7 .	in casing perfora		feet to	feet
Coal was encountered at		feet; thickness	00 inches,	and at
fect; thickness	inches; and		feet; thickness	inches
Liners were used as i	ollows: .(Give det	ails):		
			4	
2 /9/2016 2 /4/20				
		· 157		
				CANAL
December lat.	1930 (************************************	Date.		
	000	Approved	ON GAS CORPORA	Cwner
A. S. Co			A. E. Cavende	
	3/00/1			lle) Secy-Treas.
	00			

		,	• • • • • • • • • • • • • • • • • • • •	5 A	•
INTON	ris (CORPO	RATION		nan
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				

Box 1152, Address

COMPLETION DATA SHEET NO. 2 FORMATION: RECORD

Name	Celor	Character	Oil, Gen or Water	Тор	Bolton	Thickness	Total Depth	Remarks
3.55	7.5	14.145		5.30%		300 11 1		李明 經濟
A section of the section				133 636	390343	517.57	1.64	14. * 1 1/2 /2
Clay	red	soft		00:	10	10 :	. 10	1 6 6 6
Line	Light	[10] W. · · · · · · · · · · · · · · · · · ·	mater 12	10/	20′	10	: 20	water at 1
Lime	light	bard		80	110.	130	110	1
Slate	light	soft	140	110	154	44	154	X
Sand	light.	hard		170	234 315	64,	234	Big Dunkar
Lime	gray	hard		270	315	45	315	Living Section
tSalt Sand		hard	2 7 3	388	465	77	465	
Balt Sand	Light	hard		473	560	87	560	1000年以底
Salt Sand		herd		575	604	. 29	604	
Sand	white	hard		697	802	105	802	
Sand	gray	hard		802	841	39	841	
Sand	gray	herd	1.6. 1. 1. 1. 1.	980	1095,	115	1095	
Shale	dark	acft	water 106		1160	65.	1160	//
Maxton	gray	hard	ta 1070	1225	1237	12	1237	10.2
Sand	white	hard	[4] [4] [4]	1280	.1288	· 8	1288	
L. Lime	white	hard	1.2. 1.3.	`1320	1340	20	1340	
Pencil C	ve Dark	acft	435年美麗	1360	1365	.5	1365	
B. Lime	white	hard	[18] "说学"(18	1365	1440	75 153 61	1440	
B. Injun		hard	1.75 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1440	1593	1 153	1593 1657	7
Squaw	dark	hard	[李子为原金]	1596 1666	1657	61		11.20
Gantz	gray	hard	10 to 3 1 1 3 1	1666	1703	37	1703	
50 Foot	white	hard		1715	1743	28	1743	
Sand	gray	hard	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1748 1754	1754	'6	1754	1
30 Fact	gray	hard /		1754	1788	• 34	1788	
Sand	light	hard of	13.4	1798	1810	12	1810	
G. Stray	gray	hard	十分"至义"。[14]	2970	2011	71	2041	
Slate	dark	, soft		2041	2083	42	2083	
Gordon	gray	hard	Ges		2105	22	2105	
Slate	dark	soft	2089-2096	2105	2136	31	2136	Total Dept
			10000000000000000000000000000000000000				l	
		1			\mathbf{L}_{i} , \mathbf{s}_{i}	1		1
					1 : 2 - 3			
• 🕻 🖫		1.5			3.4	1. 3.25		
			1. 18 4 (1.04)		10 (19 ()	134.37		
•	1		N			1. 3 /		1
	1. 1.32 %	1475 11. 15. 15.				1.44.8		1 1
	1	,在在 基本的	1,			454.5	* *	1 13.7 3
Contract of	11.5		1	P 1			↓i.ji`.	1. 47
*	1.3	【·数字录》。 数据 30		- A.			1	
•] 5	
149 17		4次。在1996年的				1 33.0	1	
		1133.17。 高坡电子	1	0.5		1	1	
	1. 2027		1.		1	1	1, 3	
And the second second	- T. 3.	The second of the second]: ,			1	1 1 2	1 - 1 = 1
	F 69933	开心, 心量 "人,不知的"(A11	-1. ' '	1	(1. a heata)	سنستات	1

Bhot Well was make	hot at	20871 to	20971	feet : well was shot		_icet.
.**			据激制的。			
Fresh water at	12' and	1401	feel	salt :: Mana water at	1060 to 1070	feet.
		47			and the state of t	• .
yell was	cing hole.	The Paris				•
•			•			·.
December	tet 102		-/4	2 1981001 048	CORPORATION	•
	Da		Approv	OL MANUELLES	Owner	******

NOTE: All bottom formations must be noted as indicated above and all key-rocks and all and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strate.



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits have been issued 4709700007 09703864 09703866

1 message


Kennedy, James P <james.p.kennedy@wv.gov>
Tue, Apr 4, 2023 at 2:32 PM
To: Henry J Harmon <henry.j.harmon@wv.gov>, Bryan O Harris <bryan.o.harris@wv.gov>, Samuel D Ward
<samuel.d.ward@wv.gov>, dwzickefoose@upshurcounty.org


To whom it may concern, plugging permits have been issued for 4709700007 09703864 09703866.


James Kennedy

WVDEP OOG

6 attachments









4709703864.pdf 2887K

4709703866.pdf 3074K