

WAY-72

Map of the proposed location of Well #1 of the Cisco Drilling Company, et al., of Huntington, West Virginia, on the land of S. B. Bailey consisting of 45 acres, in Ceredo District, Wayne County, West Virginia.

I, the undersigned, hereby certify that this map is correct and shows all of the information to the best of my knowledge and belief required by the oil and gas section of the Mining laws of West Virginia.

Robert Campbell  
Engineer.

Subscribed and acknowledged before me a Notary Public, this the 6 day of June, 1933.

Rebecca Kimball  
Notary Public.

My commission expires on the 16 day of Aug, 1934.

possibly missed 1950  
not in 0615

Huntington (205)

Way - A  
 Permit Wayne 72

S. B. and Susie Bailey No. 1 Well.

Geological District, Wayne County, W. Va.  
 Dr. Campbell, Hatcher, Swanson Company.

700 M. cu. ft. gas.  
 Located 3.13 mi. S. of 38° 25' and 1.53 mi. W. of 82° 25'—WC—Guyandot  
 quadrangle.  
 Near head of southern branch of Right Fork of Fourpole Creek.  
 3.3 mi. S. of Huntington; 1.18 mi. N. W. of Hodges.

	Top.	Bottom.	Thickness.	Elevation (top)
102 Lime	1310	1410	100	-----
102 Injun Sand	1410	1430	20	-----
102a Sand	2046	2076	30	-----
102a Gasiferous Lime	3137	-----	-----	-----

Thickness, Devonian Shales, 1061 feet. Total depth, 3137'.

Remarks: Completed Aug. 1933. 461  
 Gas pays in Brown Shale at 2447-2525', 2590-2665', 2690-2735',  
 2748-2765', and 2810-2900'.  
 Elevation not available.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Wayne 72

WELL RECORD

Oil or Gas Well (KIND)


Permit No. ~~72~~ 72

Company Cisco Drilling Co. - assigned to Campbell  
 Address Hatcher, Swanson  
Huntington, W. Va.  
 Farm S. B. Bailey Acres 45  
 Location (waters) \_\_\_\_\_  
 Well No. 1 Elev. 720'  
 District Ceredo County Wayne  
 The surface of tract is owned in fee by S. B. Bailey  
 Address Huntington, W. Va.  
 Mineral rights are owned by same  
 Address \_\_\_\_\_  
 Drilling commenced 1933  
 Drilling completed March 9, 1935  
 Date Shot \_\_\_\_\_ From 2447' To 3137'  
 With Gelatine  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water 465' feet \_\_\_\_\_ feet  
 Salt water 700' feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			Hook Wall
18			Size of <u>6-5/8"</u>
10	<u>30'</u>	<u>30'</u>	Depth set <u>2120'</u>
8 1/2	<u>175</u>	<u>?</u>	
6 5/8	<u>1647'</u>	<u>1647'</u>	
5 3/16			
3			Perf. top
2	<u>2118'</u>	<u>211'</u>	Perf. bottom
Liners Used	<u>none</u>	<u>none</u>	Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
SALT SAND			685	730	Salt Water		
Maxton			1120	1145			
Little Lime			1160	1175			
Big Lime			1310	1410			
Injun Sand			1410	1430			
Berea			2046	2076	show of oil		
Brown Sahle			2447	2525'	Gas		
Brown Shale			2590	2665			
Brown Shale			2690	2735			
Brown Shale			2748	2765			
Brown Shale			2810	2900			
Corniferous Lime			2965	3137'			
Total Depth				3137'			



(Over)