



New Location
 Drill Deeper
 Abandonment

Carl Spurlock &
 Edie Spurlock

Mary Adkins et vir.
 Vol. IV, p. 706

Company R. J. Thompson et al.
 Address Wayne, W. Va.
 Farm Wayne County Peer-Farm
 Tract _____ Acres 172 Lease No. _____
 Well (Farm) No. 1 Serial No. 1
 Elevation (Spirit Level) 590.9
 Quadrangle Wayne NW NW
 County Wayne District Union
 Engineer Basil S. Burgess
 Engineer's Registration No. 469
 No. _____ Drawing No. _____
Mar 27, 40 Scale 1" = 600'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-190D

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Deep Well

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Way-190-D
Wayne Quad.

Gas Well

		CASING & TUBING
Company	R. J. Thompson, et al	10 78 78
Address	Wayne, W. Va.	6-5/8 1204
Farm	Wayne County Poor Farm ACRES 172	5-3/16 2077 2077
Location	Twelvepole Creek	2 3119 3119
Well No.	1 ELEV. 590.9	Liners 600' inserted same
District	Union - Wayne County	perforated from top to
Surface & Mineral	-	bottom.
Commenced	March 19, 1940	
Completed	May 22, 1940	
Shot	5/20/40 - depth 2567-3127 & 2415-2475	
Open Flow	20/16ths Water in 2 inch A. S.	
Volume	212,500 c.f.	
Rock Pressure	680 lbs. 36 hrs.	
Water	-	

THIS WELL PREVIOUSLY DRILLED TO A DEPTH OF 2058-1/2'

Slate	lt	s	2058½	2072	
Lime	dk	h	2072	2150	
Slate	lt		2150	2214	
Lime Sholl		h	2214	2215	
Shale	lt		2215	2364	
Shale	dk		2364	2419	
Shale	bn		2419	2500	
Shale	gr		2500	2523	
Shale <i>Coffee?</i>	bn		2523	2635	
Shells <i>Berea</i>			2635	2651	
Shale	lt		2651	2659	
Shell		h	2659	2665	
Shale	bn		2665	2865	
Shale	gr		2865	2952	
Shale	bn		2952	2962	
Shale	gr		2962	3080	
Shale	bn		3080	3127	
✓ Corniferous Lime			3127	Steel Line Measurement	
Bottom of Hole				3127	

3127
591

2536

NOTES: Well was shot with 3400 lbs. of detonite between 2567 to 3127.
Shot again with 400 lbs. between 2415 to 2475.
Estimated volume before shooting 10,000 c.f.
Two inch tubing set on combination slip and anchor packer at 2019'
Two inch Anchor continued to bottom of liner. The two bottom joints were perforated, a third perforated joint between 2992 and 2971'