

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			2572	2643	Shot 6-14-49 with 4,000# Gel. 2399-2984 Test after shot 36/10 W Lime and Shale.		
Brown Shale			2643	2974			
White Slate			2974	2984			
Total Depth				2984'			
					OPEN FLOW -	253 M - Big	Lime & Shale
					48 Hr. R.P.	480#	
					Shut in 6-15-49	in 6-5/8" Casing.	

11/17/2023

DEPARTMENT OF MINES
STATE OF WEST VIRGINIA

Date July 5, 1949

APPROVED United Fuel Gas Company, Owner

By *Y. H. Moore*
Chief Engineer (Title)



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Wayne

WELL RECORD

Permit No. WAY-663

Oil or Gas Well Gas
(KIND)

Company United Fuel Gas Co.
Address P. O. Box 1273, Charleston 25, W. Va.
Farm U.F.G. Co. Min. Tr. #1 Acres 38,448.03
Location (waters) Kiahs Creek
Well No. 6501 Elev. 690.52
District Grant County Wayne
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by United Fuel Gas Co.
P. O. Box 1273, Address Chas. 25, W. Va.
Drilling commenced 4-20-49
Drilling completed 6-11-49
Date Shot 6-14-49 From 2399 To 2984
With 4,000# Gel.
Open Flow 36/10ths Water in 2" Inch
/10ths Merc. in Inch
Volume 253 M - B.L. & Shale Cu. Ft.
Rock Pressure 480 lbs. 48 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 52 feet _____ feet
Salt water 695, 735, feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	48	48	Size of
8 1/4	294	294	
6 3/4 7" O.D.	1246	1246	Depth set
5 3/16	1431	Pulled	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 18 FEET 36 INCHES
172 FEET 24 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	18			
Coal			18	21			
Sand and Gravel			21	48			
Sand			48	87	Water	52'	Hole full
Slate & Shells			87	172			
Coal			172	174			
Slate			174	213			
Broken Sand			213	228			
Slate & Shells			228	332			
Broken Sand			332	420			
Slate & Shells			420	482	Oil	482-492'	Show
Salt Sand			482	848	Water	695'	1 B.P.H.
Slate			848	867	Water	735'	Hole full
Sand			867	904			
Slate			904	950			
Sand			950	972			
Slate			972	975			
Sand			975	997			
Slate			997	1008			
Sand			1008	1032			
Slate			1032	1047			
Maxon Sand			1047	1105			
Slate			1105	1107			
Little Lime			1107	1129			
Slate			1129	1131			
Big Lime			1131	1298	B.Lime Gas	1211-1217'	36/10 W 2" 253M
Keener Sand			1298	1319		Dec. to 10/10 W 2" 133 M	
Broken Sand			1379	1340	B.Lime Gas	1283-1285'	12/10 W 2" 146
Red Rock			1340	1371	Gas	1295-1298'	46/10 W 2" 286
Injun Sand			1371	1407			
Slate & Shells			1407	1908			
Brown Shale			1908	1925	Gas	1948'	Small show
Berea Grit			1925	1961			
Slate & Shells			1961	2003			
Brown Shale			2003	2057			
Slate & Shells			2057	2370	Not enough gas in Shale to test before shot.		
Brown Shale			2370	2572			



11/17/2023