


Latitude

38° 22' 30"

38° 25'

Longitude 82° 25'

82° 27' 30"



New Location...
 Drill Deeper.....
 Abandonment.....

Company WOFFORD GAS CO.
 Address HAMLIN, W.VA.
 Farm A. G. NIXON
 Tract _____ Acres 95 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 880
 Quadrangle GUYANDOT-~~Q~~WC
 County WAYNE District UNION
 Engineer G. E. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 6-12-54 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-929

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Deep Well



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 10

Warrant

WELL RECORD

Permit No. WAY-929

Oil or Gas Well GAS
(MINED)


Company Wofford Gas Co.
Address Hamlin, W. Va.
Farm A.G. Nixon Acres 95
Location (waters) Twelve Pole Creek
Well No. 1 Elev. 880
District Union County Wayne
The surface of tract is owned in fee by A.G. Nixon
Address _____
Mineral rights are owned by A.G. Nixon
Address _____
Drilling commenced 945 Adams Ave. Huntington, W. Va.
Drilling completed 6-5-54 Completed 8-19-54
Date Shot 8-20-54 From 3330 To 2777
With 1800 Lbs Detonite and 2400 Lbs Gelatin.
Open Flow 9 /10ths Water in 1 Inch
_____ /10ths Merc. in _____ Inch
Volume 35M. Cu. Ft.
Rock Pressure 500 lbs. 72 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Hook-wall
18			Kind of Packer
18			
10		21-6	Size of
8 1/2		251-7	
6 1/2			Depth set
5 3/16		2325	
			Perf. top
		2350	Perf. bottom
			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES
_____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	10			
Slate			10	80			
Sand			80	110			
Slate			110	161			
Red-rock			161	201			
Sand			201	230			
Slabe			230	262			
Sand			262	290			
Red-rock			290	320			
Slate			320	370			
Sand			370	400			
Slate			400	448			
Sand			448	468			
Slate			468	480			
Sand			480	500			
White Slate			500	570			
Sand			570	610			
Black Slate			610	760			
Sand			760	801			
Slate			801	890			
Salt Sand			890	1050			
Slate			1050	1240			
Salt Sand			1240	1309			
Slate & Shell			1309	1412			
Little Lime			1412	1427			
Pencil Cave			1427	1430			
Big Lime			1430	1597			
Big Engin			1597	1661			
Slate & Shell			1661	2214			
Brown Shale			2214	2222			
Berea Sand			2222	2234			
Slate			2234	2320			
Brown Shale			2320	2423			
White Slate			2423	2658			
Brown Shale			2658	2746			
White Slate			2746	2782			
Brown Shale			2782	2865			
White Slate			2865	2897			



Formation	Color	Hard or Soft	Top ¹⁰	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Shale			2897	2973			
White Slate			2973	2995			
Brown Shale			2995	3084			
White Slate			3084	3236			
Brown Shale			3236	3330			
Conniferous Lime			3330	3330 2450			

Date _____, 194

APPROVED _____, Owner

By _____