



New Location,   
 Drill Deeper.....  
 Abandonment.....

Company WEBSTER MYERS  
 Address HUNTINGTON, W.VA.  
 Farm JOHN SPENCE  
 Tract \_\_\_\_\_ Acres 0 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 570  
 Quadrangle GUYANDOT  
 County WAYNE District UNION  
 Engineer G. B. Owing  
 Engineer's Registration No. 309  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 6-25-55 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. WAY-974

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

*Deep well*      *6-6 230*

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Guysandot  
Permit No. Way 974

## WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Webster Myers (Spense Gas Comcoany)  
Address 1614 7th Ave., Huntington, W. Va.  
Farm John Spense Acres 8  
Location (waters) Twelve Pole Creek  
Well No. 1 Elev. 570  
District Union County Wayne  
The surface of tract is owned in fee by John Spense  
Shoals, W. Va. Address \_\_\_\_\_  
Mineral rights are owned by Same Address \_\_\_\_\_  
Drilling commenced July 18, 1955  
Drilling completed Sept 21, 1955  
Date Shot 3048 9/21/55 3048 To 2448  
With 4000 lbs Hercules Gas Well Exp  
Open Flow 3 /10ths Water in 2 Inch  
80 MCF /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure 340 lbs. 48 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 60 feet  
Salt water H.F. 940 Some at 140 ft feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Shoe on 7" 5"x7"x16" Parmac
16			Kind of Packer _____
18			
10	73	73	Size of 7"x8 1/4" 5"x7"x16"
8 1/4	205	205	
6 1/2	1161	591	Depth set 1161
5 3/16	2068	2068	2048
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
<u>B</u>			Perf. bottom _____

CASING CEMENTED none SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	40			
Slate			40	50			
Water Sand			50	70			
Slate			70	150			
Sand			150	215			
Slate			215	310			
Sand			310	340			
Slate			340	415			
Sand			415	450			
Slate			450	500			
Sand			500	545			
Slate			545	600			
Sand			600	700			
Slate			700	920			
Sald Sand			900	1015			
Slate			1015	1135			
Little Lime			1135	1145			
Pencil Vave			1145	1151			
Big Lime			1151	1255			
Keener Sand			1255	1295			
Injun Sand			1295	1400			
Slate & Shells			1400	1910			
Coffie Shale			1910	1935			
Berea Sand			1935	1960			
Slate			1960	1964			
Sandy Hard Shall			1964	2010			
Brown Sahle			2010	2130			
Slate			2130	2335			
Brown Shale			2335	2495			
Slate			2495	2525			
Brown Shale			2525	2620			
Slate			2620	2655			
Brown Shale			2655	2725			
Slate			2725	2745			
Brown Shale			2745	2835			
Slate			2835	3010			
Brown Shale			3010	3048			
					Total depth and top of Corniferous Lime		



Small Gas Show at 2525 ft.  
Well shut in in 5" Casing

3048  
570  
2478