

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines, Charleston, W. Va.	
A. J. Fry, Jr.	Owens, Libbey-Owens Gas Department
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
East Lynn, W. Va.	P. O. Box 4158, Charleston 4, W. Va.
ADDRESS	COMPLETE ADDRESS
	January 8, 19.57
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Stonerall
Libbey-Owens-Ford Glass Co. and Owens, Illinois Glass Co.	WayneCounty
OWNER OF MINERAL RIGHTS	380/0'
P. O. Box 4158, Charleston L, W. Va.	Well No. 51 (Serial No. 1018) 82°20'- Elev
ADDRESS	Hoard - Baldwin 9/1.
GENTLEMEN:	Farm
The undersigned well operator is entitled to	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	H Rummel Anderson & T D Inches
Owens-Ill Class Co & Libber Owens Fami	by H. Rummel Anderson & T. B. Jackson, Sq. Com
Owens-Ill. Glass Co. & Libbey-Owens-Ford	and recorded on the 23rd day
of December, 1936	n the office of the County Clerk for said County in
Book 188 , page 133 .	
and County above named, determined by survey and land marks.	courses and distances from two permanent points, or
The undersigned well operator is informed and of coal beneath said farm or tract of land on which s aries of the same, who have mapped their workings coal operators or coal owners (if any) above named a	and filed their mans as required by law excepting the
The above named coal operators or coal owners (desire to make to such proposed location, or which the the drilling of a well at said proposed location will cau coal mines, must be received by, or filed with the Depar a copy of this notice and accompanying plat by said I that forms for use in making such objections will be on request and that all such objections must set forth a grounds on which such objections are based and indicate be moved to overcome same.	tment of Mines within ten* days from the receipt of Department. Said coal operators are further notified furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or
(The next paragraph is to be completed only	in Department's copy.)
Copies of this notice and the enclosed plat were	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above s or on the same day with the mailing or delivery of West Virginia.	shown respective address
	ruly yours,
	OWENS, LIBBEY-OWENS GAS DEPARTMENT
	WELL OPERATOR
0101112131455	P. O. Box 4158
Address	STREET
of Well Operator	Charleston 4,
345	West Virginia 08/25/2023
	STATE

*Section 3..... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location. WAY-1033 PERMIT NUMBER



DRILL DEEPER

Comm.

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines, Charleston, W. Va.	
	OWENS, LIBBEY-OWENS GAS DEPARTMENT
A. J. Fry, Jr.	NAME OF WELL OPERATOR
East Lynn, W. Va.	P. O. Box 4168, Charleston 4, W. Va.
	COMPLETE ADDRESS
ADDRESS	
	October 14, 19_59
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Stonewall District
Libbey-Owens-Ford Glass Co. and Owens-Illinois Glass Co.	WayneCounty
P. O. Box 4168	Well No. 51 (Serial No. 1018)
Charleston 4, W. Va.	Hoard - Baldwin
Gentlemen:	Farm
	drill upon the above named farm or tract of land for
December 17, 1936 made	by H. Rummel Anderson & T. B. Jackson, Sq.
	rd Glass Co., and recorded on the 23rd day
December, 1936	
,	in the office of the County Clerk for said County in
Book 188 , page 133 .	
to be drilled for oil and gas by the undersigned well and County above named, determined by survey and land marks. The undersigned well operator is informed and	t engineer and shows the proposed location of a well operator on the farm and in the Magisterial District courses and distances from two permanent points, or distances there are no coal operators operating beds said well is located, or within 500 feet of the bound-
	s and filed their maps as required by law, excepting the
desire to make to such proposed location, or which the drilling of a well at said proposed location will control of the drilling of a well at said proposed location will control of the drilling of a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth grounds on which such objections are based and indicat the moved to overcome same.	(if any) are notified that any objections they may hey are required to make by Section 3 of said Code, if ause a dangerous condition in or about their respective artment of Mines within ten* days from the receipt of Department. Said coal operators are further notified e furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or e the direction and distance the proposed location should
(The next paragraph is to be completed only	그 아이들은 그는 아니라 가장 얼마를 하면 얼마를 가득하는 것이 되었다. 이 얼마를 보고 있다면 하는 것이 되었다. 그 사람들은 그는 것이 없는 것이 없는 것이 없는 것이 없다면 없다면 없다면 없다.
그 사람들은 사람들은 사람들이 가장을 받는 사람들이 되었다면 하는 사람들이 되었다면 하는 것이 되었다. 그렇게 되었다면 하는 것이 없는 것이다면 하는 것이다면 하는데	e mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of West Virginia.	shown respective address day to the Department of Mines at Charleston,
	truly yours,
50212222	OWENS, LIBBEY-OWENS GAS DEPARTMENT
THE STATE OF THE S	P. O. BOX 4168
Address of Well Operator	CHARLESTON 4,
EST SEST	WEST VIRGINIA 08/25/2023
6.9	STATE

*Section 3 . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

Way-1033 Permit Number





DEPARTMENT OF MINES

DELEG JULES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

OWENS, LIBERY-OWENS CAS DEPARTMENT	A. J. Fry, Jr.
NAME OF VELL OFFICEROR	SOAL OFFRATOR OR COAL CWIEER
P. O. Box 416c, Charleston 4, W. Va.	Rest Lynn, W. Vs.
COMPLETE ACCRESS	SERECA .
October 14, qo 59	
Stendwall District	
	Hobe - Owens-Ford Tissa Co. and Owens-Illinois Glass Co.
Well No. (Sorial No. 1015)	P. O. Box 4168
Weard - Baldwin	Charleston 4, H. va.
व्यक्ति	
dell upon the above named farm or truct of land for	
	oil and gas, having fee title thereto. (e-e-de-e-e-
by H. Rummel Anderson & T. B. Jackson, Sq. C	December 17, 1936 made
ed Glass Co. and recorded on the 23rd day	Owens-Ill. Glass Co. & Llebey-Owens-For
	December, 1936
	epr Br.
cettrees and distances from two permanent points, or believes there are no total operators operating beds said well is leasted, or within 500 feet of the boundard lines maps as required by law, excepting the condition maps.	
(if any) are notified that any objections they may or are required to make by Section 3 of said Code, if and a daugarous condition in or about their respective attenent of Mines within tent days from the receipt of Department. Said coal operators are further notified formished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or the direction and distance the proposed location should	
s mailed by registered mail, or delivered to the above	
snown respective address. Line copy to the Mapartident of Wines at Charleston,	named roat operators or coal owners at their shove or or on the same day with the mading on delivery of
truly yours.	
OWENS, LIBERT-OWENS CAS ENTARMENT	AND 7230
P. O. BOX 41.60	
	Constitution of the second
CHARLESTON A.	
OTT OF TOWN	role sold New Yell Operator
ARAIDHIV TORW	08/25/2023
SYATE	

*Section 8. If no such objections he filed or he found by the department of mines, which said period of en days from he foreign of such or cald notice and plat by the department of mines to said proposed fection, the department shall forthwish lead to the well operators a dilling permit shall forthwish lead to the well operators a dilling bernetting the filing of such plat, that no objections have been made by the cet operators for the location or found thereto by the department and that the same is upproved and the well operator actionized to proceed to drill at said focation.

OWENS, LIBBEY-OWENS GAS DEPARTMENT

5793 MACCORKLE AVENUE

P. O. BOX 4158

CHARLESTON 4, WEST VIRGINIA



January 8, 1957

State of West Virginia Department of Mines Oil & Gas Division Charleston 5, W. Va.

Gentlemen:

We are submitting an application for a permit to drill well No. 51 (Serial No. 1018) on our Hoard-Baldwin leasehold, situated in Stonewall District, Wayne County, West Virginia.

Attached to the application is a plat showing the proposed location of said well.

Very truly yours,

OWENS, LIBBEY-OWENS GAS DEPARTMENT

T. S. Flournoy, Chief Engineer

TSF/ed Enclosures

cc: Mr. A. J. Fry, Jr.



January 18, 1957

Owens, Libbey-Owens Gas Department P. O. Box 4158 Charleston, West Virginia

Gentlement

Enclosed is permit WAY-1033 to drill well No. 51-3r-1018 on the Hoard-Baldwin farm, Stonewall District, Wayne County.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CNH:K Encl-1

CC: O. C. Allen, Inspector

October 15, 1959

Owens, Libby-Owens Gas Department P. O. Box 4168 Charleston, West Virginia

Att: Mr. A. H. Smith

Dear Sirs:

Enclosed is Permit WAY-1033-D for deepening Well No. 51 - Sr-1018 on Hoard - Baldwin Tract, Stonewall District, Wayne County.

Very truly yours,

Crawford L. Wilson, Director DEPARTMENT OF MINES

> Assistant Director OIL AND GAS DIVISION

MG/m encl:

ce Mr. James W. Pack, Inspector

Mr. R. C. Tucker, Assistant State Geologist



DEPARTMENT OF MINES OIL AND GAS DIVISION &

Quadrangle Wayne

Permit No. Way-1033

Settling Sand White

White

Dark

Dark

Med.

Hard

Soft

Salt Sand

Salt Sand

Slate

WELL RECORD

Oil or Gas Well Oil & Gas

Permit No. "ay =10)			Oil or	Gas Well Ull & Gas
Company OWENS, LIBBEY-CWENS GAS DEPARTMENT Address P. O. BOX 4158, Charleston 4, W. Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Hoard - Baldwin Acres 220 Location (waters) Well No. 51 (Serial No. 1018) Elev. 911.37 District Stonewall County Wayne	Size 16			Kind of Packer
The surface of tract is owned in fee by	10	13713"	13713"	Size of Depth set
Address Drilling commenced 1-12-57 Drilling completed 2-14-57 Date Shot- 4-25-57 From To	5 3/16 3 2 3/8 Liners Used		17/1/6161	Perf. topPerf. bottomPerf. top
With Acid treated with 1000 gal. by Halliburton Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Big Lime Est. 140 M Cu. Ft.	CASING CEME	ENTED 7	SIZE 50	Perf. bottom
Rock Pressure 420 lbs. 68 hrs. Oil 34 bbl. initial production bbls., 1st 24 hrs. Fresh water 190, 245, 688, feet 909 feet Salt water 969 feet feet	COAL WAS EN	INC	HES 334	FEET 48 INCHES
Formation Color Hard or Ton	Pottom	Oil, Gas	MP REPORTS	PICE OF THE PERSON

Fresh water 19		88, feet 909 feet	feet		EETINCHE	es 334 FEET es 350 FEET	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mud	Dark	Soft	0	23	VGT : PAG : N	0.004970400	Gur. of Berry-
Clay	Blue	Soft	23	23			
Mud	Blue	Soft	23	92	25 52		
Sand	Grey	Soft	92	102	The second many	10 00 PT 20 7 B	to temporary
Sand	White	Soft	102	165	SH SH SH		37
Coal	Black	Soft	165	170	Manager Commit		
Sand	Dark		170	180	runes nell	Tompola accom	er sacistic
Sand	Light	Med.	180	245	Water at 190	1, 1/2 B.P.H	*
Slate	Dark	Soft	245	265	Water at 245	1, 1 B.P.H	THES
Sand	White	Med.	265	334 338 350 354 358			
Coal	Black	Soft	334	338	Bry ru River	Bires. Cas	
Slate	Dark	Soft	338	350	of shought is	CTA CAMP	erred of part
Coal	Black	Soft	350	354	OT A 192 TH	S- TADAS	
Slate	Dark	Soft	354	358	Town Tille		
Sand	Light	Soft	358	409	OTTE THEFE	Show	
Slate	Dark	Soft	409	415	Tag Spirit		
Sand	Light	Soft	415	433	Lat THIS!	# # F	
Slate	Dark	Soft	433	441	Water test a	t 437', 1 B.	b.H. ent.
TOR THUS SE	- BUTCHEST	2,329.2	1374		Installed 8-	5/8" casing	at 437' on shoe
Sand	Light	Soft	441	474			
Sand, Bro.	Grey	Soft	474	502		1	
Sand	Light	Hard	502	508			
Sand, Bro.	Grey	Soft	508	518		101112131475	
Sand, Bro.	Dark	Soft	518	587	(8)	400	\
Sand	Light	Soft	587	653	160	MAY	
Sand, Bro.	Dark	Soft	653	683	2	MAY 1957	00
Sand	Light	Hard	683	688	4 55 B	ECEIVED	2
Sand	Light	Med.	688	708	1423	EST VIRGIOS/2	2
Sand, Bro.	Dark	Soft	708	778	A DE	EPT. OF MIN 08/2	5/2023
Slate	Dark	Soft	778	788	(E)	MINES	1
Sand	Dark	Hard	788	800	4	9585728539	
Sand	Light	Med.	800	909		OC 50 003	

909 926 965

969

926 965

969

971

Water increase at 969', 500' in hole

Formation	Color	Hard or Soft	Top 8	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand	Grey	Med.	971	978	The first of marks	280 th 0801	5001 10000
Salt Sand	White	Med.	978	1040			
Salt Sand	White	Hard	1040	1072			
Salt Sand Salt Sand	White Dark	Med. Hard	1072	1123		10 To	
Salt Sand	White	Med.	1123	1132	1		
Maxton Sand	Light	Hard	1221	1244	1 2 3	CARL STATE	
Maxton Sand	White	Med.	1244	1274		11 2 L 3 1 3 1 1 L 1 1 L 1 1 L 1 1 L 1 1 L 1 1 L 1	
Sand	White	Med.	1274	1288		24 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Slate	White	Soft	1288	1297	The second	24.	
Little Lime	Dark Dark	Hard Med.	1297	1307	Y.	224 2	
Little Lime	Dark	Hard	1307 1314	1314			
Slate	Dark	Soft	1328	1330		1300	
Big Lime .	White	Hard	1330	1344			
Slate	White	Soft	1344	1347		14	
Big Lime	White	Hard	1347	1410	2-5-57 Ran	" casing at	1360' on shoe
r blate	\$10 KeV	50.0	133	AVI		with 25 sack	
Big Lime	Yellow	Med.	1410	1416	Gas 1410'	=	117 MCF 120
Big Lime	White	Hard	1416	1447	Oil 1414, Test 1432,	show	98
Cost	Flack	Total Dep	th .	1447	Oil & Gas 1		יייי איייייייייייייייייייייייייייייייי
31-60-3	DWAK Tag.	10 Car Deb	011	1447			bailed 55 gal. blowing oil up
aruų.	Jahri te		39) 865	338	the hole.	dab	prowing our ab
CTOLO	THERE	Botto Li	C02 1	582		oil several	times.
eug	STORE	. 46g.	780	Spe		fire 6:54 P:	
Sand	TEMP (7 8	. 1775	180		eriously inju	red and rig
3001	Teac		TQ2	170	destroyed.		
apouq .	107-6	301f	102	144		installed w	ell reconnected
SING STATE	GROTIA .	- 2001	9	1901 A	to tanks.	LIIO GULLLOUG W	Jan 1000111100000
	Tipe 94	201.2	73	3	4-25-57		
	133. JC	1.00.0	3	53	Acid treat	ted with 1000	gal. by Halli-
		2001)			burton Co.	a name	
1 7 W. W. C. 1907-11		Hard or	las de la companya de	12,000,000	Wall consid	(Mana) and a	e on 4-30-57
	Control of the Control		Total	i.	well consider	open flow 1	O MCF (estimated
		\$100 miles 100 miles	1001	- tu		production	
	0 01 K K	13 Your 2091	polar, jui pa hra,		3.55 No. 1	33) 050	n 18 north
Oil Ship	ol. taitela	Corodiction	PIN	COAL WAS	EMPOUNDATED ON	AT 165 FIRE	T 60 MORES
Andrew .	2150	The second second	Co. In				7-5
100	710ths Merc.	Ast. Mo	Plant Public	CONTRACTOR STR	MENTED /	HERTHER WOLL	F
	Alotha Water		1111				
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						Differon Tonas
Man Man 125		1000 get , b	F FIRST LINET CO				
Drilling complete	1.457 - Proj	12.7		a Langis Wasd		150	
Digitals comment	5-12-2		-	3/8		THE STATE OF	E tol
	#1 33 -13-E	Address				150	
	1			23/16/27			and A
	o omine in 02	Authority (Mone was the	A. 14 . M.	1360160	136016# 600	1612-664
	And the state of the state of			18X 15 X8	36134	137134	
The surface of ca	tot 1c. va. veg 1k	The same of the same of		10	,	31)	
Dissipation of the second	835-730.5 H		7.46			7	
	63.150	143)	3.5.37	18.77		\$61	at of Packer
	7		No. 20	Simo			
	h - 181 mi		SSU				
Address .	. 00 125	hericatin	. A	Lugged at		AATHT THEE IN	1,aclosta
	CONTRACT.	CONSTRUCTION	Land.	Catalan et al	1	4.1144.57	
				A STATE OF THE PARTY OF THE PAR			(wisp)
	A-1033		A A Serie year part	E STATE OF STREET		Olf or Gas	oil a das
(SMRTQL TOSTS	registers.		TAKE 1 1	The day not not to	27 a	08/2	5/2023

Date May 10, 19 57

APPROVED OWENS, LIBBEY-OWENS AS DEPARTMENT, Owner

By A. H. Smith (Title) Geologist

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	1						1. 18
					complete	d repolits 1,	5/60 - 011woll
						sgat on tha	ing.
					Head:) hung on H	nderliter
10					1/5/60	Installed 2	-3/8 Tug.
		10,12		1283			****
al. & Shis.	Darik	Soft		1590	Gas 150)	4.1	D1
Blg Injun	Light .	Med.		1976	Gan 1963	-1566 - 91g	(2)
Grey Injun	Grey	Hard .		IBNO		•	
Red Injun	Mod .	Med.	ism	1550			
gag Rock	Red	Neg.	1509	1911		* 1	
geng	Grey	Hard		1509			
Big Line	White	Hard					
			1476				A
Big Line	White	Hard	TyAT	Tytkyt			
SIE Line	White	Herd	And	Jaki			
9.					21/19/59	Pulled 2	Tog.
	D	TIVED DEEDE	r yegosio				
Formation	Color	standing posts		Societa	Oll, Gas or Water	Trepely .	Bemirks
Suit woter				FIRE	TINCH	ia tur	ENDIES
Proch Kater		1948		LEE ALEE	IN 111		nor ps
RackTressors 64	110,	ips is		COAL WAS E	ACOUNTERED 3		FILLINGHER
Volume	Foths Mero			evane dan			
	/fiths Water						
Marie Short	F1971	,					f bottom
Driffing complete		3A		5 +3/6 Limera Gund		1202 Per	Conton 1553
TAN SING COMPRESSO	12/15/			20 3-1/5	7#10, 70,	2011 64 Pa	1545 -
Department of	owned by O	sho, Libbey Adaron Charle	overna Ges ston, A. Vs	0 attac (2/15)	Tp35. F.	Palled	P33 254
		g galle sa		637		MIR. 0100	
District		County Way	JG ,	19			/ -
Location (wagers Well-No.	(Servery)	e minis	PE-LIE-AN	10			d of Pasker
Y 937 119	iq-per qaju		C OES	Size			
Address P.		6, charlead	1 h, W. Va.	A STATES	DEMBAK		FRANKATA
The same of the sa		-jacos gra p		Carried and	Used an	I WAY IN	
1,00,000.300	484-1033-E	N.	A Section Section Section				OS P
	to kno		METT	BECOM		08/	25/2023

Date February 18, 19 60

APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By G. W. Smith (Title) Land, Engrg. & Geol



DEPARTMENT OF MINES OIL AND GAS DIVISION

Wayne Quadrangle.

WELL RECORD

Company Owe	ns. Libber	y-Owens Gas D	epartment	1			
company		68, Charlesto		Casing and Tubing	Used in Drilling	Left in Well	Packers
	rd-Baldwin	n	Acres 220				
Location (waters)				Size			Wind of Dealers
Well No. 51			Elev. 911.37	16			Kind of Packer
		CountyWay		13			Size of
The surface of tra		Address		81/4			Size of
Mineral rights ar		wens, Libbey		6%x 2-3/8		1446' 8"	Depth set
Department	:	Address Charle	eston, W. Va.	5 3/16 1/2	1472' 1"	Pulled	01
Drilling commend	ed 11/25			3 5-1/2	1476' 10"	Pulled 1585' 1"	Perf. top 8'
Drilling complete				2 - 3/8 Liners Used		1)0) 1	Perf. bottom 1553
		mTo		Liners Osed			Perf. bottom
		in					
		in		CASING CEME	NTEDS	SIZE	No. FtDat
Volume	118#	70	Cu. Ft.				
Rock Pressure	/2	lbs	hrs.	COAL WAS EN	COUNTERED .	AT	FEETINCHE
Fresh water			feet	FEET	INCH	ES	FEETINCHE
Salt water			feet	FEET	INCH	ES	FEETINCHE
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	1	RILLED DEEPE	R RECORD				
		to the spin dead shadow for the shadow of the	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		33/30/5		a oll m
				1	11/19/59	Pulled	1 2" Tbg.
Big Lime	White	Hard	1447	1471			
						44	
Big Lime	White	Hard	1471	1474			
Big Lime	White	Hard	1476	1506			
Sand	Grey	Hard	1506	1509			
Red Rock	Red	Med.	1509	1511			•
Red Injun	Red.	Med.	1511	1520			
Frey Injun	Grey	Hard	1520	1540			
Big Injun	Light	Med.	1540	1576	Gas 156	3-1566 - 8	
Sl. & Shls.	Dark	Soft	1576	1598	Gas 156'		4.1 M
		T. D.		1598			
		1			1/5/60	Installo	d 2+3/8" Tbg.
		20100			at 158	, hung or	n Hinderliter
		1830818155	3213		Head.	goot on	08/25/2023
		14.10					
		8 R 80	0 23		1 ombrub	seat on	tubing.
	- /	CONTRACTOR OF THE PARTY OF THE	P 333				5 1/5/60 - Oilwe

E4

February 4, 1960

Owens, Libbey-Owens Gas Company P. O. Box 4168 Charleston 4, West Virginia

Gentlemen:

Please send us two copies of the completion drilling record for the following Wells:

Permit No.	Farm	Well No. Dis	trict
WAY-1033-D	Hoard-Baldwin	51-Sr. No. S 1018	Stonewall
WAY-1098 WAY-1182	L. C. Knight Gypsy Wright	1036-1 U	Inion Stonewall
WAY-1207	Oscar Ferguson "A" - 113 acres	1 Sr. No. I 1059	Butler


Very truly yours,

CRAWFORD L. WILSON, DIRECTOR Department of Mines

Assistant Director OIL AND GAS DIVISION

MG/b

cc: Mr. James W. Pack, Inspector



Date JAN. 8, 1957 Scale /" = 800 FT.