



New Location
 Drill Deeper
 Abandonment

Company CLIFFORD MILLS
 Address WAYNE, W. VA.
 Farm ROARY VARNEY
 Tract 1 Acres 135 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 605
 Quadrangle WAYNE - NW
 County WAYNE District BUTLER
 Engineer G. G. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 8-15-57 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-1054

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 (230) Deep Well



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 8

Quadrangle Wayne

Permit No. Way-1054

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Wagner Wells et al
Address Wayne, W. Va
Farm Barrow Marsh Acres 135
Location (waters) Trick Creek
Well No. 2 Elev. 605
District Becker County Wayne
The surface of tract is owned in fee by Henry Wagner Address Wayne R 1
Mineral rights are owned by same Address _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10		27	Size of
8 1/2	357	277	
6 1/2		1536	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced June 2 1958
Drilling completed July 24 1958
Date Shot July 24 From 215 To 2516
With AP-5000 1435 - 2100
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume 4700 Cu. Ft.
Rock Pressure 550 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water 100 Feet _____ Salt Water 830 Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Surface	yellow	soft	0	20	Gas	1945	
Slate	blue	"	20	40		2091	Small
Coal	black	"	40	44		2282	show
Slate	Blue	"	44	70		2540	
Sand	white	"	70	110		2785	
Slate	blue	"	110	650			
Sand	white	"	650	750			
Slate	blue	"	750	760			605
Sand	white	"	760	816			
Slate	blue	"	816	830			
Sand	white	"	830	945			
Slate	blue	"	945	950			
Sand	white	"	950	1107			
Slate	blue	"	1107	1112			
Sand	white	Hard	1112	1145			
T. Luni	blue	"	1145	1155			
Break	blue	soft	1155	1160			
B. Luni	white	Hard	1160	1305			
Sand	"	"	1305	1315			
Slate	blue	soft	1315	1318			



(over)

Formation	Color	Hard or Soft	Top 8	Bottom	Oil, Gas or Water	Depth Found	Remarks
Myan sand	Blue	Hard	1318	1450			
S. 1 shells	Blue	Soft	1450	1905			
B. Shale	Brown	"	1905	1941			
Berea sand	Grey	Hard	1941	1947			
Slate	Blue	Soft	1947	1962			
Sand	White	Hard	1962	1970			
S. 1 shells	Blue	Soft	1970	2035			
B. Shale	Brown	"	2035	2150			
W. Slate	White	Soft	2150	2280			
B. Shale	Brown	"	2280	2440			
W. Slate	White	"	2440	2516			
B. Shale	Brown	"	2516	2785			
W. Slate	White	"	2785	2980			
B. Shale	Brown	"	2980	3015			
C. Lint	Grey	Hard	3015	3016			

3015
605
-2410

Date April 1, 1959
 APPROVED L. Wood Mills, Owner
 By L. Wood Mills owner
 (Title)