



New Location
 Drill Deeper
 Abandonment

Company WEBSTER MYERS
 Address HUNTINGTON, W. VA.
 Farm ORAS MORRISON
 Tract 1 Acres 48 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 800 2.
 Quadrangle GUYANDOT - SW
 County WAYNE District UNION
 Engineer J. C. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 8-15-56 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-1056

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

4.53 S of 38° 20'
 3.50 W of 82° 25'

6-6-227

Deep Well



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 16

Quadrangle Suyardot
Permit No. Way-1056

WELL RECORD

Oil or Gas Well Gas
(KIND)

Deep

Company Webster Myers (Oris Gas Company)
Address ~~Oris Morrison~~ 1614 7th Ave.,
Farm Oris Morrison Huntington, W. Va. Acres 48
Location (waters) Big Creek
Well No. 1 Elev. 800
District Union County Wayne
The surface of tract is owned in fee by Oris Morrison
RFD Wayne, W. Va. Address
Mineral rights are owned by Same
Address
Drilling commenced Sept 23, 1957
Drilling completed Feb 2, 1958
Date Shot 2/2/58 From 4020 To 4000
With 3 shots 1st shot 500 lbs. 2nd shot
2000 lbs. 3rd shot 3300 lbs Here. G.W.B.
Open Flow /10ths Water in 94 MCF Inch
/10ths Merc. in Inch
Volume 94 MCF Cu. Ft.
Rock Pressure 1350 lbs. 90 hrs.
Oil bbls., 1st 24 hrs.
Fresh water 175 feet
Salt water 1205 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			B. Hole Wall & Anchor
16			Kind of Packer
13	18	18	
10	372	372	7"x8 1/4"x16
8 1/4	1486	Pulled	Size of 3"x7"x24"
6 1/2	2385	2385	Depth set 2385
5 3/16			3712
3	4040	4040	Perf. top 4020
2			Perf. bottom 4040
Liners Used	5" - 64 ft	4040-3976	Perf. top
			Perf. bottom

CASING CEMENTED none SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT none FEET INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	50			
Slate			50	125			
Red Rock			125	180			
Sand	1/2		180	250			
Sand Slate			250	379			
Sand			379	400			
Slate			400	475			
Sand			475	525			
Slate			525	720			
Sand			720	775			
Slate			775	900			
Sand			900	965			
Slate			965	1005			
Sand			1005	1015			
Slate			1015	1020			
Sand			1020	1035			
Slate & Shells			1035	1175			
Salt Sand			1175	1350	Hole full water at 1205		
Slate			1350	1415			
Maxon Sand			1415	1445			
Slate			1445	1460			
Little Lime			1460	1480			
Big Lime			1480	1608			
Injun Sand			1608	1800			
xxxxx Slate & Shells			1800	2265			
Brown Shale			2265	2275			
Berea Sand			2275	2300			
Shells, sandy			2300	2375			
Brown Shale			2375	2485			
Slate			2485	2620			
Light Brown Shale			2620	2700			
Brown Shale			2700	2777			
Slate			2777	2835			
Brown Shale			2835	2935			
Black Shale			2935	3135			
Slate			3135	3320			
Brown Shale			3320	3357			
	Over						



Formation	Color	Hard or Soft	Top / Bottom	Bottom	Oil, Gas or Water	Depth Found	Remarks
Corniferous Lime Big Six Slate			3357 4000 4020	4000 4020 4040			Showing of gas at 2935-Showing of gas at 3520-Sulpher gas-Water at 3550 more water at 3695-Showing of gas at 4008 ft. Not enough to gauge-Well shot 3 times with Merc. Gas Well B Exp.
				3357 800 -2757		3357 800 -2557	

Date Feb 17, 1958, 19

APPROVED Walter Meyer Owner
Partner

By _____ (Title)