



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Hester Booton et als

COAL OPERATOR OR COAL OWNER

Lavalette R.R., Wayne, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

Same

OWNER OF MINERAL RIGHTS

ADDRESS

OWENS, LIBBEY-OWENS GAS DEPARTMENT

NAME OF WELL OPERATOR

P. O. Box 4168, Charleston 4, W. Va.

COMPLETE ADDRESS

April 6, 19 59

PROPOSED LOCATION

Union

District

Wayne

County

Well No. 1 (Serial No. 1070) 38° 20' 82° 20' 6. 907.03

Hester Booton et als

Farm

38 acres

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, ~~having fee title thereto, (or as the case may be)~~ under grant or lease dated October 1, 1954, made by Hester Booton et als, to Owens-Illinois Glass Co. & Libbey-Owens-Ford Glass Co., and recorded on the 6th day of November, 1954, in the office of the County Clerk for said County in Book 45, page 237.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address same day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

OWENS, LIBBEY-OWENS GAS DEPARTMENT

WELL OPERATOR

P. O. Box 4168

STREET


Charleston 4,

CITY OR TOWN

West Virginia

STATE

08/18/2023



Address of Well Operator }

*Section 3 If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

1181

WAY-1181

PERMIT NUMBER

A-10

OWENS, LIBBEY-OWENS GAS DEPARTMENT

5793 MACCORKLE AVENUE

P. O. BOX 4158

CHARLESTON 4, WEST VIRGINIA



April 6, 1959

W. Va. Department of Mines
Oil & Gas Division
2002 Quarrier Street
Charleston, W. Va.

Gentlemen:

We are submitting an application for a permit to drill well No. 1 (Serial No. 1070) on our Hester Booton et als lease situated in Union District, Wayne County, West Virginia. Attached to the application is a plat showing the proposed location of said well.


Yours very truly,

OWENS, LIBBEY-OWENS GAS DEPARTMENT

By T. S. Flournoy
T. S. Flournoy, Chief Engineer

TSF/ed
Attachments

cc: Hester Booton
Lavalette R.R.
Wayne, W. Va.



08/18/2023

OWENS LEBBEY-OWENS GAS DEPARTMENT

2723 MACCORRIE AVENUE
P.O. BOX 5188
CHARLESTON 4, WEST VIRGINIA



April 6, 1955

W. Va. Department of Mines
Oil & Gas Division
3002 Gardner Street
Charleston, W. Va.

Gentlemen:

We are submitting an application for a permit to drill well No. 1 (Lease No. 107) on our Hester bottom of site lease situated in Union District, Wayne County, West Virginia. Attached to this application is a plat showing the proposed location of said well.


Yours very truly,

OWENS LEBBEY-OWENS GAS DEPARTMENT

E. B. ...
E. B. ...

T.R./ed
Attachments

cc: Hester bottom
Lease No. 107
Wayne, W. Va.



B-3
April 16, 1959

Owens, Libby-Owens Gas Department
P. O. Box 4168
Charleston 4, West Virginia

Att: Mr. A. H. Smith

Dear Sirs:

Enclosed are permits for drilling the following wells: -

<u>Permit No.</u>	<u>Well No.</u>	<u>Farm</u>	<u>District</u>
WAY-1181	1-SR-1070	Hester Booton et als	Union
WAY-1182	1-SR-1066	Gypsy Wright	Stonewall

Please post one copy of each permit at the well site.

Very truly yours,

Crawford L. Wilson, Director
DEPARTMENT OF MINES

BY _____
Assistant Director
OIL AND GAS DIVISION

MG/m
encl:
cc Mr. James W. Pack, Inspector

Mr. R. C. Tucker, Assistant
State Geologist

08/18/2023



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 16

Quadrangle Guyandotte

WELL RECORD

Oil or Gas Well DRY HOLE
(KIND)

Permit No. Way-1181


Company OWENS, LIBBEY-OWENS GAS DEPARTMENT
Address P. O. Box 4168, Charleston 4, W. Va.
Farm Hester Booton Acres 38
Location (waters) _____
Well No. 1 (Serial No. 1070) Elev. 807.03
District Union County Wayne
The surface of tract is owned in fee by Hester Booton
R.F.D. #1 Address Lavalette, W. Va.
Mineral rights are owned by Same
Address _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 5/8"	421'6"	421'6"	Depth set
8 7"	1839'9"	1839'9"	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced 4-23-59
Drilling completed 6-11-59
Date Shot 6-12-59 From 2639 To 3295
With 6,350 lbs. Trojan Powder
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume Dry Hole Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 278, 817 feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red	Soft	0	8			
Slate	Blue	Soft	8	32			
Sand	Yellow	Hard	32	84			
Slate	Blue	Soft	84	104			
Sand	Yellow	Hard	104	129			
Red Mud	Red	Soft	129	145			
Red Rock	Red	Soft	145	212			
Slate	Blue	Soft	212	293			Water show at 278'
Red Rock	Red	Soft	293	322			
Slate	White	Soft	322	337			
Red Rock	Red	Soft	337	369			
Slate	White	Soft	369	517			
Sand	White	Hard	517	541			4-29 Ran 8-5/8" casing at 421'6" on sho
Slate	White	Soft	541	611			
Slate	Blue	Soft	611	661			
Sand	Blue	Hard	661	697			
Slate	Black	Soft	697	735			
Sand	Grey	Hard	735	745			
Slate	White	Soft	745	758			
Slate	Blue	Soft	758	806			
Slate	Grey	Soft	806	811			
Sand	Grey	Hard	811	846			
Salt Sand	Blue	Hard	846	899			
Slate	Blue	Soft	899	1110			
Sand	Grey	Hard	1110	1173			
Sand	White	Hard	1173	1292			Settling Sand 1190-1255; hole filling. Water level 417' at 1292'
Lime Shells	Grey	Hard	1292	1307			
Sand	White	Hard	1307	1364			Water level 310' at 1364'
Sand	Blue	Hard	1364	1404			
Sand	White	Hard	1404	1490			
Slate	Black	Soft	1490	1500			
Little Lime	Black	Soft	1500	1510			
Little Lime	White	Hard	1510	1528			
Slate	Grey	Soft	1528	1533			



08/18/2023

By A. H. Smith (Title) Mgr. Land, Engrs. Geology
 APPROVED OWENS, LIBBY-OWENS GAS DEPARTMENT Owner
 Date June 15, 1959

Formation	Color	Hard or Soft	Top 16	Bottom	Oil, Gas or Water	Depth Found	Remarks
Big Lime	White	Hard	1533	1705	Water level 310' at 1650'		
Sand	Blue	Hard	1705	1745	SIM 1650 = Sand IM 1650		
Sand	Blue	Soft	1745	1755	Oil show at 1678'		
Injun Sand	Blue	Hard	1755	1773			
Injun Sand	Blue	Hard	1755	1773			
Injun Sand	Blue	Hard	1773	1800	Water level 310' at 1800'		
Slate	Blue	Soft	1800	1803			
Lime Shells	Grey	Hard	1803	1833			
Lime Shells	Blue	Hard	1833	1842	5-22-59 Ran 7" casing at 1839.9" on shoe.		
Shells	Black	Hard	1842	1852			
Shells	Grey	Hard	1852	1876			
Sl. & Shls.	Black	Soft	1876	1902			
Sl. & Shls.	Grey	Med.	1902	2219			
Sl. & Shls.	Black	Hard	2219	2265			
Slate	Blue	Soft	2265	2322			
Br. Shale	Brown	Soft	2322	2323			
Berea	Grey	Med.	2323	2335			
Slate	Black	Soft	2335	2355			
Lime Shells	Black	Soft	2355	2358	SIM 2358 = Sand IM 2358		
Slate	Black	Hard	2358	2383			
Slate	Blue	Soft	2383	2420			
Lime Shells	Black	Hard	2420	2440			
Blue Slate	Blue	Soft	2440	2465			
Br. Shale	Brown	Soft	2465	2518			
Slate	Blue	Med.	2518	2561			
Sl. & Shls.	Blue	Med.	2561	2600			
Slate	Blue	Med.	2600	2645			
Lime Shells	Black	Hard	2645	2670			
Slate	Blue	Med.	2670	2804			
Br. Shale	Brown	Soft	2804	2889	SIM 2889 = Sand IM 2889		
Br. Shale	Brown	Soft	2889	3280			
Slate	White	Soft	3280	3295			
Total Depth				3295			
				6-12-59			
				Shot well with 6,350 lbs. Trojan Powder			
				From 2,639 to 3,295 ft.			
				Test before shot:			
				" 15 Min. A. S.:			
				" 1 Hr.			
				" 2 Hrs.			
				" 23 "			
				Dry hole - will plug well.			

B-2

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. Way 1181


Oil or Gas Well 1-SR 1070
(KIND)

Company <u>Owens Libby Owens Dept.</u> Address <u>Box 4168 Charleston 4 W.Va.</u> Farm <u>Hester Booton Etals</u> Well No. <u>1-SR-1070</u> District <u>Union</u> County <u>Wayne</u> Drilling commenced <u>4-23-59</u> Drilling completed _____ Total depth _____ Date shot _____ Depth of shot _____ Initial open flow _____ /10ths Water in _____ Inch Open flow after tubing _____ /10ths Merc. in _____ Inch Volume _____ Cu. Ft. Rock pressure _____ lbs. _____ hrs. Oil _____ bbls., 1st 24 hrs. Fresh water <u>817</u> feet _____ feet Salt water <u>1209</u> feet _____ feet	CASING AND TUBING USED IN DRILLING LEFT IN WELL PACKERS	Size 16 13 10 8 1/4 6 5/8 5 3/16 3 2 Liners Used	Kind of Packer _____ Size of _____ Depth set _____ Perf. top _____ Perf. bottom _____ Perf. top _____ Perf. bottom _____
CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____		COAL WAS ENCOUNTERED AT <u>No Coal</u> FEET _____ INCHES FEET _____ INCHES FEET _____ INCHES FEET _____ INCHES FEET _____ INCHES	

Drillers' Names W. H. Shepherd

Amon Ferguson

Remarks: Top salt sand 928 to 1490 Top big lime 1533 to 1700
Show of oil in big lime 1678 drilling dept 1820.



J. W. Pack

DISTRICT WELL INSPECTOR

08/18/2023

5-21-59
DATE



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

Company _____ Address _____ Farm _____ Well No. _____ District _____ County _____ Drilling commenced _____ Drilling completed _____ Total depth _____ Date shot _____ Depth of shot _____ Initial open flow _____ /10ths Water in _____ Inch Open flow after tubing _____ /10ths Merc. in _____ Inch Volume _____ Cu. Ft. Rock pressure _____ lbs. _____ hrs. Oil _____ bbls., 1st 24 hrs. Fresh water _____ feet _____ feet Salt water _____ feet _____ feet	CASING AND TUBING Size 16 13 10 8 1/4 6 5/8 5 3/16 3 2 Liners Used	USED IN DRILLING	LEFT IN WELL	PACKERS Kind of Packer _____ Size of _____ Depth set _____ Perf. top _____ Perf. bottom _____ Perf. top _____ Perf. bottom _____
		CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____		
		COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES		

Drillers' Names _____

Remarks: _____

DATE

DISTRICT WELL INSPECTOR

08/18/2023

B-5


STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
INSPECTOR'S PLUGGING REPORT

Permit No. WAY-1181-P Well No. 1Sr-1070

COMPANY Owens Libby Owens Gas Dept. ADDRESS Box 4168
Charleston 4, W. Va.
FARM Hester Booten DISTRICT Union COUNTY Wayne

Filling Material Used _____

Liner			Location	Amount	Packer	Location	
PLUGS USED AND DEPTH PLACED			BRIDGES		CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION		RECOVERED	SIZE	LOST
			Bridge @ 2550'				



Drillers' Names W. H. Shepherd
Ernest Stickler

Remarks: Bridge hole @ 2550'; filled with rock to 2500'; shut well down for cement. Owens Libby Owens will deliver cement 6-23-59.

6-22-59 I hereby certify I visited the above well on this date.
DATE

J.W. Pack
DISTRICT WELL INSPECTOR

08/18/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____ Oil or Gas Well _____
(KIND)

	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Company _____	Size _____			Kind of Packer _____
Address _____	16 _____			
Farm _____	13 _____			
Well No. _____	10 _____			Size of _____
District _____ County _____	8 1/4 _____			
Drilling commenced _____	6 5/8 _____			Depth set _____
Drilling completed _____ Total depth _____	5 3/16 _____			
Date shot _____ Depth of shot _____	3 _____			Perf. top _____
Initial open flow _____ /10ths Water in _____ Inch	2 _____			Perf. bottom _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	Liners Used _____			Perf. top _____
Volume _____ Cu. Ft.				Perf. bottom _____
Rock pressure _____ lbs. _____ hrs.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Oil _____ bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Fresh water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Remarks: _____

DATE _____
DISTRICT WELL INSPECTOR _____
08/18/2023

13-6

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. WAY-1181-P

Well No. 1 Sr-1070

COMPANY Owens Libby Owens Gas Dept. ADDRESS P.O. Box 1468
Charleston, W. Va.

FARM Hester Booten DISTRICT Union COUNTY Wayne

Filling Material Used Rock, clay, cement and lead plug.

Liner Location Amount Packer Location


PLUGS USED AND DEPTH PLACED			BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST

Drillers' Names W. H. Shepherd
Earnest Stickler

Remarks: Filled with rock from 2550'-2500'; put 2½ sacks cement on top of rock and filled to 2490'; filled solid with rock and clay to 2347'; drove lead plug at 2347' and shut down and tested for gas. Set plug in Berea Sand.

6-25-59
DATE

I hereby certify I visited the above well on this date.



J.W. Pack

DISTRICT WELL INSPECTOR
08/18/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____ Oil or Gas Well _____
(KIND)

Company _____ Address _____ Farm _____ Well No. _____ District _____ County _____ Drilling commenced _____ Drilling completed _____ Total depth _____ Date shot _____ Depth of shot _____ Initial open flow _____ /10ths Water in _____ Inch Open flow after tubing _____ /10ths Merc. in _____ Inch Volume _____ Cu. Ft. Rock pressure _____ lbs. _____ hrs. Oil _____ bbls., 1st 24 hrs. Fresh water _____ feet _____ feet Salt water _____ feet _____ feet	CASING AND TUBING Size 16 13 10 8 1/4 6 5/8 5 3/16 3 2 Liners Used	USED IN DRILLING	LEFT IN WELL	PACKERS Kind of Packer _____ Size of _____ Depth set _____ Perf. top _____ Perf. bottom _____ Perf. top _____ Perf. bottom _____
		CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____		
		COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES _____ FEET _____ INCHES		

Drillers' Names _____

Remarks: _____

08/18/2023

B-7

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. WAY-1181-P

Well No. 1 Sr-1070

COMPANY Owens Libby Owens Gas Dept.

ADDRESS P.O. Box 4168
Charleston 4, W. Va.

FARM Hester Booten

DISTRICT Union

COUNTY Wayne


Filling Material Used _____

Liner			Location	Amount	Packer	Location	
PLUGS USED AND DEPTH PLACED			BRIDGES		CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION		RECOVERED	SIZE	LOST
Cement 2-1/2			@ 1860'		1839'	7"	0

Drillers' Names W. H. Shepherd

Basil Cummings

Remarks: Set bridge @ 1900'; cement 1900'-1890'; filling with clay to top of Big Lime, 1535'.



6-30-59

DATE

I hereby certify I visited the above well on this date.

J.W. Pack

DISTRICT WELL INSPECTOR

08/18/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____ Oil or Gas Well _____
(KIND)

Company _____	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address _____	Size			
Farm _____	16			Kind of Packer _____
Well No. _____	13			
District _____ County _____	10			Size of _____
Drilling commenced _____	8 1/4			
Drilling completed _____ Total depth _____	6 5/8			Depth set _____
Date shot _____ Depth of shot _____	5 3/16			
Initial open flow _____ /10ths Water in _____ Inch	3			Perf. top _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	2			Perf. bottom _____
Volume _____ Cu. Ft.	Liners Used			Perf. top _____
Rock pressure _____ lbs. _____ hrs.				Perf. bottom _____
Oil _____ bbls., 1st 24 hrs.	CASING CEMENTED _____	SIZE _____	No. FT. _____	Date _____
Fresh water _____ feet _____ feet	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES	_____ FEET _____ INCHES	_____ FEET _____ INCHES	_____ FEET _____ INCHES

Drillers' Names _____
Remarks: _____

0-7

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. WAY-1181-P

Well No. 1 SR-1070

COMPANY Owens Libby Owens Gas Dept. ADDRESS P.O. Box 4168
Charleston, W. Va.

FARM Hester Booten DISTRICT Union COUNTY Wayne

Filling Material Used _____

Liner Location Amount Packer Location

PLUGS USED AND DEPTH PLACED			BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
3 1/2 sacks			@ 780'			

Drillers' Names Basil Cummings
Earnest Stickler

Remarks: Set bridge @ 890'; crushed stone 890'-850'; clay 850'-795';
crushed stone 795'-790'; cement 790'-780'; pulled 8" casing up
4 ft. and pipe frooze; on 7-2-59 drove 8" casing back to bottom;
on 7-3-59 working 8" casing 4 ft. off bottom; shut down to repair
motor.

7-3-59
DATE I hereby certify I visited the above well on this date.

RECEIVED
WEST VIRGINIA
DEPT. OF MINES
JUL 1959
DISTRICT WELL INSPECTOR
J.W. pack
08/18/2023



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Hester Booton

Coal Operator or Coal Owner

R.F.D. #1, Lavalette, W. Va.

Address

Coal Operator or Coal Owner

Address

Hester Booton

Lease or Property Owner

R.F.D. #1, Lavalette, W. Va.

Address

OWENS, LIBBEY-OWENS GAS DEPARTMENT

Name of Well Operator

P. O. Box 4168, Charleston 4, W. Va.

Complete Address

June 15, 1959

WELL TO BE ABANDONED

Union

District

Wayne

County

Well No. 1 (Serial No. 1070)

Hester Booton

Farm

Inspector to be notified MR. JAMES W. PACK, Hamlin, West Virginia


Gentlemen:— **24 HOURS IN ADVANCE OF PLUGGING DATE**

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.



Very truly yours,

OWENS, LIBBEY-OWENS GAS DEPARTMENT

Well Operator.

A. H. Smith
A. H. Smith, Mgr. Land, Eng.

08/18/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

(over) Way-1181^P PERMIT NUMBER

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

8-5/8" casing set at 421'
7" casing set at 1840'
Total Depth 3295'
Shot hole 2639 to 3295

Rock bridge 2550 - 2500
Cement 2500 - 2490 (2-1/2 sacks)

Fill with clay 100 feet on bridge

Rock bridge 1900 - 1860 -
Cement 1860 - 1850 - (2-1/2 sacks)

Pull 7" casing at 1840'

*Fill with clay to 1535' - top 7
big lime - water
cement 10'*

Rock bridge 890 - 850 -
Clay 850 - 795 -
Rock 795 - 790 -
Cement 790 - 780 - (3-1/2 sacks)

Pull 8-5/8" casing at 421' -

Rock bridge 350 - 308 -
Clay 308 - 258 -
Rock 258 - 255 -
Cement 255 - 245 - (5-1/2 sacks)

Rock and clay 245 to surface -

Erect 2' x 2' x 3' Concrete Monument

Mark Monument "OLO 1070"

Note by Department of mines -

*Bridges without fill following
same, not permitted by section 10
of the Law.*

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

OWENS, LIBBEY-OWENS GAS DEPARTMENT

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved 08/18/2023

17th day of June, 19 59

DEPARTMENT OF MINES
Oil and Gas Division

By: M. E. Gippich

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Hester Booton <hr/> COAL OPERATOR OR OWNER R.F.D. #1, Lavalette, W. Va. <hr/> ADDRESS <hr/> COAL OPERATOR OR OWNER <hr/> ADDRESS Same <hr/> LEASE OR PROPERTY OWNER <hr/> ADDRESS	OWENS, LIBBEY-OWENS GAS DEPARTMENT <hr/> NAME OF WELL OPERATOR P. O. Box 4168, Charleston 4, W. Va. <hr/> COMPLETE ADDRESS July 16 19 59 <hr/> WELL AND LOCATION Union District <hr/> Wayne County <hr/> Well No. 1 (Serial No. 1070) <hr/> Hester Booton Farm
---	---

STATE INSPECTOR SUPERVISING PLUGGING James W. Pack

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln } SS:
W. A. Shepperd

and Fred L. Lusher

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by William A. Lusher, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 22 day of June, 19 59, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	FORMATION	CONTENT	FROM		TO	CSG PULLED
Rock Bridge			2550	2500		
Cement	2-1/2 sacks		2500	2490		
Rock Bridge			1900	1860	Lead plug	2345'
Cement	2-1/2 sacks		1860	1850	Pulled 7" casing	at 1840' 57 joints
Rock Bridge			890	850		
Clay			850	795		
Rock			795	790		
Cement	3-1/2 sacks		790	780		
					Pulled 8-5/8" casing	at 421'.
Rock Bridge			350	306		
Clay			306	258		
Rock			258	255		
Cement	5-1/2 sacks		255	245		
Rock and clay	245' to surface.					
COAL SEAMS	DESCRIPTION OF MONUMENT					
(NAME)	2' x 2' x 3' concrete monument.					
(NAME)	Mark monument "OIO 1070"					
(NAME)						
(NAME)						


and that the work of plugging and filling said well was completed on the 9th day of July, 19 59.

And further deponents saith not.

Sworn to and subscribed before me this 18 day of July, 19 59.

W. A. Shepperd
Fred L. Lusher
William A. Lusher
Notary Public.
Permit No. Way 1181-P

My commission expires: Sept 6, 1966



08/18/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

REPORT OF PLUGGING AND FILLING WELL

RETURN SHOULD BE MADE IN TRIPlicate, one copy to the Department, one copy to the State Engineer and the third copy (and copies of this report) should be mailed to each well owner at the respective address.

OWNER, LIBBY-OWENS GAS DEPARTMENT
Hester, Boston
R. F. D. #1, Lovelock, W. Va.
P. O. Box #108, Charleston, W. Va.
DATE OF WELL STOPPAGE July 10 1928
WELL AND LOCATION Union
COUNTY Wayne

Well No. 1 (Serial No. 1070)
Hester, Boston

STATE ENGINEER OF WEST VIRGINIA
County of Lincoln
N. A. Chubbard
and Fred L. Fisher
I, Fred L. Fisher, State Engineer of West Virginia, do hereby certify that the above well was plugged and filled in accordance with the law and rules of this State, and that the work was done by the operator and assistants in the work of plugging and filling the above well, and that the work was done on the 22 day of June 1928, and that the well was plugged and filled in the following manner:


DEPTH OF WELL	DIAMETER OF WELL	DEPTH OF MATERIAL	DIAMETER OF MATERIAL	NAME OR TYPE OF MATERIAL
2500	2 1/2	2500	2 1/2	Rock Bridge
2400	2 1/2	2500	2 1/2	Cement
1800	2 1/2	1900	2 1/2	Rock Bridge
1850	2 1/2	1850	2 1/2	Cement
850	2 1/2	850	2 1/2	Rock Bridge
75	2 1/2	850	2 1/2	Clay
75	2 1/2	75	2 1/2	Rock
75	2 1/2	75	2 1/2	Cement
75	2 1/2	75	2 1/2	3-1/2
300	2 1/2	350	2 1/2	Rock Bridge
258	2 1/2	300	2 1/2	Clay
255	2 1/2	258	2 1/2	Rock
245	2 1/2	255	2 1/2	Cement
	2 1/2	255	2 1/2	Rock and clay 2 1/2 to surface
	2 1/2	255	2 1/2	5-1/2

DEPARTMENT OF MINES
2' x 2' concrete monument
MARK MONUMENT "OIL 1070"

and that the work of plugging and filling said well was completed on the 22 day of June 1928.

STATE ENGINEER OF WEST VIRGINIA
County of Lincoln
N. A. Chubbard
and Fred L. Fisher
I, Fred L. Fisher, State Engineer of West Virginia, do hereby certify that the above well was plugged and filled in accordance with the law and rules of this State, and that the work was done by the operator and assistants in the work of plugging and filling the above well, and that the work was done on the 22 day of June 1928, and that the well was plugged and filled in the following manner:

08/18/2023



Company Owens, Libbey-Owens Gas Dept.
 Address Box 4168 Charleston 4 W. Va.
 Farm Hester Booton
 Tract _____ Acres 38 Lease No. 2635
 Well (Farm) No. 1 Serial No. 1070
 Elevation (Spirit Level) 807.03
 Quadrangle Guyandot
 County Wayne District Union
 Engineer T.S. Flournoy
 Engineer's Registration No. 269
 File No. _____ Drawing No. _____
 Date March 25, 1959 Scale 1" = 200 Ft.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-1181 08/18/2023

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.