

Minimum Error of Closure 1:200

Source of Elevation U.S. GOV. B.M. NO. 103 JWS Elev. M 682.00
on Buffalo Cr. 200' East of Mills Chapel

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Signed: Carl C. Hampton
 Squares: N S E W

- Fracture
 New Location
 Drill Deeper
 Abandonment 9-15-67

Map No. _____

Company WEBSTER MYERS
 Address 1416 6th Ave. Huntington, W. Va.
 Farm MARJORIE ARTHUR
 Tract _____ Acres 47 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 736.40
 Quadrangle CEREDO
 County WAYNE District CEREDO
 Engineer G.C. HAMPTON
 Engineer's Registration No. KY. 2275
 File No. _____ Drawing No. _____
 Date 6-17-67 Scale 1"=500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. WAY-1537-P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Rotary
Spudder
Cable Tools
Storage

Quadrangle _____
Permit No. 1537=Wayne

WELL RECORD

Oil or Gas Well Dry (KIND) *900 Show in*

Company Webster Myers
Address 1614 7th Ave Huntington, W. Va.
Farm Marjorie Arthur Acres 47
Location (waters) Buffalo Creek
Well No. one Elev 736.40
District Ceredo County Wayne
The surface of tract is owned in fee by Marjorie Arthur
RFD Shoals, W. Va. Address _____
Mineral rights are owned by Same Address _____


| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | Kind of Packer |
| 16. | | | |
| 13. | 19 | 19 | |
| 10. | 248 | 248 | Size of |
| 8 3/4 | 1162 | 1162 | |
| 6 3/8 | 1750 | 1750 | Depth set |
| 5 3/16 | | | |
| 3. | | | Perf. top |
| 2. | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

Drilling commenced June 30, 1967
Drilling completed September 10, 1967
Date Shot _____ From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____

CASING CEMENTED none SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT none FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water 90 Feet _____ Salt Water 625 Feet _____

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth | Remarks |
|------------------------------|----------------|--------------|------|--------|-------------------|-------|--|
| Slate | 0 | 60 | 0 | 60 | | | |
| Sand | 60 | 120 | 60 | 120 | | | |
| Slate Broken | 120 | | 120 | 140 | | | |
| Sand | | | 140 | 175 | | | |
| Slate & Shells | | | 175 | 225 | | | |
| Sand-Broken | | | 225 | 435 | | | |
| Slate-Broken | | | 435 | 740 | | | hole full of water in sand at 625' |
| Sand | | | 740 | 1017 | | | |
| Salt Sand | | | 1017 | 1070 | | | |
| Slate | | | 1070 | 1082 | | | |
| Maxon Sand | | | 1082 | 1132 | | | |
| Slate & Shells | | | 1132 | 1192 | | | |
| Big Lime | | | 1192 | 1362 | | | |
| Keener Sand | | | 1362 | 1477 | | | |
| Injun Sand | | | 1477 | 1643 | | | Small amount of water at 1630 |
| Slate & Shells | | | 1643 | 2084 | | | |
| Berea Sand | | | 2084 | 2092 | | | |
| Slate & Shells | | | 2092 | 2490 | | | |
| Brown Shale | | | 2490 | 2886 | | | |
| White Slate | | | 2886 | 3060 | | | |
| Brown Shale | | | 3060 | 3084 | | | |
| Corniferous Lime | | | 3084 | 3743 | | | Show of gas at 3213-3217 - Corniferous |
| Big Six - Keefer Ss. | | | 3743 | 3792 | | | |
| Red Rock | | | 3792 | 3915 | | | |
| Shale | | | 3915 | 3968 | | | |
| Slate & Shells | | | 3968 | 4007 | | | |
| Pink Shale | | | 4007 | 4031 | | | |
| Shale | | | 4031 | 4079 | | | |
| Red Rock | | | 4079 | 4094 | | | |
| Grey Shale | | | 4094 | 4131 | | | |
| Clinton Sand - Tuscarora Ss. | | | 4131 | 4156 | | | |
| Slate & Shells | | | 4156 | 4185 | | | |



3084
736
2348

(over) 4185 Total Depth

OCT 10 1967