

COAL OWNED BY CONSOLIDATION COAL CORP., BALTIMORE, MD.

- NEW LOCATION
- RECONITION
- DRILL BEEPER
- ABANDONMENT

"I, the undersigned, hereby certify that this map is correct to the best of my knowledge and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas of the mining laws of West Virginia."  
 Minimum degree of accuracy is one part in 200

Signed *Thomas G. Virgin*

COMPANY HUNDRED GAS COMPANY  
 ADDRESS HUNDRED, W.VA.  
 NAME ISAAC BYARD TRACT  
 MAP P-29-7 ACRES 72 LEASE NO. 2978  
 WELLS ON 4 SERIAL NO. L-3468  
 SURVEY REPORT LEVEL 1928  
 OPERATOR PLANNINGTON

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON  
 WELL LOCATION MAP  
 FILE NO. W-1-1029

39° 40' 00"

Latitude

⊕  
1.19s  
1.05w

Longitude

Topo Location

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
\_\_\_\_\_ (calc.) \_\_\_\_\_

Company Hundred Gas Co

Farm ISAAC Byard 3468

15' Quad \_\_\_\_\_  
(sec.)

7.5' Quad Hundred

District Church

**WELL LOCATION PLAT**

County 103 Permit 31183

Now 45

DEPARTMENT OF MINES  
OIL AND GAS DIVISION

31183

Geographic **Mannington**

WELL RECORD

Permit No. \_\_\_\_\_

Oil or Gas Well Gas

Company **Munired Gas Company**

Address **Hamrad, W. Va.**

Farm **Isaac Byard**

Acres **72**

Location (water) **Fish Creek**

Well No. **2468**

Elev. **1080'**

District **Garrah**

County **Wetzel**

The surface of tract is owned in fee by **John H. Hise**

Address **Burton, W. Va.**

Mineral rights are owned by \_\_\_\_\_

Drilling commenced **Feb 8, 1931**

Drilling completed **July 13, 1931**

Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

With \_\_\_\_\_

Open Flow **10ths Water in \_\_\_\_\_ inch**

**10ths Merc. in \_\_\_\_\_ inch**

Volume \_\_\_\_\_ Cu. Ft.

Rock Pressure \_\_\_\_\_ lbs.

Oil \_\_\_\_\_ bbls. at 24 hrs.

WELL ACIDIZED \_\_\_\_\_


WELL FRACTURED \_\_\_\_\_

RESULT AFTER TREATMENT \_\_\_\_\_

ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Mapleton Shale			715	720			
Pittsburgh Coal			820	825			
Little Dunkard			1220	1255			
Big Dunkard			1300	1350			
Gas Sand			1450	1520			
Let. Salt Sand			1610	1625			
2nd. Salt Sand			1725	1800			
Manna Sand			1905	1981	Gas	1932-35 1940	
Big Line			1982	2045			
Big Injun Sand			2045	2256	Gas	2155	
50 ft. Sand			2800	2815			
30 ft. Sand			2820	2855	Gas	2850-52	
Gordon Stray Sand			2858	2898			
Gordon Sand			2910	2975			
4th. Sand			3005	3035			
5th. Sand			3050	3065			
Byard Sand			3180	3187	Gas	3182	
Total Depth				3833			



Church District, Wetzel County, W. Va.

By The Manufacturers Light & Heat Co., 800 Union Trust Bldg.,  
Pittsburgh, Pa.

On 72 acres, surface owned by Isaac Byard Estate (S. L. Byard, Admr.),  
R. D. 5, Metz, W.Va., and minerals by The Manufacturers Light &  
Heat Co., Pittsburgh, Pa.

Drilled under permit Wet-45, issued Jan. 2, 1931.

Elevation, 1068' B.

13" conductor, 16'; 10" casing, 306' 7"; 8", 1244' 8"; 6", 2019' 11".

No packer. No liners used.

Coal was encountered at 470-473, 715-720, and 820-825'.

Completion reported to Dept. of Mines July 23, 1931.

Well was not shot.

Fresh water at 80'. Producing hole. Gas well.

Record to RCF from Mrs. Griffith Aug. 30, 1938.

	Top.	Bottom.	Thickness.
Clay, yellow, soft	0	4	4
Limestone, gray, hard	4	50	46
Slate, dark and soft (water at 80')	50	125	75
Limestone, gray, hard	125	300	175
Slate, black, soft	300	450	150
Bluff Sand, white, hard	450	470	20
✓ Fairview (Waynesburg) Coal, black, soft	470	473	3
Sand, dark, hard	473	495	22
Slate, black, soft	495	550	55
Limestone, white, hard	550	715	165
✓ Mapletown (Sewickley) Coal, black, soft	715	720	5
Limestone, white, hard	720	820	100
✓ Pittsburgh Coal, black, soft	820	825	5
✓ Big Lick, white, hard	825	870	45
Red rock, soft	870	875	5
Limestone, white, hard	875	965	90
Red rock, soft	965	970	5
Lime, white, hard	970	1020	50
Red rock, soft	1020	1100	80
Lime, white, hard	1100	1120	20
Slate, dark, soft	1120	1160	40
Red rock, soft	1160	1190	30
Lime, white, hard	1190	1220	30
✓ Little Dunkard Sand, dark, hard	1220	1255	35
Slate, black, soft	1255	1300	45
✓ Big Dunkard Sand, white, hard	1300	1350	50
Slate, black, soft	1350	1365	15
Sand, white, hard	1365	1395	30
Slate, black, soft	1395	1450	55
✓ Gas Sand, white, hard	1450	1520	70
Slate, black, soft	1520	1610	90
✓ 1st Salt Sand, white, hard	1610	1625	15
Slate, black, soft	1625	1725	100
✓ 2nd Salt Sand, white, hard	1725	1800	75
Slate, black, soft	1800	1825	25
Lime, white, hard	1825	1850	25
Red rock, soft	1850	1905	55
✓ Maxton Sand, white, hard (gas, 1932, 1935, and 1940')	1905	1981	76
Slate, dark, soft	1981	1982	1

(OVER)

ISAAC BYARD NO. 3468 WELL (Continued).

	Top.	Bottom.	Thickness.
✓ Big Lime, white, hard	1982	- 2045	63
✓ Big Injun Sand, white, hard (gas, 2155')	2045	- 2286	241
Slate, dark, soft	2286	- 2600	314
Lime, white, hard	2600	- 2675	75
Slate and shells, dark, hard	2675	- 2800	125
✓ 50-Ft. Sand, dark, hard	2800	- 2815	15
Slate, dark, soft	2815	- 2820	5
✓ 30-Ft. Sand, white, hard (gas, 2850-2852')	2820	- 2855	35
Pink rock, soft	2855	- 2858	3
✓ Gordon Stray Sand, white, hard	2858	- 2895	37
Slate, dark, soft	2895	- 2910	15
✓ Gordon Sand, white, hard	2910	- 2975	65
Slate, dark, soft	2975	- 3006	31
✓ 4th Sand, white, hard	3006	- 3035	29
Slate, dark, hard	3035	- 3050	15
✓ 5th Sand, white, hard	3050	- 3065	15
Slate and shells, dark, broken	3065	- 3180	115
✓ Bayard Sand, dark, hard (gas, 3183')	3180	- 3187	7
Slate, dark, soft	3187	- 3233	46
Total depth			3233

THE DEPARTMENT ONE COPY TO BE RETAINED BY THE  
 AFFIDAVIT SHOULD BE MADE IN THIS STATE AND IN EACH COUNTY TO EACH COAL OPERATOR AT THE RESPECTIVE  
 COAL OPERATIONS AND THE OTHER COPY SHALL BE FILED IN THE OFFICE OF THE STATE INSPECTOR OF COALS

**Consolidation Coal Company**  
 Baltimore, Md.  
 c/o **Samuel C. Simpson**  
 Fairmont, W. Va.  
 COAL OPERATOR OR OWNER  
 ADDRESS  
 LOCAL OR PROPERTY OWNER  
 ADDRESS

**Hundred Gas Company**  
 NAME OF WELL OPERATOR  
**Hundred, W. Va.**  
 COMPLETE ADDRESS  
**September 24,** 19 **65**  
 WELL AND LOCATION  
**Garrah** District  
**Netzel** County  
 Well No. **3468**  
**Issac Byard** Farm

STATE INSPECTOR SUPERVISING PLUGGING **Raymond Starnes**

**AFFIDAVIT**

STATE OF WEST VIRGINIA.

County of **Netzel**

**As E. Bissett** and  
 being first duly sworn according to law depose and say that they are experienced in the work of  
 plugging and filling oil and gas wells and were employed by **Hundred Gas Company**  
 well operator, and participated in the work of plugging and filling the above well, that said work  
 was commenced on the **20** day of **August** 19 **65**, and that the well was plugged  
 and filled in the following manner:

GAS OR OIL WELL NUMBER	FORMATION	FILLING MATERIAL	PLUGS USED		CASING	
			SIZE & KIND	NO. USED	NO. LEFT IN	
	Netzel 211 to 294	5' of stone; 10' cement	10"	2067	None	
	Bridged at 297'	5' of stone; 10' cement	8"	967	2570	
	Clay to 345'		7"	1715	200	
	Bridged at 350'	5' of stone; 10' cement.				
	Clay to 365'; 5'	of stone; 10' cement.				
	Perforated casing at 1710'. Bridged at 1720'.					
	5' of stone; 10' cement. Clay to 1635'. 5' stone					
	and 10' cement.					
	Bridged at 1800'	20' clay; 5' stone and 20' cement				
	Set 8" casing at 207'					
	5' stone; 10' cement.					
	Bridged at 208'. Stone to 255'; Cement to 200'.					
	Set bridge at 755'; Stone to 745; Cement to 625)					
	Clay to 225'. Stone 5' and 10' cement,					
	Clay to 225' 10'					
COAL GRADE			DESCRIPTION OF MONUMENT			
(NAME) <b>Marquette Coal</b>			<b>7" x 12" casing cemented into hole.</b>			
(NAME) <b>Pittsburgh Coal</b>						
(NAME)						
(COUNTY)						

and that the work of plugging and filling said well was completed on the **24** day of **September**, 19 **65**

And further deponents saith not.

Sworn to and subscribed before me on this **24** day of **September**, 19 **65**

*E. Bissett*  
*Raymond Starnes*  
 day of **September**, 19 **65**  
**Netzel C. Cunningham**  
 Notary Public

My commission expires

