

LATITUDE

3940

5403

LONGITUDE

OGIS  
7.5' loc

7.5 OGIS topo location

7.5' loc	<u>1.59S</u>	15' loc	<u>1.59S</u>
	<u>1.67W</u>	(calc.)	<u>1.67W</u>

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad New Martinsville 15' 50

County \_\_\_\_\_

District Magnolia

WELL LOCATION MAP

File No. Wet. 67

Magnolia District, Netzel County, W. Va.

By J. W. Moorhead, Trustee.

Contractor, Bawes Bros.

Commenced Oct. 7, 1932; completed, Dec., 1932.

2650' N. 38° W. of Green Hill P. O.

Elevation, 1249' L.

Authority, Ray V. Heunen, Dec. 17, 1932.

10" casing, 265'; 8 $\frac{1}{4}$ " 1535'; 6-5/8", 2146'.

Thirty-foot Sand gas; 115,000 cu ft blew down to 30,000 cu ft; well abandoned

WET-67

	Top.	Bottom.	Thickness.
Unrecorded	0	16	16
Red rock	16	32	16
Sand	32	42	10
Slate, dark	42	64	22
Red rock	64	150	86
Slate, dark	150	180	30
Red rock	180	210	30
Lime	210	226	16
Red rock	226	245	19
Slate, white	245	252	7
Red rock	252	265	13
Lime	265	275	10
Slate	275	324	49
Red rock	324	336	12
Slate	336	395	59
Red rock	395	415	20
Lime, white	415	423	8
Slate (show coal, 442')	423	442	19
Slate	442	456	14
Red rock	456	466	10
Sand	466	486	20
Slate	486	505	19
Red rock	505	513	8
Lime, white	513	551	38
Slate	551	574	23
✓Coal, (Washington)	574	575	1
Slate, white	575	630	55
Lime	630	645	15
Slate, dark	645	705	60
Lime	705	715	10
Slate, dark	715	748	33
Lime, red	748	756	8
Slate, white	756	800	44
Lime, red	800	828	28
Red rock	828	835	7
Lime	835	872	37
Slate, white	872	912	40
Unrecorded	912	914	2
✓Coal, (Sewickley)	914	915	1
Slate, black	915	930	15
Lime	930	942	12
Slate, black	942	966	24
Slate, light (SLM, 1026')	966	1026	60
✓Coal, Pittsburgh	1026	1027	1
Slate, dark	1027	1035	8
Lime	1035	1045	10
Slate, black	1045	1060	15
Unrecorded	1060	1075	15

(OVER)

	Top.	Bottom.	Thickness.
Sand	1075	- 1079	4
Red rock	1079	- 1116	37
Sand	1116	- 1132	16
Slate, light	1132	- 1145	13
Lime	1145	- 1160	15
Slate, white	1160	- 1166	6
Lime, white	1166	- 1172	6
Slate	1172	- 1206	34
Lime, hard	1206	- 1214	8
Slate	1214	- 1270	56
Sand	1270	- 1310	40
Slate, black	1310	- 1336	26
Lime	1336	- 1350	14
Sand	1350	- 1356	6
Slate, gray	1356	- 1366	10
Sand, hard	1366	- 1385	19
Slate	1385	- 1400	15
Red rock	1400	- 1410	10
Slate	1410	- 1418	8
Lime	1418	- 1445	27
Slate, white	1445	- 1465	20
Slate, dark	1465	- 1481	16
Slate, soft	1481	- 1488	7
Unrecorded	1488	- 1495	7
Slate (SLM, 1535')	1495	- 1535	40
Sand	1535	- 1540	5
Slate	1540	- 1614	74
✓ Sand (show coal, 1649') <i>Gas Seal</i>	1614	- 1649	35
Unrecorded	1649	- 1650	1
Slate	1650	- 1675	25
Sand	1675	- 1690	15
Slate	1690	- 1818	128
✓ Sand <i>at soft</i>	1818	- 1943	125
Slate	1943	- 1966	23
✓ Sand, broken, Maxton	1966	- 2034	68
Slate, dark	2034	- 2090	56
✓ Little Lime	2090	- 2118	28
✓ Pencil Cave	2118	- 2121	3
✓ Blue Monday Sand, top Big Lime	2121	- 2131	10
✓ Big Lime	2131	- 2174	43
✓ Big Injun Sand (smell dark oil at 2349')	2174	- 2410	236
Slate, dark	2410	- 2520	<del>110</del> 110
Lime	2520	- 2558	38
Slate, light	2558	- 2575	17
Slate and lime	2575	- 2648	73
Slate	2648	- 2666	18
Lime	2666	- 2686	20
Slate, light	2686	- 2775	89
Slate	2775	- 2854	79
Red rock	2854	- 2914	60
Slate and shells (SLM, 2978')	2914	- 2978	64
Sand (115 N.)	2978	- 2984	6
Slate, break	2984	- 2988	4
Slate	2988	- 3010	22
Shell, limy	3010	- 3018	8
Slate (to bottom, Nov. 29, 1932)	3018	- 3085	67