

A-1

FORM G-1

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Essie Lewis Bartrug  
COAL OPERATOR OR COAL OWNER

Maxton Oil and Gas Co.  
NAME OF WELL OPERATOR

Burton, W. Va.  
ADDRESS

Fairmont, W.V.A., Box 375  
COMPLETE ADDRESS

Above  
COAL OPERATOR OR COAL OWNER

July 31st, 1936.  
PROPOSED LOCATION

ADDRESS

Church District

Above  
OWNER OF MINERAL RIGHTS

Wetzel County

ADDRESS

Well No. 3 390 36'  
80° 26' 38.5 acres

J. D. Bartrug Lease Farm  
(Now Essie Lewis Bartrug).

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated June 4th, 1919,, made by J. D. Bartrug and wife, to Scott C. Lowe (assigned to Maxton O. & G. Co.) and recorded on the 8th day of December, 1919, in the office of the County Clerk for said County in

Book 13A, page 132.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address day before, ~~on~~ on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Maxton Oil & Gas Co.  
WELL OPERATOR

By Scott C. Lowe, Sec.  
STREET

Fairmont, W.V.A., Box 375  
CITY OR TOWN

STATE

Address of Well Operator }



09/29/2023

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

128



A-10

SCOTT C. LOWE  
ATTORNEY AT LAW  
FAIRMONT, W. VA.

July, 31st, 1936.

Dept. of Mines,  
Charleston, W. Va. (Oil and Gas)

Gentlemen:

Enclosed find application for the drilling of a well as described.

Under separate cover we are mailing you the original of the survey, but am enclosing herewith a blue print, fearing the original might become lost in mail.

Very truly yours,

Maxton Oil and Gas Co.

By *Scott C. Lowe*

Note:

Original lease executed by J. D. Bartrug and wife, who died leaving (by will) everything to his wife, Essie Lewis Bartrug. The coal has never been sold.



09/29/2023



A-11



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
CHARLESTON

N. P. RHINEHART  
CHIEF

August 4, 1936

Essie Lewis Bartrug  
Burton, W. Va.

Dear Madam:

A notice of a proposed location of oil or gas Well No. 3 on the J. D. Bartrug Farm, Church District, Wetzel County, has been received from the Maxton Oil and Gas Company, Fairmont, West Virginia. A copy of the notice and location plat should have been mailed you by the well operator.

If you have any objections to the proposed location, please file same not later than August 14, 1936.


Very truly yours,

*M. E. Griffith*

OIL AND GAS DIVISION.

MG/g

*There is no objections  
to this Well at all. from  
Mrs Essie Lewis Bartrug,  
Burton  
W. Va*







STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
CHARLESTON

M. F. RHEINHART  
CHIEF

August 4, 1936

Basic Lewis Battery  
Martinsburg, W. Va.

Dear Madam:

A notice of a proposed location of oil  
or gas well No. 3 on the J. D. Partridge farm, Lincoln  
District, Mineral County, has been received from the  
Eastern Oil and Gas Company, Martinsburg, West Virginia.  
A copy of the notice and location plat should have been  
mailed you by the well operator.

If you have any objections to the proposed  
location, please file same not later than August 14, 1936.

Very truly yours,

09/29/2023



A-12

August 15, 1936

Maxton Oil and Gas Company  
P. O. Box 375  
Fairmont, W. Va.

Gentlemen:

Permit Wet-128 to drill Well No. 3 on the J. D.  
Bartrug Lease, Church District, Wetzel County, is enclosed.

Please see that the drillers keep a correct  
and complete log of the well, giving depths at which water,  
and gas or oil are found and make a report to this department  
as soon as the well is completed.

Very truly yours,

OIL AND GAS DIVISION.

MG/g  
encl

copy to Inspector Curtney.  
Lat-39d-36'  
Long-80d-26'

09/29/2023



B-1

Wet-128  
Wet-1225

To the Department of Mines,  
Charleston, W. Va.

Gentlemen:

Below please find the record of J.D. (or Essie) Bartrug well No. 3, Church District, Wetzel County, Recently drilled by D. W. Null and Son for the Maxton Oil and Gas Company (owner) of Fairmont, W. Va., under permit duly issued by your Department. Begun Sept. 16th and completed Oct. 15/36.

Clay	Yellow-soft	0	15'	15' total
Lime	White-hard	15	50'	35'
Slate	Dark-soft	50	100'	50'
Red rock	Red-soft	100	150'	50'
Lime	White-hard	150	200'	50'
Slate	Dark-soft	200	275'	75'
Lime	White-hard	275	300'	25'
Slate	Dark-soft	300	350'	50'
Lime	White-hard	350	375'	25'
Slate	Dark-soft	375	475'	100'
Lime	White-hard	475	500'	25'
Slate	Dark-soft	500	520'	20'
Shale	" "	520	560'	40'
Slate	" "	560	600'	40'
Lime	White-hard	600	635'	35'
Bluff Sand	" "	635	680'	45'
Waynesburg Coal	Black-soft	680	683'	3' — cone
Slate	" "	683	700'	17'
Lime X	White-hard	700	765'	65'
Slate	Dark-soft	765	785'	20'
Lime	White-hard	785	800'	15'
Slate	Dark/soft	800	805'	5'
Lime	White-hard	805	935'	130'
Mapletown coal	Black-soft	935	940'	5' — cone
Lime	White-hard	940	955'	15'
Slate	Dark-soft	955	965'	10'
Lime	White-hard	965	1026'	61'
Pittsburg coal	Black-soft	1026	1034'	8' — cone
Slate	Dark-soft	1034	1065'	31'
Lime	White-hard	1065	1100'	35'
Red rock	Red-soft	1100	1130'	30'
Sand	Dark-hard	1130	1150'	20'
Red rock	Red-soft	1150	1190'	40'
Lime	White-hard	1190	1195'	5'
Slate	Dark-soft	1195	1235'	40'
Red rock	Red-soft	1235	1245'	10'
Sand	White-hard	1245	1260'	15'
Slate	Dark-soft	1260	1305'	45'
Red rock	Red-soft	1305	1365'	60'
Sand	Dark-hard	1365	1375'	10'
Slate	Dark-soft	1375	1455'	80'
Little Dunkard	White-hard	1455	1490'	35'
Slate	Dark-soft	1490	1530'	40'
Big Dunkard	White-hard	1530	1565'	35'
Slate	Dark-soft	1565	1650'	85'
Gas Sand	Dark-hard	1650	1660'	10'
Slate	Dark-soft	1660	1720'	60'
1st Salt Sand	Light-hard	1720	1760'	40'
Slate	Dark-soft	1760	1850'	90'
2nd Salt Sand	White-hard	1850	1905'	55'
Slate	Dark-soft	1905	1955'	50'
3rd Salt Sand	White-hard	1955	2015'	60'
Slate	Dark-soft	2015	2105'	90'
Red rock	Red-soft	2105	2143'	38'
Maxton Sand	Light-hard	2143	2214'	71'
		2192	2196	

— cone  
— cone  
— cone

1 1/2



Casing

	Oil		
10"	esg.	181'	7"
8 1/4"	"	1426'	7"
6 5/8"	"	1960'	

09/29/2023

Very truly yours,  
Maxton Oil and Gas Co.  
By Scou B. Lowe, Sec.



Wet-108  
Wet-109-1522

To the Department of Mines,  
Charleston, W. Va.

Gentlemen:

Below please find the record of J.D. (or Fats) Barrow well No. 8, Charles District, West Virginia, recently drilled by D. T. Neil and Son for the Maxton Oil and Gas Company (owner) of Fairmont, W. Va., under permit No. 15886 by your Department. Barrow Sect. 15886 completed Oct. 15, 1935.

15	15	0	Yellow-soft	Clay
25	50	15	White-hard	lime
50	100	50	Dark-soft	State
50	150	100	Red-soft	Red rock
50	200	150	White-hard	lime
25	225	200	Dark-soft	State
25	250	225	White-hard	lime
30	280	250	Dark-soft	State
23	305	275	White-hard	lime
100	405	375	Dark-soft	State
25	430	405	White-hard	lime
20	450	430	Dark-soft	State
40	490	450	"	State
40	530	490	"	State
25	555	510	White-hard	lime
45	600	555	"	Blue Sand
3	603	558	Black-soft	Waynesburg coal
17	620	575	"	State
65	685	620	White-hard	lime R
20	705	640	Dark-soft	State
15	720	655	White-hard	lime
5	725	660	Dark-soft	State
130	855	790	White-hard	lime
5	860	795	Black-soft	Mapletown coal
15	875	810	White-hard	lime
10	885	820	Dark-soft	State
61	946	881	White-hard	lime
8	954	889	Black-soft	Pittsburg coal
31	985	920	Dark-soft	State
35	1020	955	White-hard	lime
30	1100	1030	Red-soft	Red rock
20	1120	1050	Dark-hard	Sand
40	1160	1090	Red-soft	Red rock
5	1165	1095	White-hard	lime
40	1205	1135	Dark-soft	State
10	1215	1145	Red-soft	State
15	1230	1160	White-hard	Red rock
45	1275	1205	Dark-soft	Sand
20	1295	1225	Red-soft	State
20	1315	1245	Dark-hard	Red rock
10	1325	1255	Dark-soft	Sand
35	1360	1290	White-hard	State
40	1400	1330	Dark-soft	Little Darkhard
25	1425	1355	White-hard	State
85	1510	1425	Dark-soft	Big Darkhard
10	1520	1435	Dark-hard	State
20	1540	1455	Dark-soft	Gas Sand
40	1580	1495	Light-hard	State
20	1600	1515	Dark-soft	1st Salt Sand
25	1625	1540	White-hard	State
20	1645	1560	Dark-soft	2nd Salt Sand
20	1665	1580	White-hard	State
20	1685	1600	Dark-hard	3rd Salt Sand
20	1705	1620	Dark-soft	State
20	1725	1640	White-hard	Red rock
20	1745	1660	Dark-soft	Maxton Sand
20	1765	1680	Light-hard	
20	1785	1700	Dark-soft	
20	1805	1720	White-hard	
20	1825	1740	Dark-soft	
20	1845	1760	White-hard	
20	1865	1780	Dark-soft	
20	1885	1800	White-hard	
20	1905	1820	Dark-soft	
20	1925	1840	White-hard	
20	1945	1860	Dark-soft	
20	1965	1880	White-hard	
20	1985	1900	Dark-soft	
20	2005	1920	White-hard	
20	2025	1940	Dark-soft	
20	2045	1960	White-hard	
20	2065	1980	Dark-soft	
20	2085	2000	White-hard	
20	2105	2020	Dark-soft	
20	2125	2040	White-hard	
20	2145	2060	Dark-soft	
20	2165	2080	White-hard	
20	2185	2100	Dark-soft	
20	2205	2120	White-hard	
20	2225	2140	Dark-soft	
20	2245	2160	White-hard	
20	2265	2180	Dark-soft	
20	2285	2200	White-hard	
20	2305	2220	Dark-soft	
20	2325	2240	White-hard	
20	2345	2260	Dark-soft	
20	2365	2280	White-hard	
20	2385	2300	Dark-soft	
20	2405	2320	White-hard	
20	2425	2340	Dark-soft	
20	2445	2360	White-hard	
20	2465	2380	Dark-soft	
20	2485	2400	White-hard	
20	2505	2420	Dark-soft	
20	2525	2440	White-hard	
20	2545	2460	Dark-soft	
20	2565	2480	White-hard	
20	2585	2500	Dark-soft	
20	2605	2520	White-hard	
20	2625	2540	Dark-soft	
20	2645	2560	White-hard	
20	2665	2580	Dark-soft	
20	2685	2600	White-hard	
20	2705	2620	Dark-soft	
20	2725	2640	White-hard	
20	2745	2660	Dark-soft	
20	2765	2680	White-hard	
20	2785	2700	Dark-soft	
20	2805	2720	White-hard	
20	2825	2740	Dark-soft	
20	2845	2760	White-hard	
20	2865	2780	Dark-soft	
20	2885	2800	White-hard	
20	2905	2820	Dark-soft	
20	2925	2840	White-hard	
20	2945	2860	Dark-soft	
20	2965	2880	White-hard	
20	2985	2900	Dark-soft	
20	3005	2920	White-hard	
20	3025	2940	Dark-soft	
20	3045	2960	White-hard	
20	3065	2980	Dark-soft	
20	3085	3000	White-hard	
20	3105	3020	Dark-soft	
20	3125	3040	White-hard	
20	3145	3060	Dark-soft	
20	3165	3080	White-hard	
20	3185	3100	Dark-soft	
20	3205	3120	White-hard	
20	3225	3140	Dark-soft	
20	3245	3160	White-hard	
20	3265	3180	Dark-soft	
20	3285	3200	White-hard	
20	3305	3220	Dark-soft	
20	3325	3240	White-hard	
20	3345	3260	Dark-soft	
20	3365	3280	White-hard	
20	3385	3300	Dark-soft	
20	3405	3320	White-hard	
20	3425	3340	Dark-soft	
20	3445	3360	White-hard	
20	3465	3380	Dark-soft	
20	3485	3400	White-hard	
20	3505	3420	Dark-soft	
20	3525	3440	White-hard	
20	3545	3460	Dark-soft	
20	3565	3480	White-hard	
20	3585	3500	Dark-soft	
20	3605	3520	White-hard	
20	3625	3540	Dark-soft	
20	3645	3560	White-hard	
20	3665	3580	Dark-soft	
20	3685	3600	White-hard	
20	3705	3620	Dark-soft	
20	3725	3640	White-hard	
20	3745	3660	Dark-soft	
20	3765	3680	White-hard	
20	3785	3700	Dark-soft	
20	3805	3720	White-hard	
20	3825	3740	Dark-soft	
20	3845	3760	White-hard	
20	3865	3780	Dark-soft	
20	3885	3800	White-hard	
20	3905	3820	Dark-soft	
20	3925	3840	White-hard	
20	3945	3860	Dark-soft	
20	3965	3880	White-hard	
20	3985	3900	Dark-soft	
20	4005	3920	White-hard	
20	4025	3940	Dark-soft	
20	4045	3960	White-hard	
20	4065	3980	Dark-soft	
20	4085	4000	White-hard	
20	4105	4020	Dark-soft	
20	4125	4040	White-hard	
20	4145	4060	Dark-soft	
20	4165	4080	White-hard	
20	4185	4100	Dark-soft	
20	4205	4120	White-hard	
20	4225	4140	Dark-soft	
20	4245	4160	White-hard	
20	4265	4180	Dark-soft	
20	4285	4200	White-hard	
20	4305	4220	Dark-soft	
20	4325	4240	White-hard	
20	4345	4260	Dark-soft	
20	4365	4280	White-hard	
20	4385	4300	Dark-soft	
20	4405	4320	White-hard	
20	4425	4340	Dark-soft	
20	4445	4360	White-hard	
20	4465	4380	Dark-soft	
20	4485	4400	White-hard	
20	4505	4420	Dark-soft	
20	4525	4440	White-hard	
20	4545	4460	Dark-soft	
20	4565	4480	White-hard	
20	4585	4500	Dark-soft	
20	4605	4520	White-hard	
20	4625	4540	Dark-soft	
20	4645	4560	White-hard	
20	4665	4580	Dark-soft	
20	4685	4600	White-hard	
20	4705	4620	Dark-soft	
20	4725	4640	White-hard	
20	4745	4660	Dark-soft	
20	4765	4680	White-hard	
20	4785	4700	Dark-soft	
20	4805	4720	White-hard	
20	4825	4740	Dark-soft	
20	4845	4760	White-hard	
20	4865	4780	Dark-soft	
20	4885	4800	White-hard	
20	4905	4820	Dark-soft	
20	4925	4840	White-hard	
20	4945	4860	Dark-soft	
20	4965	4880	White-hard	
20	4985	4900	Dark-soft	
20	5005	4920	White-hard	
20	5025	4940	Dark-soft	
20	5045	4960	White-hard	
20	5065	4980	Dark-soft	
20	5085	5000	White-hard	
20	5105	5020	Dark-soft	
20	5125	5040	White-hard	
20	5145	5060	Dark-soft	
20	5165	5080	White-hard	
20	5185	5100	Dark-soft	
20	5205	5120	White-hard	
20	5225	5140	Dark-soft	
20	5245	5160	White-hard	
20	5265	5180	Dark-soft	
20	5285	5200	White-hard	
20	5305	5220	Dark-soft	
20	5325	5240	White-hard	
20	5345	5260	Dark-soft	
20	5365	5280	White-hard	
20	5385	5300	Dark-soft	
20	5405	5320	White-hard	
20	5425	5340	Dark-soft	
20	5445	5360	White-hard	
20	5465	5380	Dark-soft	
20	5485	5400	White-hard	
20	5505	5420	Dark-soft	
20	5525	5440	White-hard	
20	5545	5460	Dark-soft	
20	5565	5480	White-hard	
20	5585	5500	Dark-soft	
20	5605	5520	White-hard	
20	5625	5540	Dark-soft	
20	5645	5560	White-hard	
20	5665	5580	Dark-soft	
20	5685	5600	White-hard	
20	5705	5620	Dark-soft	
20	5725	5640	White-hard	
20	5745	5660	Dark-soft	
20	5765	5680	White-hard	
20	5785	5700	Dark-soft	
20	5805	5720	White-hard	
20	5825	5740	Dark-soft	
20	5845	5760	White-hard	
20	5865	5780	Dark-soft	
20	5885	5800	White-hard	
20	5905	5820	Dark-soft	
20	5925	5840	White-hard	
20	5945	5860	Dark-soft	
20	5965	5880	White-hard	
20	5985	5900	Dark-soft	
20	6005	5920	White-hard	
20	6025	5940	Dark-soft	
20	6045	5960	White-hard	
20	6065	5980	Dark-soft	
20	6085	6000	White-hard	
20	6105	6020	Dark-soft	
20	6125	6040	White-hard	
20	6145	6060	Dark-soft	
20	6165	6080	White-hard	
20	6185	6100	Dark-soft	
20	6205	6120	White-hard	
20	6225	6140	Dark-soft	
20	6245	6160	White-hard	
20	6265	6180	Dark-soft	
20	6285	6200	White-hard	
20	6305	6220	Dark-soft	
20	6325	6240	White-hard	
20	6345	6260	Dark-soft	
20	6365	6280	White-hard	
20	6385	6300	Dark-soft	
20	6405	6320	White-hard	
20	6425	6340		







