A FORM G-1

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To	THE I	DEPARTM	ENT	OF	MINES,
	Cha	arleston,	W.	Va	

BEATRICE YEATER COAL OPERATOR OR COAL OWNER	CARNEGIE NATURAL GAS COMP	ANY.
NEW MARTINSVILLE, W. VA.	1014 Frick Building, PITTSBURGH, PA. COMPLETE ADDRESS	
COAL OPERATOR OR COAL OWNER	MARCH 8,	
ADDRESS	PROCTOR	District
OWNER OF MINERAL RIGHTS	WETZEL 39° Well No.2-1521. 80°	45'
ADDRESS	CLARENCE BLATT	
GENTLEMEN: The undersigned well operator is entitled to dri	ll upon the above named farm or tract	t of land for
oil and gas, having fee title thereto, (or as the case ma	ay be) under grant or lease dated	
FEBRUARY 29th, 1932 , made by	CLARENCE BLATT, et al.,	, to
CARNEGIE NATURAL GAS COMPANY	, and recorded on the	4th day
of APRIL, 1932 , i	n the office of the County Clerk for sai	id County in
Book27-A, page245		

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address......day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

MAR 1937
WEST VINCINA
DEPARTMENT OF MINES

OF

Address of Well Operator CARNEGIE NATURAL GAS COMPANY,

1014 FRICK BUILDING,

PITTSBURGH,

09/22/2023

PENNSYLVANIA.

STATE

*Section 3..... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

F-D MROTE

TO THE DEPARTMENT OF MINES,

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL


(REQUIRED BY SECTION 2, CHAPTER 36, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES OR AND GAS SECTION

	Charleston, W. Va.
CARADOLE NATURAL GAS COMPANY,	BEATRIOS YEARER
NAME OF WELL OPERATOR	COAL OPERATOR OR COAL OWNER
IOIL Friok Building, PITTOWNEGH, PA.	NEW MARTINSVILLE, W. VA.
MARCH 6, 1987.	·
PROPOSED LOCATION	COAL OPERATOR OR COAL OWNER
PROCTOR District	ADDRESS
WETZEL . County	
13/1 0 68	OWNER OF MINERAL RIGHTS
Well No 2-1521, 80° 40' 60	
V =	
CLARENCE SLATT Farm	ADDRESS
	() HATE EMEN:
drill apon the above named farm or tract of land for	
may be) under grant or lease dated	oil and gas, having fee title thereto, (or as the ease
by CLARENJE BLATT, et al., to	FERRUARY 29th, 1932 made
	CARNEGIE NATURAL GAS COMPANY
Limiting the set of metalog of the comparts of	of APRIL, 1932
in the omee of the County Clerk for Said County in	Winds of the second sec
courses and distances from two permanent points, or	to be drilled for oil and gas by the undersigned well and County above named, determined by survey and land marks.
and filed their maps as required by law, excepting the as addressees. (if any) are notified that any objections they may ey are required to make by Section 3 of said Act, if use a dangerons condition in or about their respective artment of Mines within ten days from the receipt of Department. Said coal operators are further notified be furnished to them by the Department of Mines set forth as definitely as is reasonably possible the sed and indicate the direction and distance the prosed and indicate the direction and distance the pro-	of coal beneath said farm or tract of land on which sartes of the same, who have mapped their workings coal operators or coal owners (if any) above named desire to make to such proposed location, or which the desire to make to such proposed location, or which the fine drilling of a well at said proposed location will call coal mines, must be received by, or filed with the Depage a copy of this notice and accompanying plat by said that forms for use in making such objections will be promptly on request and that all such objections must ground or grounds on which such objections are bas posed location should be moved to overcome same.
in Department's copy.) re mailed by registered mail, or delivered to the above	(The next paragraph is to be completed only Copies of this notice and the enclosed plat wer
shown respective address	named coal operators or coal owners at their above so or on the same day with the mailing or delivery of
traly yours,	West Virginia.
CARNEGIE NATURAL GAS COMPANY, well operator	YEST RAM
tonicina boies ficoi	The March 15th Total
STREET	Address Address]
PITTSBURGH.	Well Operator
CITY OR TOWN	09/22/2023
PRINSYLVANIA.	
T TOWN DOWN THE A MANAGEMENT OF	

"Section 3 . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operators a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

43[+#eW





STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

COAL OPERATOR OR COAL OWNER ADDRESS COAL OPERATOR OR COAL OWNER ADDRESS OWNER OF MINERAL RIGHTS ADDRESS GENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	THE MANUFACTURERS LIGHT & F 800 UNION TRUST BUILDING PITTSBURGH 19, PENNSYLVANIA COMPLETE ADDRESS July 8, 1954 PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by , and recorded on the	
ADDRESS COAL OPERATOR OR COAL OWNER ADDRESS OWNER OF MINERAL RIGHTS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	800 UNION TRUST BUILDING PITTSBURGH 19, PENNSYLVANIA COMPLETE ADDRESS July 8, 1954 PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	
ADDRESS COAL OPERATOR OR COAL OWNER ADDRESS OWNER OF MINERAL RIGHTS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	800 UNION TRUST BUILDING PITTSBURGH 19, PENNSYLVANIA COMPLETE ADDRESS July 8, 1954 PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	
ADDRESS OWNER OF MINERAL RIGHTS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	July 8, 1954 PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tracte case may be) under grant or lease dated made by	
ADDRESS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tracte case may be) under grant or lease dated, made by	DistrictCounty Farm of land for
ADDRESS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	PROPOSED LOCATION Proctor Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tracte case may be) under grant or lease dated, made by	DistrictCounty Farm of land for
ADDRESS ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Wetzel Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tracte case may be) under grant or lease dated, made by	County
ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tracte case may be) under grant or lease dated, made by	County
ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	County
ADDRESS ENTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Well No. Foreign Well F-14080 Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	Farm of land for
ADDRESS INTLEMEN: The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	Farm of land for
The undersigned well operator is entitled and gas, having fee title thereto, (or as the	Clarence Blatt d to drill upon the above named farm or tract e case may be) under grant or lease dated , made by	Farm
The undersigned well operator is entitled and gas, having fee title thereto, (or as the	d to drill upon the above named farm or tract e case may be) under grant or lease dated, made by	of land for
The undersigned well operator is entitled and gas, having fee title thereto, (or as the	d to drill upon the above named farm or tract e case may be) under grant or lease dated, made by	of land for
The undersigned well operator is entitled and gas, having fee title thereto, (or as the	e case may be) under grant or lease dated, made by	
and gas, having fee title thereto, (or as the	e case may be) under grant or lease dated, made by	
,	, made by	
		, to
		,
	and recorded on the_	
	, in the office of the County Clerk for sai	d County in
nu marks.	y and courses and distances from two permane	
coal beneath said farm or tract of land on w	ed and believes there are no coal operators op which said well is located, or within 500 feet of orkings and filed their maps as required by law, amed as addressees.	f the hound-
The above named coal operators or coal ownsire to make to such proposed location, or white drilling of a well at said proposed location was	wners (if any) are notified that any objection ich they are required to make by Section 3 of a will cause a dangerous condition in or about the Department of Mines within ten* days from the	said Code, if
at forms for use in making such objections we request and that all such objections must set to ounds on which such objections are based and in	said Department. Said coal operators are fur vill be furnished to them by the Department of Mi forth as definitely as is reasonably possible the adicate the direction and distance the proposed loc	ther notified ines promptly
moved to overcome same.		
(The next paragraph is to be completed	[2] (CONTROL OF SECOND SEC	
	t were mailed by registered mail, or delivered	to the above
est virginia.	ery of this copy to the Department of Mines a	ay before, t Charleston,
15 16 17 18 19 20 3	Very truly yours,	BIR
JUL1954 23	WELL OPERATOR	1
RECEIVED Address of	STREET	
MEST AFURITO		00/00/0000
WEST OF MINES Well Open	CITY OR TOWN	09/22/2023
WEST VIRGINIA OF WEIL OPEN	CITY OR TOWN	OOILLILOLO

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

154-Redull

WET-154-R PERMIT NUMBER



THE MANUFACTURERS LIGHT AND HEAT COMPANY

800 Union Trust Building

PITTSBURGH 19 • PENNSYLVANIA

July 7, 1954

RE * Foreign Well F-14080
Proctor District
Wetzel County, West Virginia

Department of Mines Oil and Gas Division Charleston, West Virginia

Gentlemen:

Some time in 1937, the Carnegie Natural Gas Company applied to your department for permission to drill their well #1521 and your department granted them permit WET-154 on the O. D. Nutter farm.

It is our intention to reopen this foreign well 14080 for storage purposes and we would like to have you grant us permission to recondition this well. We do not as yet have a lease for this farm and we do not have any records for this well from the Carnegie Natural Gas Company, therefore we cannot fill out any forms necessary in usual applications. If you would desire us to obtain any additional information than above listed, please advise and we will do our best to grant your request. Your earliest reply would be appreciated.

Yours very truly,

THE MANUFACTURERS LIGHT AND HEAT COMPANY

Ben S. Cooper, Land Agent

lgs



: memelidaen:

range and 08041 lies regard abilities per of notineant and at di any records for this well from the Cornegie Natural Ges Continy, therefore we cannot till out any Torne necessary in usual applications. If you would alviec and rewill do our best to grant your request. Your earliest reply would be ammodiated.

THE MAINTACTURERS LIGHT AND HEAT COMPANY



A-11 154-Redull

July 8, 1954

Mr. Ben S. Cooper, Land Agent The Manufacturers Light & Heat Company 800 Union Trust Building Pittsburgh 19, Pennsylvania

Dear Mr. Cooper:

We acknowledge receipt of your letter of July 7 in regard to re-opening Carnegie Natural Gas Company's Well No. 2-1521 on the Clarence Elatt Farm, Proctor District, Wetzel County for storage.

Even though you do not yet have a lease for the tract, we must have formal application in order to issue a permit. Any work done on the property without lease, is of course, the responsibility of your Company and we have no doubt that these matters will be worked out satisfactorily.

Please sign the enclosed prepared form and return to us immediately. When the lease has been made and recorded, please send us the additional information so that the application form can be completed.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

MG:g encl

cc: Mr. Bryan Shuman, Inspector

D-6		1 1	(0)	(19a	07.0	l p "	
Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime	White	Hard	1140	1180			
Slate	White	Soft	1180	1220			
Slate	Dark	Soft	1220	1270			
Rock	Red White	Soft Soft	1270 1285	1285 1300			g Baller per Br
Slate Lime	White	Hard	1300	1315	Water 1	985	littaburgh Coal
Slate	Dark	Soft	1315	1335	1312'-	87 "	
Sand	Dark	Medium	1335	1360	15	4	Little Dunkard
Slate	White	Soft	1360	-1376	/ St. Br		
Rock	Red	Soft	1376	1395	103.4	国期的 化物 形象	
Slate	Dark	Soft	1395	1/1/10		127 Manay	
Lime	White	Hard	11,40	1448		17001201	17
Slate	White	Soft	1/1/8	1465	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Jan .	1
Rock	Red	Soft	1465	1472	- A	1, 100	Big Dunkard
Sand	White	Medium	1472	1495 1510			Dig Duikard
Slate	Dark	Soft	1510	1540			
Sand	Light	Soft	1540	1555		200	TES ELLES
Slate	Black	Soft	1555	1560		Se	
Sand	White	Medium	1560	1595			Gas Sand.
Slate	Black	Soft	1595	1655			
Lime	White	Hard	1655	1670			
Slate	Dark	Soft	1670	1695			2 . 2 21 2 - 1
Sand	Light	Medium	1695	1740			1st.Salt Sand.
Slate	Black	Soft	1740	1775		1996	Bailers per H
Sand	Dark	Medium	1775	1790	Water	1776	t barrers ber r
Slate	Dark	Soft	1790	1840			2nd.Salt Sand.
Sand	Light	Medium	1840	1900			TIME DATE O Marie
Slate	Black	Soft	1900 1907	1917			Swar
Lime	White	Hard	1917	1951	intu's	45/4	
Slate	Dark	Soft Hard	1951	1972	1964	TO'S	3rd. Salt-Sand.
Sand	Dark	Soft	1972	1993	ARM DISTRICT		
Slate	Dark	Hard	1993	2003			
Sand	Dark	Soft	2003	2020	Marter	3038.	I Builer per in
Slate	Light	Hard	2020	2080			Maxton Sand.
Sand Sand	White	Hard	2080	2112			Big Lime
Sand	White	Hard	2112	2160		03/0 03/5	Big Injun
Sand	White	Medium	2160	2165	Gas	2160-2165	2/10 W. 1".Bi
ACT TO SERVICE STREET			2165	2176			
Sand	White	Hard	2176	2181	Gas	2176-2181	4/10 W. 1".Bi
Sand	White	Medium	2010	Battom	Oll Gas	Depth	Injun Sand.
Formation	Dark	Soft	2181	2250			
Broken	Dark	Hard	2250	2370			THE OWNER
Sand	Black	Soft	2370	2372	E TIME	HIR TO LET	ET INCHES
Slate Sand	Dark	Hard	2372	2385	E THE	HIS THE	EFFERENCHES
TOTAL DEPTH	ape	foot	2385	COAL WAS	MACOUNTERE	D AT 887 FI	EL TINCHES
OH DIA III			Spin 1				
		and barries	pt.		MENTED	SINE SINE	N. FT. Date
Volunie			Cu. Pt.	CASING CE	THEFALLOS		
	/10ths Me	rc. in	Theb				er i notroui
Open Flow	April Ma	ter in L"	Inch				Per Bottom
		Depth of say	d 2160'-2161	f. Liners Used.	Kone		Peri
Date shot 5/				S			For L bottom
	o Property of the Property of	21, 1957.		3 3			Per C. tab
	one d Apr	11.5, 1957.	The state of the s	B 3/16		1-1	
Footer Bla	44	Address Heat.	AB TO THE RESERVE OF THE PARTY		2126	1361	Del Charles
Mineral right	car owned b	- Canada, An	1050. A	0.6/8		7218	
g topper t	lott,	Address Wost.	W. Wa.	817	1655		Sign of
The surface a	Lines is own	ed in fee by Clare	noe, Ambrose,		SAT	OL'1	
District Tro			tiel	13			Wind of Theretal
			Elev 1139	16	***		
Well No. 24	THE THE WANT	OL DEN TOU		Size			
		tor tork "lah (Acres 60				
Farm	iar page 1			Tubing	Drilling	M.9II	Packers
Address	Lt sburgh	Femerivanie.		Casing an	d Used in	no/	22/2023
	or at to the	tural des com	OP UA			031	

APPROVED CARNEGIE NATURAL GAS COMPANY, Own

B-11

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No. Wet-154

Oil or Gas Well GAS

(Title)

	ACTION DESCRIPTION OF THE PERSON OF THE PERS		(K	ind)
Company Carnegie Natural Gas Company Address Pittsburgh, Pennsylvania. Farm Clarence Blatt Acres 60	Casing and	Used in Drilling	Left in Well	Packers
Well No. 2-1521 District Proctor Wet 139	Size			Kind of Packer
The surface of tract is owned in fee by Clarence, Ambrose, & Foster Blatt, Address West, W. Ve.	13 10 8¼		211	
Foster Blatt, Address West, W. Va.	6 5/8	2126	1312 1964	Depth set
Drilling commenced April 3, 1937. Drilling completed May 21, 1937. Date shot 5/28/37 Depth of shot 2160'-2181'	3			Perf. top
Open Flow 1/10ths Water in	Liners Used	None		Perf. top
Rock Pressurelbshrs.				No. FTDate
Salt water	903 FEET	INCH	ES	FEET INCHES FEET INCHES

Salt water	2.84 mg	feet	fee		ETINC	HESFE	EETINCHES
· 19	Lerk 1	2924	166	tFE	ETINC	HESFE	CETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil Gas or Water	Depth Found	型型 Remarks
Clay	Yellow	Soft	0	8			1-V20 W. 2" - B16
Sand	White	Soft	8	18			TOTAL SECURITY
Slate	White	Soft	18		CALS	5100-5102	5/10 10
Lime	White	Medium	40	40 65			Topic miles
Slate	Dark	Soft	65		APPER NO. 1 40		PIE NEE
Sand	White	Soft	90	90		The second	MAXLOR SERIO.
Mud	Blue	Soft	98	98	Water	901-981	l Bailer per Hr
Rock	Red	Soft		130			
Mud	Blue	Soft	130 152	152			4.5
Lime	White	Hard		170	Water	160'	3 Bailers.
Rock	Red	Soft	170	180	241'-1		
Slate	White	Soft	180	260	~ / / -/		
Lime	White	Hard	260	280			
Slate	White	Soft	280	292			SWITCH WOMEN
Rock	Red	Soft	292	350			
Lime	White	Hard	350	395	MUCBL.	3770	T nullers her m
Slate	Dark	Soft	395	405			
Rock	Red	Soft	405	490			Tac + gure course +
Slate	Dark	Soft	490	510	1.36		
Coal	Black	Soft	510	540	1		
ime	White		540	543			
Slate	White	Hard	543	570			pes geng+
Lime	White	Soft	570	610			
Slate		Hard	610	620			
Sand	Dark	Soft	620	635			
	White	Soft	635	640			
Slate	White	Soft	640	656	1	678.910	hard printering
ime	White	Hard	656	690	/3ª	1/1/77	
Rock	Red	Soft	690	715	13	678.91017	1
late	White	soft	715	730		10011931	号\
and	White	Soft	730	740	1	WEST VIRGINIA	516
late	White	Soft	740	754	155 MI	ARTMENT OF MINES	677
ime	White	Hard	754	887	18500	ARTMENT OF MINES OPEN RESTRICTED TO MINES	64,000
oal	Black	Soft	887	890	(E)	09/	22/2023
ime	White	Hard	890	960	16	8 C) +7 C) 17. 60	
Slate	White	Soft	960	985		010700	D
oal	Black	Soft	985	991	Water	985	Pittsburgh oal.
Slate	White	Soft	991	1000			Bailer per Hre
ime	White	Hard	1000	1025			
late	White	Soft	1025	1065			
and	White	Medium	1065	1085			
late	White	Soft	1085	1100			
Rock Louision	RedColor	Soft	1100	1140	On Water	Found Series	Remarks





July 19, 1954







The Manufacturers Light and Heat Company 800 Union Trust Building Pittsburgh, Pennsylvania

Gentlemen:

Att: Mr. Ben S. Cooper

wells:

Enclosed are permits for the redrilling of the following

Permit No. Well No. Wet-137-R F-13827 F-14080

Clarence Blatt
Clarence Blatt
Proctor
Proctor

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CNH: K Encl-2

CC: Inspector Bryan Shuman

The Manuacturers Light and Heat Company Soo being fautt moing one Sitte our charge and areasting

Atts Wr. Ben S. Cooper

Gentlemen:

Enclosed are permits for the redrilling of the following

rallaw

Perult No. .cW IIoW

Wet-137-R Wet-151-R

Farm F-13827 F-14080

Clarence Blate Clarence Blatt

dointeid

Procton Proetor

Very truly yours,

Instalact syllatteininbA OIL AND CAS DIVISION

> T:HMO Enol-2

CC: Inspector Bryan Shuman

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks

			± 61973				
Reconditio	ed for eta	rege on Werl	(Crder Wo.)	1151-1-731-4			
To one was							
Cement & S Set Alera I Total Dept	hate		2050	2016			
Set lead p			\$130	21.50 2050			
Glg. cut t			2218	2210 2130	Schluberge	r moseurchie	D C
	Coler	Need or Soft	Swar	Bottaga	017, 548 01. N.p.185	Lingth Founds	Comarks
		Teet /	1,561	LEP.		area de la companya della companya de la companya de la companya della companya d	
		jpa	bbie, the 24 bre,	COAL WAS E	ACOSMUSKEDS ACOSMUSKEDS	d. Les	
	Vietha Misro, i O.:COU		Transfer at the property of th	CANING CEMP			
AND FIDE O		3/8	Angh				
	3 LODD	10		Lamers Frede.		2.0	5359
		dber 2, 195		0.00			r to the second
	owned by	Lidress		2.8\10		2008 t On	lep se
		SE DA TELEFOR		10	Syle i Cir	240'0" S	07
	1 (Faltoso) NET	rel rel	16			
			eres Call	Siza			
U. B	latt			THE PERSON OF THE PROPERTY OF THE PERSON OF			
300 T	TON TRUET	BULLDING.	the later with the later was been all the later with the later wit	Manual Cooling and Tooling	Theory and	Left in -	1,00 gots
Mannang Soc T	TON TRUET	BUILDING., 1	the second control of	AFCOME	Tiselin	Le-62 324	22/2023

Date January 2, , 19 57

APPROVED THE MANUFACTURERS LIGHT & HEAT CO., Owner

By Alth A. Perry LAND AGENT

MATHEWS PRINTING AND LITHOGRAPHING CO

B-3

madrangle Littleton



STATE OF WEST VIRGINIA HE WYMALVOLAKERS TIGHE & HILLE CO.

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No. WE	T-154			RECORI)	Oil or G	as Well Gas
Address 000 U	NION TRUST	TURERS LIGHT A	ND HEAT COME	Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters))	A (30) EI		Size			Kind of Packer
		County Wet		13			
		fee by		10	01/0011	246'0"	Size of
		Address		81/4		1315'0"	
				6%			Depth set
		Address		5 3/16		2008:0"	
Orilling commenc		ember 2, 1954					Perf. top
Orilling complete	d Nove	ember 15, 1954		2			Perf. bottom
		пТо		Liners Used			Perf. top
With							Perf. bottom
Open Flow O	/10ths Water	in 3/8	Inch				
		in	Inch	CASING CEM	ENTED	SIZE	No. FtDate
Volume	0.000		Cu. Ft.				
Rock Pressure		lbs	hrs.	COAT WAS E	MOOUNTERED	A.TD	FEETINCHES
Oil			obls., 1st 24 hrs.				
Fresh water		feet	feet				FEETINCHES
Salt water		feet	feet	FEE	TINCE	IES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clg. out t Clay & Sto Set lead p Cement Cement & S Set lead p Total Dept	ne lugq tone lug h		2218 2130 2050 2016	2218 2130 2130 2050 2016	Schlumberg	er measure	ement
Reconditio	ned for st	orage on Work	Order No. 1	451-L-731-L	4		

311209/22/2023



pudder	

DEPARTMENT OF MINES OF MINICABLE Tools

WELL RECORD

Gas Oil or Gas Well....

			(KIND)
Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer None
	1 . 1		
	The state of the s	2461	Size of
		1315'	
			Depth set
		19941	1
			1
CASING CEMINAMENT OF SERVICE COAL WAS E	ENTEDent used (bags)e CoWell NCOUNTERED TING	SIZE (See 1 Service AT CHES	FEET INCHES
HOURS		P4	
Salt Water	Depth 19	194-2016	
	Size 16	Tubing Drilling	Tubing Drilling Well

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Clg. out Clay & St Lead Plug Cement Cement & Lead Plug Total Dep Maxton Sa	one Stone th		2130 2050 2016 1994	2218 2218 2130 2130 2050 2016 2016 2016			
				bags- bags- bags-	8 5/8" Csg. no return. 5 1/2" Csg.	cemented c	wit h 350
		2 dorall				09/	22/2023
.CO TAE	S LICHT S	esendoj	ETT				

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
			831				
	57		Side Fig.	LULISH TAN CO	AL JO CO.	7.7	
ac		The state of the s	1000			5-	AET-IEN
					D 4	endro como com, co	
				0.		offet Ders I Denst 316s.	
None				0	Sent.	Ormst 216g, e 216tt	Olemen
					9407		4544-7
		15! 1315! 15! 1315!			Wetzel		retear
						Assistant no s	
		प्राप्त । पर्व	in the				
						45-3-5	
						75-57-00	
						And the second	
		4.77.21.2		and		100 miles	
-	Delon)		Design transmit in agent			ne	C I
	e, Inc.	Well Serrice		-	. 27		0
			77,1771			2 3	
		1. 41. 1. 1.	73/17			· Constant	
						1	
		102-4601-				[coten	
						- 10/4"	
			0.5	23			
			1.8	2	2130		Oler & Stone
			18 20 30 50 20 15 15	=	2050		Dent Plag Conest
			50		2616	9	Ceneut & Stor Desc Flor
			1.6	09	Joseph Market Ma		Leve Ping Total Perti
							DESCRIBE TO THE
50	itim betie	h dec. dem	103				
350	id a bed e	eturu. 1/8" Jøg. der	f baser no b				
075	ented with	et 27.	pogs-nor				
		return.	po s o - s oog	Y			
						12.3	

D-4-	March	00	 19 77

APPROVED_

(Title)
Manager, Land, Leasing & Right of Way

OG-11 . B-5

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WET 154R FORS FOR	185	Oil or Gas Well			
Company ME &'s highT and Heat 60	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address Pitts box & DA	Size			Should Sin-	
Farm Coldrence Blatt	16		16015879 	Kind of Pac	ker
Well No. F 14080	10		7 47770 084	Size of	TERMINE.
District Proctor County Wetsel	81/4				
Drilling commenced Sept 2-54	6 % 5 3/16			_ Depth set	
Drilling completed Total depth 777	3	1013	Min	Perf. top	
Date shotDepth of shot	Liners Used	STO 11213	14/3/6	Perf. bottom	
Initial open flow/10ths Water inInch Open flow after tubing/10ths Merc. inInch		(0)	IVED ?	Perf. bottom	
VolumeCu. Ft.	CASING CEME	WEST V	F MINES SIZE	No. FT	Date
Rock pressure lbs. hrs.		\$ 293037	15/15/30/32		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh waterfeetfeet	FEET_	INCH	ES	FEET	INCHES
Salt water feet feet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names W. a. Rightner Stan	ly Stra	it			: in sector's
Ed Phinehart A	Laminer	0			
Remarks: 0	0				

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				Well	No	
COMPANY	- 10		ADDRESS			
ARMDISTRICTCOUNTY						
illing Material Used						
iner Loc	cation	Amount	Pacķer	Location		
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
	2 1 1 5 Table 20 2 Table 20 Ta					
	13.2					
The state of the s		5/				
	A CHARLES HE SEE	112/2/18/4D	Office a loss of			
rillers' Names			J94-2-3, 12-12-12-12-12-12-12-12-12-12-12-12-12-1			
Remarks:						
					u.	
	I hereby certify I	visited the ab	ove well on this date.			

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

-			
Well No.15	(1	0	
Permit No.	7	17	

Permit No.15 4 R		Oil or Gas Well		
Company 1/2 f's hight and the atto	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Dills books 1 pa	Size			Laborti laroya Kaya Gift
Farm Plarence Blatt	16		Pleating	Kind of Packer
Well No. 14080.	13		7 A / 12 G (1) E	Size of
District TrocTor County METTE	81/4		The second	TOO ASSESSMENT TO THE STATE OF
Drilling commenced	65/8			Depth set
Drilling completed Total depth \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FTDat
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET_	INCF	IES	_FEETINCHES
Salt waterfeetfeet	FEET_	INCE	IES	FEETINCHES
Drillers' Names N. A LivehTucro Stan	bey ST	411		Remarks
Remarks Cleaning DUT FOR	Jehnin	185		
The portogen	21 ml as 6	0445		
6611121	31415167			



DISTR 09/22/2

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

ermit No.	<u>-</u>		**************************************	Well	I No		
OMPANY			ADDRESS				
ARM	COUNTY						
illing Material Used				73.62	- 4		
	- cattles	Amoun	t Packer	Location			
	ocation	Amoun			G AND TU	PING	
PLUGS USED	AND DEPTH PLACED		BRIDGES		1671		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
					4		
•							
					789		
de tra							
BORGO							
rillers' Names							
rillers Names							
emarks:		•					
DATE	_ I hereby certify l	visited the	above well on this date.				

.B=8

FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

PROPOSED MANNER OF PILUGGING AND FILLING WELL

WEST VIRGINIA DEPARTMENT OF MINES

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To The Department of Mines, Charleston, W. Va.

Charleston, W. Va.	201800	"ako ve 6-6/8"
	Carnegie Natural Bas	Company
Beatrice Yeater,	NAME OF WELL OPERAT	
COAL OPERATOR OR COAL OWNER	1014 Frick Building	Mil with clay
hard and not	Pittsburgh, Pa.	Set 6g" Soltd
New Martinsville, W. Va.	COMPLETE ADDRESS	vafo djim III
ADDRESS	wood plus on account	
and state of the s	June 4th,	19 37
COAL OPERATOR OR COAL OWNER	WELL TO BE ABAND	ONED
	Tron of 18 FF month	cale dita for
runs will evens 105 bus voted 107 galace	'Proctor'	District
mwodelgad erodu Appress of woled 108 canilod	이 그는 그리는 사람들은 아이들은 사람들이 가지 않는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이다.	MIS DELWIE PA
	Wetzel of 'See Borre	
		04100 01 01 000
LEASE OR PROPERTY OWNER	COSS of 1983 mort far	ngo listwing it.
	Well No. 2 - 1521	OF SUPPLY
land of the second of the seco	on the contract of the contrac	para dala Tra
ADDRESS	Clarence Blatt	Farm
the state of the s	done in worksen-like-nam	1. 工程程序的 4.5 W.T.
Gentlemen:—	and the second s	57 CV, 41978 FF
The undersigned well operator is about to aband	don the above described well and v	vill commence the
The second secon	24	
work of plugging and abandoning said well on the		
(which date shall not be less than five days after the		
due course should be received by the Department of		To the Department Cost Owner or
mi	orly O caer.	Louse or Prop.
This notice is given you in order that your respectively.		
and filling of said well. You are further notified the		
undersigned will proceed on that date, or shortly the	1314—13620—1824年2月2日2日2日2日2日2日2日2日2日2日2日2日2日2日2日2日2日2日2	DO-HOLL TO BY OTHER
required by Section 10, Article 4, Chapter 22 of the	1800년(1918년 - 1918년 - 1	
notice, in "Work Order."		on opposite side of
zuly yours,		
This notice is being mailed by registered mail to	each of you at the above addresses	on the above date.
TotaleqO HeW . Very	truly yours,	
or coal operator, or any available adjacent lease or	have been filed by the coal owner	No objections
Nines to the manner Levelu described for the plug- ore the same is hereby approved thisday	TO TOP CAPMECTE NATIDAL CA	S COMPANY
· Control of the cont		Vell Operator.
DEPARTMENT OF MONES		10
A CARACTER STATE OF THE STATE O		

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage 1942/1923 names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

Wat-184-8

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows: TOTAL DEPTH 238	WEST VIRGINIANS
F411 with clay from 2385! to 2127!	
Set 6-5/8" Solid wood plug at 2127	
Fill with cement from 2127' to 2112' Sealing F	Big Injun Sand 🚣
Fill with clay from 2112 to 1984	
Set 6-5/8" Solid wood plug at 1984!	To Tue Depigrament or Minns,
Fill with cement from 1984! to 1966!	Charleston, W. Va.
move 6-5/8" Casing	.o f vir filotofilatio
Fill with clay from 1966' to 1853'	
Set 81 Solid wood plug at 1853	
Fill with cement from 1853' to 1840' Sealing 2	and. Salt Sand - water and and and
Fill with clay from 18401 to 1580	COAL ORBATOR OR COAL OWNER .
Set 82" Solid wood plug at 1580	
Fill with cement from 1580' to 1560' Sealing (Gas Sand
Fill with clay from 1560' to 1350'	New Martinsville, W. Ta.
Set 81 Solid wood plug at 1350	RESPIECA
Fill with cement from 1350 to 1335' Sealing 1	Little Dunkard Sand -
Fill with clay from 1335' to 1315'	
Remove 84 Casing	RISHTIO TAGO RO ROTANISTO JAGO
Fill with clay from 1315' to 1021'	
Fill with cement from 1021' to 965' this begin	ng 30! below and 20! above Pittsburgh Coa
Fill with clay from 965' to 920'	
Fill with cement from 920' to 867' this begin	g 30! helow to 20! above Mapletown Woal
Fill with clay from 867' to 292'	5 00 1010 10 10 10 10 10 10 10 10 10 10 1
Set 10" Solid wood plug at 292'	
Fill with cement from 292' to 280'	
Fire with class from 2001 to 2451	CENTE OR PEOPLETY OWNER
Fill with clay from 280' to 245'	
Remove 10" Casing	
Fill with clay to surface	Yeardox
Louis sommand	1031 Regulations
Erect Marker such as described in Rule 31, -	
All wark to be done in workman-like-manner	

NOTE BY THE DEPARTMENT OF MINES:

To the Department of Mines, Coal Owner or Operator, Lease or Property Owner.

IF SEAM OF COAL AT \$40 540 to 543° is marketable, same must be cemented from 30° below to 20° above.

Gentlemen:

This "work order" is submitteed for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

CARNEGIE NATURAL GAS COMPANY.
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....day

DEPARTMENT OF MINES
Oil and Gas Division

y: 1 61 61 Dotter 1 6 0 1 1 1

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said wells.

B FORM G-B

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Beatrice Yeater	Carnegie Natural Gas Compa	
COAL OPERATOR OR OWNER	1014 Frick Building	
New Martinsville W Va	Pittsburgh, Pennsylvania.	
	July 21,	19 37
COAL OPERATOR OR OWNER	WELL AND LOCA	
	Proctor	District
Clarence Blatt et al		
LEASE OR PROPERTY OWNER	Wetzel	
West W Va	Well No. 2 - 1521	
ADDRESS	Clarence Blatt	Farm
AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED	MAIL TO THE DEBARTHENT ONE CORY TO BE OFF	
OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED	TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RES	SPECTIVE ADDRESSES.
AFFIDA	VIT	
STATE OF WEST VIRGINIA,		
COUNTY OF Wetgel SS:		
COUNTY OF Wetgel SS:	J. S. Temani	t
being first duly sworn according to law depose and say		
and filling oil and gas wells and were employed by Car	negie Natural Gas Co.	well operator
and participated in the work of plugging and filling the	above well, that said work was com	menced on the
14 day of June , 19 3	7, and that the well was plugged	l and filled in
the following manner:		
Manner in which sand was plugged: TOTAL DEP		
Filled with clay from 2385 to 2127 . Set	6-5/8" Solid wood plug at 2	127'. Filled
with cement from 2127' to 2112' sealing Bi to 1984'. Set 6-5/8" solid wood plug at 19	g Injun Sand. Filled with cement fro	lay from 2112
1966'. Removed 6-5/8" Casing. Filled with	clay from 1966' to 1853'. S	Set 82" Solid
wood plug at 1853'. Filled with cement from	m 1853: to 1840: Sealing 2n	id, Salt Sand.
Filled with clay from 1840' to 1580'. Set cement from 1580' to 1560' Sealing Gas San	d. Filled with clay from 15	60' to 1350'.
Set 82" Solid wood plug at 1350'. Filled w Dunkard Sand. Filled with lugged from 1335	ith cement from 1350 to 13	35! Sealing Little
Dunkard Sand. Filled with clay from 1335 clay from 1315 to 1021. Filled with ceme	to 1315'. Removed 84" Casin	g. Filled with
to 20' above the Pittsburgh Coal. Filled w		
from 920' to 867' this beeing 30' below to	20' above the Mapleton Coa	l. Filled with
clay from 867' to 573'. Filled with cement to 20' above the vein of Coal. Filled with		
plug at 292 . Fille d with cement from 292 .	to 280'. Filled with clay	
245'. Removed 10" Casing. Filled with clay		
Description of monument: Size 2' X 1'-6" Clarence Blatt		as Company
Date July 6th,		
THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE	PROVISIONS OF SECTION IO ABTICLE & CHARTER	as of the cope,
13/8		
and that the work of plugging and filling said well was c	ompleted on theday ofd	ury,
19		
And further deponents saith not.	My & Hauf	
	If I want	00/22/2022
	D.D. Ilmant	09/22/2023
Sworn to and subscribed before me this. 3	y of august	19.37
COLUMN TO THE PROPERTY OF THE PARTY OF THE P	W. J. N.	
My Commission expires:	Notar	y Public.
Sept 6 1943		
	Wet-15	4-P
	wet -10	

PURING TO THE REPARED AND ADDRESS Crimerie Todarel Gro Congony 1014 Wrick milding Litusburgh, Longsylvenin. FAGT - N comparato correct desired of the correct STATE 0-8





OIL & GAS DIVISION DEFT. OF MINES

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES, Charleston, W. Va.	1,7 5	Aveal Estat
Consolidation Coal Company	The Manufacturer	s Light and Heat Company
Coal Operator Ohio Valley Division - Drawer L	Name of	Well Operator
Ohio Valley Division - Drawer L Moundsville, West Virginia 26041	rost office	Box # 1190
Address Address	Pittsburgh, Penns	sylvania 15230 te Address
Address	Comple	te Address
Coal Owner	February 16,	Marie Control of the state of t
Coal Owner		Date
	Proctor	E ABANDONED \ District
Address	1,50	1.0 - 0.7/CH
	Wetzel	County
Lease or Property Owner	Well No. Z-S-L	-141314
Address	Clarence Ris	of of grices) off
no Valence 230.	df lefter up	Farm
nspector Arthur Null, Box # 296, Hundred, TO BE NOTIFIED 24 HOURS IN ADVANCE OF		Telephone _ 775=5611
he work of plugging and abandoning said well on ot be less than five days after the day on which hould be received by the Department of Mines). This notice is given you in order that your resulugging and filling of said well. You are further the presented the undersigned will present the presented the undersigned will present the presented the undersigned will present the presented the presented the undersigned the presented the presente	this notice so mailed is	received, or in due course
represented the undersigned will proceed on that of the relation of the relation of the reverse side of this notice, in "Work Order."	date, or shortly thereat	ter to plug and fill gaid
This notice is being mailed by registered mail bove date.	l to each of you at the	above addresses on the
	Very truly yours,	
	THE MANUFACTURE	RS LIGHT AND HEAT COMPA
	Lamo Ci	ungfan Well Operator
	- VIII	Well Operator
OTE: Upon the abandonment of any well drilled egistered engineer, shall be filed with THREE CONWORK ORDER" AND TWO COPIES OF THE how the district and county in which the tract of line name or names of the owners and names of adjudandoned, determined by survey with the courses not points or landmarks on said tract, in compliance gulations.	PIES OF APPLICA WELL RECORD, (O and is located, the nan acent tracts and the lo	TION, (OG-9) AND G-10). The map must me and acreage of same, cation of the well to be well from two perman-
NOTE: In case plugging is not commenced with nall expire and be of no further force or effect.	in four months from t	he date of permit, same
OTE · PERMIT IS NOW TRANSFERADIE		

WET-154-R-

Permit Number

AFFIDAVIT, FORM OG-8, MANNER WELL PLUGGED MUST BE SUBMITTED TO OBTAIN RELEASE OF WELL UNDER BOND.

BLANKET BOND

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Total Depth

20161

Set 5-1/2" Bridge Plug

1974

Cement

1974 to 1964

Aquagel

1964 to Surface

Casing previously run and cemented to the surface

Proctor

10-3/4"

246

rgh, Pon u Avenda

8-5/811

1315

5-1/21

775-5611

Lotticl 1994' (Set)

No Casing to be pulled from the well.

Erect Marker as per rule # 14

1969 Regulation

Articar Hall, Dosc # 296, Bandred, D. Va. 26575

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

IF PARTIAL PLUGGING PLEASE SUBMIT REVISED WELL RECORD WHEN WORK IS COMPLETED.

Composition to deal of the composition of the compo

Nio V Llo Livinion - Lr ver Monadarille, Tent Virginia

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly yours,

THE MANUFACTURERS LIGHT AND HEAT COMPANY

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby 1962/2023

DEPARTMENT OF MINES Oil and Gas Division

By:

whith toda

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

OG-11 B-11

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 100T-154-8.P.	FINAL		Oil or Gas Well		
Company MFG. Light AND He	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS	
Address	Size				
Farm CLARENCE BLATT	16			Kind of Packer	
Well No	13			Size of	
District PROCTOR County Local	81/4				
Drilling commenced	6%			Depth set	
Drilling completedTotal depth	5 3/16	DECEI	WEIN	Perf. top	
Date shotDepth of shot	2	AUG 16	1971	Perf. bottom	
Initial open flow/10ths Water in	_Inch Liners Used	OIL & GAS DI		Perf. top	
Open flow after tubing/10ths Merc. in	1 1	PT. OF	WINES	Perf. bottom	
Volume	Cu. Ft. CASING CEME	NTED	SIZE	No. FTDate	
Rock pressurelbs	_hrs. NAME OF SEF	RVICE COMPA	NY		
Oilbbls., 1st 2	4 hrs. COAL WAS EN	COUNTERED	AT]	FEETINCHES	
Fresh waterfeet	feetFEET_	INCH	ES	FEETINCHES	
Salt waterfeet	feet FEET_	INCH	ES	FEETINCHES	
Drillers' Names					
Remarks: Well SITE IN g	FOOD ORDE	R FOR	Reze	ense.	
BOND CANC		AL			
8/17/	197/				
8-10-71 DATE		1	Mus	DISTRICT WELL INSPECTOR	
				09/22/2023	

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No Well No						
COMPANY			ADDRESS	7.57.		
COUNTYCOUNTY						
illing Material Used						
iner Loc	cation	Amount	Packer	Location		
PLUGS USED AND DEPTH PLACED			BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			200		100	22
					a riversity	
The state of the s						
	1		· · · · · · · · · · · · · · · · · · ·			
				3	7	
						-2
	2830			3 4		, 2
illers' Names						
						5 100 200
marks:						
1	hereby certify I vis					

C-/ PORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

JUL 1 6 1971

OIL AND GAS WELLS DIVISION

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE

AFFIDAVIT OF PLUGGING AND FILLING WELL & GAS DIVISION

Ohio Valley Div Moundsville, W	PERATOR OR OWNER VISION, Drawer L *ADDRESS PERATOR OR OWNER ADDRESS R PROPERTY OWNER	P.O. Bo	NAME OF WELL OF X 1196, Pittsbu COMPLETE ADD May WELL AND LOG Proctor	rgh, Pa. :	15230	
COAL OF	PERATOR OR OWNER ADDRESS		COMPLETE ADD May WELL AND LOG	RESS		
LEASE O	ADDRESS		WELL AND LO		2000	
LEASE O	ADDRESS	***************************************			19 71	
	R PROPERTY OWNER			************************	District	
			Wetzel		County	
		Well No	L-4434	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
	ADDRESS		07	D7 -44		
			Clarence		Farm	
STATE INSPECTOR S	SUPERVISING PLUGGING	Arthur Null	Box 296, Hund	red, W.Va	26575	
		AFFIDAVIT				
STATE OF WEST	VIRGINIA,					
County of Wes	tzel	:				
	lph Vanarsdel	and Edgs	ar Ray Lytle			
being first duly sw	orn according to law of	lepose and say th	at they are experie	nced in the	work of	
plugging and filling	oil and gas wells and w	ere employed by	Eastern Servi	ces, Inc.	,	
well operator, and p	participated in the work	of plugging and	filling the above v	well, that sa	aid work	
was commenced on	the 28th day of	pril	, 19 7 , and that t	he well was	plugged	
and filled in the fol	lowing manner:					
AND OR ZONE RECORD	FILLING MA	TERIAL	PLUGS USED	CA	SING	
FORMATION			SIZE & KIND	PULLED	CSG LEFT IN	
161	Total Depth		10 3/4"	0	246	
74.	Set 52" Baker C.I	. Bridge Plug	8 5/8"	0	1315	
74! - 1954!	Cement		-17 44		7001.0	
			5211	0	1994	
54! - Surface	Aquagel		5211	0	1994*	
54' - Surface			5211	0	1994*	
54! - Surface			5211	0	1994*	
541 - Surface			5211	0	1994*	
541 - Surface			5211	0	1994*	
54' - Surface			5211	0	1994*	
54' - Surface			5211	0	1994*	
54' - Surface			5211	0	1994*	
54' - Surface			5211	0	1994*	
54! - Surface			5211	0	1994*	
54! - Surface			5211	0	1994*	
COAL SEAMS			DESCRIPTION	DN OF MONUM		
				DN OF MONUM		
COAL SEAMS			DESCRIPTION OF CASSING WAS Swage nipple at 3! of 2 3/8" p.	on of Monumi reduced to	ENT t block ed as v	
COAL SEAMS			DESCRIPTION OF CASSING WAS Swage nipple at 3! of 2 3/8" p.	on of monum reduced to cove cement ipe was us i St. Ell	ent o 2" with block sed as von top. well n	

```
The control of the co
```

f.,

09/22/2023



B-12...



State of West Virginia

Pepartment of Mines Oil and Gas Pivision Charleston 25305

August 17, 1971

The Manufacturers Light and Heat Company P.O. Box 1196
Pittsburgh, Pennsylvania 15230

In Re: Permit No. WET-154-R-P
Farm Clarence Blatt
Well No. L-4434
District Proctor
County Wetzel

Gentlemen:

The final inspection report for the well which is described above has been received in this office. Only the column checked below applies.

XX The bond covering the well designated by the above permit number has been released under your Blanket Bond.

Please return the enclosed cancelled bond which covered the well designated by the above permit number to the Surety Company who executed said bond in your behalf, in order that they may give you credit on their records.

Very truly yours,

Deputy Director
Oil and Gas Division

Enclosure:

0 1 2 3	Latitude 39° 45'
1 Sec. 18	
	9
1	
	0
	80
2	Long gitude
	2
	2
3 ~	+
W W	
Sign Bolk II	
6.5. SZ4W	'AE 396'
LYPIN	N.W. 57P
M64W237.4 175,000	5412 E1482.6
N834 E211.2' NO 100	P TAULUI
Elm	SISH 6666 Clarence Blatt
of of stone Pila	Res. 368/2E 450.45
& Clarence	RIGHO!
Henry Herman	0 <u>a</u> 3tone 549E 264'
Hrs. S.Fn	per stp
Stone Stone	308
NZZ 1 E 231 1605	MIOS
Stone N804 live	(N 3 10
2 1/34	30E - 1775-M.F. G.
J.V. Blake	-\$-
	Seo. Foland
Abandonment issue	d 4-12-71
	and an
The Manafacturers Light & Heat Co.	PRACTURERS LIGHT & HEAT CO.
Company Carnegie Natural Gas Co	STATE OF WEST VIRGINIA
Address Pittsburgh, Pa. 15230	DEPARTMENT OF MINES OIL AND GAS DIVISION
Farm Clarence Blatt.	CHARLESTON
Tract TWO Acres 60 Lease No. 13779-17	
Well (Farm) No. TWO_Serial No. 1521.	WELL LOCATION MAP
Elevation (Spirit Level) //39 Feet	FILE NO. WET-154 - REDRICE

Quadrangle Littleton N.W.+ County Wetzel District Proctor
Engineer OD Mutters Engineer's Registration' No.__ File No._____ Drawing No.__ Date 2-27-37 Scale 1" = 800 feet STORAGE-M

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.