FORM OG-1

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 22, CODE 1931)

# WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

Ø9/22/2023

To	THE DEPARTMENT OF	MINES,
	Charleston, W. Va.	

Charleston, W. Va.	The management of the second description of
C.C. Parsons COAL OPERATOR OR COAL OWNER	J. Thomas McIntire NAME OF WELL OPERATOR
ADDRESS	The Training School, Vineland, N. J.
Proctor, W. Va.	- July 23rd 1938 , 193_ PROPOSED LOCATION
ADDRESS	Proctor District
C.C.Parsons	Wetzel
OWNER OF MINERAL RIGHTS	Wetzel 39° 45' County
Proctor, West Va.	Well No. I, 80° 45' 57. 3
ADDRESS	C.C.Parsons Farm
GENTLEMEN:  The undersigned well operator is entitled	to drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the	case may be) under grant or lease dated
June 17th 1938	C.C.Parsons
, n	nade by, to
G.L. McIntire  of July 1938	, and recorded on the <b>ZIst</b> day, in the office of the County Clerk for said County in
Book	stent engineer and shows the proposed location of a well well operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds sich said well is located, or within 500 feet of the boundings and filed their maps as required by law, excepting the med as addressees.  Here (if any) are notified that any objections they may he they are required to make by Section 3 of said Code, if ll cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt of said Department. Said coal operators are further notified will be furnished to them by the Department of Mines must set forth as definitely as is reasonably possible the e based and indicate the direction and distance the procession.  Only in Department's copy.)  Were mailed by registered mail, or delivered to the above ove shown respective address
on 27 23 24 25 20	ery truly yours,
(10 m)	WELL OPERATOR

\*Section 3.... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location. TRACE PROPERTY PRINTING COMPANY, CHARLESTON, W. VA.

Address of Well Operator 7-A-10

August 5, 1938

J. Thomas McIntire The Training School Vineland, New Jersey

Dear Sira

Permit Wet-186, to drill Well No. 1, on the C. C. Persons Farm, Proctor District, Wetsel County, is enclosed.

Duplicate Permits are issued. One shall be posted on the rig.

Very truly yours,

Secretary OIL AND GAS DIVISION

MG/er enc-2

Let39d-45\* Long80d-45\* A-11

# Wasmuth-Callahan Gas Co.

Glendale, West Va.

Deft of Mines Oil & Gas Division Charleston, No Aug 12-52.

Gentlemen:

Enclosed I am sending affilication fafers for fermit to full and plug no i wall on the Clark Tarsonx fame in Perctor Dis't, Wetzel County, Mba.

Me f. F. Bustons of Cambridge Ohis is doing the fulling for me, he has fulled several wells already, and has the affectives filled in but has the neglected to send them in probably he is waiting to have them all acknowldged at the same Time and forward them all at the moment he is finished, he has born keeping in touch with Mr Desist.

Youx very tenly, Geo 9. Hasmutte.



PRODUCERS

ang 12 - 62 ;

Wasmuth-Callahan Gas Co.

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Will provide control of the control			**************************************	10.7		American Control of the Control of t	
CARGO STATE	re.		TOST	1012			
Lod Scott				TOTAL			
Hot Fook				688 6As			
	tool jo		V 10	0.80			
Lipponia n docume	0001						
FILE PAR			420	100 F			
4 : 10 P				010			
TI TITLE			200	CAND			
. : 00 b.2 10 F.1(00)			020				
PIE DE			****	÷06			
arto			90a				
	T GRET		200				
			308	.08 544			
	16		2.55 The	21		# 32 w	
	7			Tan			
			763 - 3				
P 32 2007			No.				
			Ti				
Str. Beatle				71			
Logenston	Color	13.1 EU er 350 EU	199	Balton	OF Water	Paged Gentle	- Hemarks
ACT SERVICES		1441 1441	( total	1918 1974 APE	E THE THE THE	SE VALLED	ETTE ETTE LAGRES
ALL THERE			PP(2" 14F, 24" F"		MCGUNTUTED	204 500	T. T. CHEZ
Annual And	48.9	10 to	Cu. Ft	CASIMO CEN	EMBER	SIZE TO V	k Bill Soul Date
Open Plow. As	TOTAL ACCOUNT		THE P				
recents that property			476	THEOLE ASSESSED		on by the second	
Mreiting command in Aling counters		- 2 /9	3.8 3.8		7.5 %		
		7 1010H9 * 4 15 15 1	A	1 3 (16 T) 1 3 4 (16 T)			
Dunial Capas		Commy Art 1		13.2			
nell limb							
411111 7 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			Aurenti	Lubing	k with think	00/23	2/2023
Company Name	Mania	11211		Caster yea	7.980 B	USIZZ	./2023
					*	C12,1464	
				RECORL	Date	ec 19	) , <sub>19</sub> 38

APPROVED JUNE 11/5

......

(Title)

per perturbelle.

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

# WELL RECORD

Permit No. Wet. 186

Oil or Gas Well Gas

Company J. Thomas Address //ng/and	N.J.	Tubing Tubing	Used in Drilling	Left in Well	Packers
Farm C/ark C. F Location (waters) Dhio					
Well No					Kind of Packer
District Proctor	County WKtZd /	13			Anchor
The surface of tract is owned in	하다 하는 사람들이 있는데 보고 있는데 얼마를 하게 하는데 하는데 하는데 모르는데 되었다.		10	10	Size of
Jark C. ParsonsA	ddress Proctor NV	81/4	180		5"
Mineral rights are owned by	Park C. Parson	6 5/8	650		
Ac			1065	1065	1080
Orilling commenced Sept.					Perf. top.
Orilling completed Sept			1091	1091	Perf. bottom
Date shot	Depth of shot	Liners Used			Perf. top
Open Flow //S/10ths Water in	Inch				Perf. bottom
	ıIncl				
Volume 4.54, 000	Cu. Ft	. CASING CEM	ENTED	SIZE	No. FT. Da
Rock Pressure					
Dil	bbls., 1st 24 hrs	. COAL WAS E	NCOUNTERE	ED AT 364	FEETINCH
Fresh water	feetfee				FEETINCH
Salt water	feetfeet				FEET INCH

Formation	Color	Hard or Soft	Тор	Bottom	Oil Gas or Water	Depth Found	Remarks
Ged Pock	010		5	5 15			
White Sh	are	7	15 50	50 60			
Sand			60	78		12131415767	
Red Bock			78	93			
CB2 & Sha			93 127	127	0	DEC 1938 WEST VIRGINA WEST VIRG	5001\22232A
Seleck Sh			142	182	18	DEC 1938 WEST VIRGINIA PARTIMENT OF IN	123
Red Rock			182	199	9	三 19	222
Cosand			199	214	15 A	三 38	33
Black Sha	le		214	284	1		Col.
SRoch Rock			284	294	\	158583037	3
Sand Black Sh	ale		294	309 359		FZ UZ 00	
Washingt			359	364			
Lime			364	369			
Sand			369	420			
Coal	1 -		420	425			
Black Sha Red Rock			425 500	500 530			
Sand	100		530	545			
Gray Shal	е		545	555			
Lime	0 1		555	674			
Maple Tow Lime	n coal		674	676 707			
Gray Sha	10		707	730			
Lime			730	744			
Black Sha			744	755			
Pittsburg			755	760			
Black Sha Sand	Te		760 780	780 820			
Gray Sha	le		820	858			
Red Rock			858	868		00/25	12022
Black Sha	le		868	880		09/2	2/2023
Red Rock		# # T	. 880	1000			
Black Sha	Te		1000	1021			
Sand Sand Shal	е		1055	1065			
Lime			1065	1671			
Sand	-		1071	1091			1.
14009450	0.99%	280 3770 a	dell'a	1007	Gas 1082	-1091	0.00000000
Total De	pth			1091			

Remarks	Depth Found	Oil, Gas or Water	Bottom	Тор	Hard or Soft	Color	Formation
						**************************************	
					11110		
						W.	
					<b>1</b>	,	
		4					
			2.00				
			20.3				
	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						
	7-5807		- 4047 0	727/2	142	DEWINE.	
	Depth Found	Off Gos	Battom	7.00	Hard or se	Color	
		T INCH	A - TEN	EC.	Less Constitution		
		AGOUNTEECD	COTT MYS)	ppromist pe			
				Cu Fr	S. The second	750	
	ANE NA	EAGED TO	CASINETEN	1m <sup>2</sup> 1m <sup>2</sup>		/loths Water /loths More	
neder			Linero Live				
	100		3			co A M	
		AEV	63/16-316		A dilimpa	o umber pa	
			- E		Security of the Security of th		
	- A - O	200	€ 10		COUNTY ASSESSED	ort is owned in	
	16		16				
				VIII RE			
	1.644 In	Used in Drilling	Cashig and Tubing		No.		
9/22/2023	09		1/1/00/1/	And some year year	and the second second		
			RECOR	MELL			

APPROVED Stop, Masmuth, Owner

Ву\_\_\_\_

(Title)

06-10 Bi.



STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No.	186			RECORD	)	Oil or G	as Well GKIND)
Company Address	len Da	Las nu	the + Va	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm	Peocle		/	Size			Kind of Packer
District Pur		_County_We	tel Parsons	13	20	20	Size of
2207-15	Street	Address Moun	deville,	81/4	692	Pulled	
Mineral rights ar		Address 4		5 3/16	1071	1071	
Drilling commend Drilling complete	d 1938	92		3			Perf. top Perf. bottom
With		То		Liners Used			Perf. topPerf. bottom
	/10ths Merc.	in	Inch	CASING CEME	NTED	_SIZE	No. FtDate
	500.00	lbs	Cu. Fthrsbbls., 1st 24 hrs.	COAL WAS EN		DAT 760	
Fresh water		feet	feet	FEET FEET			FEET INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pow Run	White	Hard	1071	109/_	Gas	1080-	.85
	AU WEST DEPARTMENT	G1952 VIRGINIA  OF MINES  OF MINES  OF MINES					09/22/2023

B-3

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION



Oil or Gas W

#### INSPECTOR'S WELL REPORT

Permit No. Wet 186


DATE

Casing and Tubing Used in Left in Packers Drilling Well Size 16..... Kind of Packer..... Well No ... 10..... Size of..... 81/4 .... 6 5/8 ..... Depth set..... Drilling commenced..... 00 53/16 Drilling completed..... ... Total Depth Perf. top..... Date shot......Depth of shot.... Perf. bottom..... Liners Used... Perf. top..... Initial Open Flow....../10ths Water in.....Inch Perf. bottom..... Open Flow after tubing......./10ths Merc. in.....Inch CASING CEMENTED......SIZE......No. FT.....Date Rock Pressure......lbs.....hrs. Oil.....bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT FEET INCHES Fresh water feet feet FEET INCHES FEET INCHES Salt water. feet. feet FEET INCHES FEET INCHES Drillers' Names ..... Well Abandoned and Plugged... REMARKS:

STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION



#### INSPECTOR'S WELL REPORT

				Permit No
	al dist	Fred in	bas gales.) paidur	Compone Take Alexander Compone
			exid	Address
				Fara
10 98jB				Well No
			12	District
Jac Higgs				Priling communication
			91 v8 a	Orthing completed
				Date shot means the Depth of shot manner.
Perl, top.			Lingua Used.	forf wolf road Claislat
				Open Flaw attack thing
a.No. FT Date			1320 NV123.0	39 at 3
				Rock Pressure to the library tree.
STHOVI CATAL				Oil bhis, int 24 hre.
ERIO III		MI		#el molecular desta
TART		WILLTE		2001
		· · · · · · · · · · · · · · · · · · ·		Dellors Names
				Well Considered and Pluggel
				LIMARKS: LESSON FOR THE STATE OF THE STATE O
and the second second second second second				2

\* B-4.

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. W 17-186	p			NSPECTOR	Wel	I No.	me
COMPANY Les P	Wasmi	wh	Ann	RESS Please	Dole	i.a	la
FARM Cark +	arsons	DISTRIC	Ha a	1	OUNTY W	kel	7
						0	vnaqingD.
Filling Material Used							Address
Liner Loc	eation	Amount		Packer	Location		Farm
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASIN	G AND T	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LUCATION	RECOVERED	SIZE	LOST
				7.1	10		District
The state of the s							moo gailliad
Perf. top					× 1	leted	Delling com
Perf: bettem			9	fone to	figeQ		Date shat
fert, top		b	Lores De	Water management	101	wol	(nitial open
Port hottom				is More, in	100		la woft nog ()
				ABAH		great is	TR AOUTHOUS
det TH ov	SIME	ABTURN MA	O DAIRYO	13 HD			Volume
				sed 3	adl		messia Tich
Prince Trains	n regmation	2370 1970 B		and the sea paint			1:0
TOTAL CONTROL TO THE TOTAL CONTROL CON		201727					
Drillers' Names	PRINT	7 TB 17		12 Marketon and the State of th			rslaw Has
Down and an			and the second s		-		
Remarks:	1	1			56789707	20	
1	all is	Con	gola	to the	NOVIOR	3	
1			/	TE DEP.	WEST VIRGINIA	1516	
0				D LEGISTING STATES	OF MINE	17/18/1	
	1			E.	2572525772	Of all	
11-63	I hereby certify I	visited the ab	oove well on	this date.	100000	0)_	
DATE				(	17.		Hell!

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS DIVISION

# INSPECTOR'S WELL REPORT

Permit No		rim).		Oil or	Gas Well	ra e Steron
Company	A THERE	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address		Size			fest( latest	e M. Appliff
Farm		16		0003	Kind of Pack	cer
Parm_		13	100	e areas sax	chau heuse	
Well No	TO VESTER AND TAXON ASSESSED.	10		100000	Size of	Hakao
District	County	81/4				
Drilling commenced		65/8			Depth set	
		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2	4.0		Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
					Perf. bottom	1
Open flow after tubing	/10ths Merc. inInch					
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil_	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INC	HES	FEET	INCHES
Salt water	feetfeet	FEET	INC	HES	_FEET	INCHES
Drillers' Names	0.0175					restensi
Dimers mames						
Remarks:	Well a		98.00			

B-9

#### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### **WORK ORDER**

Well to be plugged and filled as follows:

Depth of Well 1091 feet Fill with Clay to 1080 " Cement 1080 to 1075 1075 . 1072 Wood Plug Pull 5 3 " Casing 1070 ft Fill hole with clay to surface.

Evet Marker as irguired by low.

WORK ORDER INTERPOSED BY THE DEPARTMENT OF MINES

Same as above to 10721 Continue filling with clay AS 5-3/16" CASING IS LIFTED to 1025' Neat Cement 1025' - 1015'

SET A PERMANENT BRIDGE AT 790' - 30' below Pittsburgh Coal (this is a workable seam of coal) Neat Cement 790' - 735' - 20' above Coal 5' crushed stone on cement plug

Fill with clay to 100\* - casing seat of 8-1/4" casing Neat ement 100\* - 90\*

To the Department of Mines Coal Owner or Operator, Lease or Property Owner. 5' crushed stone on cement plug - for fresh water

Fill with clay to surface Erect marker as described

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,


No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 09/22/2023

August, 1952 13th day of

DEPARTMENT OF MINES Oil and Gas Division

1046 NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines to be approved or corrected and returned to the well operator as his authority for plugging said well; and contains the well inspector.

By: \_





#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MIL

Charleston, W. Va.	
Coal Unworable owing	Gro P. Masmuthe NAME OF WELL OPERATOR
de thines of view!	Glen Dale, West ba
ADDRESS	aug 12 H
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED
ADDRESS	Cioclor District
Mrs Clark Parsons	Metzel County
2207-1st Steet.	Well No.
Moundsville, W Va	Clark Parsons Farm
	bandon the above described well and will commence
the work of plugging and abandoning said well of (which date shall not be less than five days after or in due course should be received by the Depart	er the day on which this notice so mailed is received,
plugging and filling of said well. You are furth represented the undersigned will proceed on th	ar respective representatives may be present at the ser notified that whether you are represented or not not date, or shortly thereafter, to plug and fill said le 4, Chapter 22 of the Code and given in detail on the
anada busabilent noisi sin to estlet fill circeisi	ail to each of you at the above addresses on the
above date.	AND
Ver	ry truly yours,
Silling A Paris	GEO P. Stasmuth Well Operator.

09/22/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.


(Over)

FORM OG-8

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

## AFFIDAVIT OF PLUGGING AND FILLING WELL

mis Ol	ile Persone Ste	of the	muth,	
COAL OF	PERATOR OR OWNER	NAME OF WELL O	PERATOR	
		en Dale,	11 1/a	
	ADDRESS	COMPLETE ADD	RESS	1-3
COAL OF	PERATOR OR OWNER	WELL AND LO	CATION	1952
COAL OF	PERAIOR OR OWNER	P. 10 L	CATION	D
4,00	ADDRESS	Jucio	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	District
Mis Class	& Parsont	Watrel		Country
LEASE O	R PROPERTY OWNER	menga.		County
2207- 13	Theet Well N	10/		
Ma 1.	ADDRESS W//	110		
Moundair	ece, 11 ou es	ask Vars	ons	Farm
CM A MED TAIGNESS OF O	TIF	Tait		
STATE INSPECTOR S	SUPERVISING PLUGGING	neur		•••••••••••••••••••••••••••••••••••••••
	AFFIDAVIT			
STATE OF WEST	MRGINIA )			
- Sur	ss:			
County of	and		_,	
Du	jel Coe and	Tonald Vo	drow	
being first duly swe	orn according to law depose and say the	nat they are experie	nced in the	work of
plugging and filling	oil and gas wells and were employed by	Geor, 7	Kasm	uth
well operator, and p	participated in the work of plugging and	filling the above v	well, that sa	id work
was commenced on	the 20 day of any	, 1953, and that t	he well was	plugged
and filled in the foll	lowing manner:			
AND OR ZONE RECORD	FILLING MATERIAL	PLUGS USED	CAS	BING
FORMATION		SIZE & KIND	CSG PULLED	CSG
Run Tand.	Class 1091 to 1080		POLLED	LEFT IN
Corri Carros	Bushet 1080 1075			
	00 - 1175 - 1176	54'V 21	aan'	20'
	Plug 1075 " 1072	54'X 3'	990'	80'
	Plug 1075 " 1072 Plaky 1072 " 990	5/2×3'	990'	80'
	Plug 1075 " 1072 Plaky 1072 " 990 Perhent 990 " 980	5½ X 3'	990'	80'
	Plug 1075 " 1072 Plake 1072 " 990 Perhent 990 : 980	55X31	990'	80'
	Plug 1075 " 1072 Plaky 1072 " 990 Beshert 990 & 980 Bridge Set at 800 ft	55'X 3'	990'	80'
91011727	Plug 1075 " 1072 Plaky 1072 " 990 Beshent 990 : 980 Bridge Set at 900 ft Stone 800 to 790 "	54x3'	990'	80'
9 10 11 72 73 7	Plug 1075 " 1072 Plake 1072 " 990 Perhent 990 " 980 Bridge Set at 900 ft Stone 800 to 790 " Brunt 790 " 735 "	54x31	990'	80'
9 10 17 72 73 PER 1952	Plug 1075 " 1072 Plaky 1072 " 990 Besheut 990 a 980 Bridge Set at 800 ft Stone 800 to 790 " Bruent 790 " 735 "	54'x 3'	990'	80'
9 10 11 7e 7g	Plug 1075 " 1072 Plaky 1072 " 998 Beshent 990 " 980 Bridge Set at 900 ft Stone 800 to 790 " Brunt 790 " 735 " Play 735 " 100 " Penfent 100 " 90 "	54X31	990'	80'
SEP 1952 EST VIRGINIA	Plug 1075 " 1072 Play 1072 " 990 Berhent 990 " 980 Bridge Set at 800 ft Stone 800 to 790 " Bruent 790 " 735 " Play 735 " 100 " Play 90" Junfoce	54x31	990°	80°
SEP 1952 JEST VIRGINIA  TIMENT OF MINES	06	54'x 3'	990°	
SEP 1952 JEST VIRGINIA TIMENT OF MINES	06	54X31	990°	
EST VIRGINIA  TIMENT OF MINES	06	54x31	990°	
SEP 1952 EST VIRGINIA UTMENT OF MINES	06		990'	10" Qu
TIMENT OF MINES	Olay 90. " Tenfoce			10" Qu
TIMENT OF MINES	06			10" Qu
EST VIRGINIA  VIMENT OF MINES  E) Pittslrugh, at	Olay 90. " Tenfoce			10" Qu
EST VIRGINIA  VIMENT OF MINES  E) Pittsburgh, at  E)	Olay 90. " Tenfoce			10" Qu
EST VIRGINIA  VIMENT OF MINES  E) Pittslrugh, at  E)  E)	Play 90. " Turfoce 760ft.	DESCRIPTION Tiece 8 7 Case 3 ft out of go Cement for inscribed in	on of Monumer Lang of frame of new Look of	10" Per
EST VIRGINIA  TIMENT OF MINES  E) Pittsburgh, at  E)  and that the work	of plugging and filling said well was	DESCRIPTION Tiece 8 7 Case 3 ft out of go Cement for inscribed in	on of Monumer Lang of frame of new Look of	10" Per
EST VIRGINIA  TIMENT OF MINES  E) Pittsburgh, at  E)  and that the work	of plugging and filling said well was	DESCRIPTION Tiece 8 7 Case 3 ft out of go Cement for inscribed in		10" Per
EST VIRGINIA  TIMENT OF MINES  E) Pittsburgh, at  E)  and that the work  August	of plugging and filling said well was , 1952.	DESCRIPTION Tiece 8 7 Case 3 ft out of go Cement for inscribed in	on of Monumer Lang of frame of new Look of	10" Per
EST VIRGINIA  TIMENT OF MINES  E) Pittsburgh, at  E)  and that the work  August	of plugging and filling said well was	DESCRIPTION Tiece 8 7 Case 3 ft out of go Cement for inscribed in	n of MONUME ing, 7 fr build f must hu top of 25 the	No " Per
EST VIRGINIA  UMENT OF MINES  E) Pittsburgh, sh  E)  and that the work  And further dep	of plugging and filling said well was onents saith not.	DESCRIPTION The Server of the	n of MONUME ing, 7 fr build f must hu top of 25 the	10" Per
EST VIRGINIA  UMENT OF MINES  E) Pittsburgh, sh  E)  and that the work  And further dep	of plugging and filling said well was , 1952.	DESCRIPTION The Server of the	n of MONUME ing, 7 fi built of 25 the 25 the Oct 09	No " Per
EST VIRGINIA  UMENT OF MINES  E) Pittsburgh, sh  E)  and that the work  And further dep	of plugging and filling said well was onents saith not.	DESCRIPTION The Server of the	n of MONUME ing, 7 fi built of 25 the 25 the Oct 09	No " Pu
EST VIRGINIA  UMENT OF MINES  E) Pittsburgh, sh  E)  and that the work  And further dep	of plugging and filling said well was onents saith not.  abscribed before me this 8 the day	DESCRIPTION The Server of the	n of MONUME ing, 7 fi built of 25 the 25 the Oct 09	NT Long Cled wo day of



Company I.T. McIntire

Address Training school Vine | And N.J.

Farm C. C. Parsons

Tract 1 Acres 57.5 Lease No. 2

Well (Farm) No. 1 Serial No.

Quadrangle New Martins ville

Gounty Watzel

District Practor

Engineer S.L. McIntire

Engineer's Registration No.

File No. Drawing No.

\_Scale\_\_ 400'=1"

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP FILE NO. Wel- 18/09/22/2023

- + Denotes location of well on United States
  Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented
  by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH

Date \_7/21/38