#### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To	THE DEPARTMENT	OF MINES,
	Charleston, W.	

None	W. K. Mason				
ADDRESS	and the same that a second				
	Nov. 4, 1938	3 193			
COAL OPERATOR OR COAL OWNER	PROPOSED LO				
ADDRESS	Prootor	District			
Martha Wayman Mineral ROWDER WNER	Wetzel 39	County			
R. F. D. Proctor W. Va.	Well No1	45' 101 acu			
Address Gentlemen:	Martha Wayman	Farm			
The undersigned well operator is entitled to de	rill upon the above named farm or	r tract of land for			
oil and gas, having fee title thereto, (or as the case n	nay be) under grant or lease dated	June 9,			
1938, mad	e by Martha Wayman	, to			
W. R. Kearns	, and recorded on	n thelday			
of November 1938	, in the office of the County Clerk	for said County in			
Book	nt engineer and shows the proposed	l location of a well			

to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same. should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address...... or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Address Well Operator

Very truly yours

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

209

WET-209

AID

November 22, 1938

Mr. W. K. Mason 293 W. Right Street Waynesburg, Pennsylvania

Dear Sir:

Duplicate Permit to drill Well No. 1 on the Martha Wayman Ferm, Proctor District, Wetsel County, is enclosed.

Duplicate permit shall be posted on the rig.

When well is completed, please file complete record on the enclosed Form OG-10.

Very truly yours,

Secretary OIL AND GAS DIVISION

MG/er eno-2

Lat39d-45\* Long80d-45\*

13-2 Hard or Oil, Gas or Water **Depth Found** Formation Color Top Bottom Remarks Slate Hard 1013 1025 1102', 53 Red Rock Soft 1025 1093 Sand 1093 1113 11 1145 Slate 1113 Härd White Lime 1145 1164 Sand 1164 Soft 1189 Gas 1165-1169 Slate 1189 1200 \*\* 1200 Sand 1219 97 1219 Slate 1224 1224 Total Depth 09/22/2023

G-10 B-/

# WEST VIRGINIA DEPARTMENT OF MINES New martinsuelle WELL RECORD

Permit No. WET 209

Oil or Gas Well Gas

				illid)
Company W.K.Mason Et-al  Address 293 -W.High Street, Waynesburg, Parmartha Wayman Acres 101	Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters) Ohio River	Size			
Well No. One Elev. 1232	16			Kind of Packer
District Proctor County Wetzel				
The surface of tract is owned in fee by Marthwayman				1 - 4 /
Martha Wayman Address Proctor, W.Va.			CONTRACTOR OF THE PROPERTY OF THE PARTY OF T	
Mineral rights are owned by	6 5/8	875		Depth set 1152
Address	5 3/16	1102	1102	
Drilling commenced November 23, 1938	3			Perf. top. 1173
Drilling completed December 10, 1938	2	7 (5) (5)	1224	Perf. bottom1178
Date shotDepth of shot	Liners Used			Perf. top
Open Flow 10 /10ths Water in 2" Inch				Perf. bottom
/10ths Merc. inInch				
Volume 149,200 Cu. Ft.	CASING CEM	ENTED	SIZE	No. FTDate
Rock Pressure 145# lbs. hrs.				
Oil Gas bbls., 1st 24 hrs.				FEETINCHES
Fresh water feet feet				FEETINCHES
Salt water feet feet	829 FEE	TINC	HES	FEETINCHES

Formation	Color	Hard or Soft	Тор	Bottom	Oil Gas or Water	Depth Found	Remarks
Clay		soft	0	10			
Sand		**	10	30			
Red Rock			30	40			
Sand		Ħ	40	70			
Red Rock		11	70	120			
White Sla	te	11	120	150		01 22 22	
Red Rock		**	150	200	01980	(10000125)	
White sla	te	11	200	230	1/2,	500	
Red Rock		11	230	248	190	188 M 88	
Sand		11	248	298	一位 45	E 23	
Slate		11	298	305	51		
Red Rock		tt .	305	320	12		
Blue Slat	. 0	11	320	377	150	8 1	
Sand		Hard	377	392	60	9 496	
Sandy Sha	10	Soft	392	421	10	699V	
Slate		"	421	427			
Washingto	n Coal	- 11	427	432			
Sandy Sha	le	"	432	494			
coal Blos	som	11	494	495			
Slate		11	495	576			
Lime		Hard	576	594			
Red Rock		Soft	594	604			
Sand		LOLD DOLL	604	626			
5 late			626	745			
Coal -		- 11	745	747			
Lime		ff	747	777			
Slate		11	777	796	West of the second	•	
Black Sha	.10	11 6	796	801	68.8	1108-1169	
Slate	TIDE -	ngug -	801	806			
Lime		#	806	824			
Slate			824	829			
gh. Coal	1	11	829	831		00/0	2/2022
Slate		7 . 0	831	875		09/2	2/2023
Lime		11	875	878			
Slate		11	878	922			
Lime		ff .	922	980			
Red Rock			980	1013			
							/
							/
1 or marron	CONTRACTOR	2001	jab	Battom		n char	Bentinka
The second secon	The second secon	The state of the s					

6-11-Ag -

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

#### INSPECTOR'S WELL REPORT

Permit Nolly 209	KS WELL	REPORT		r Gas Well
Company WK Mason July 6	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address Waynesburg Pa.	Size			Kind of Packer
Well No.				Size of
District Proctor County Vityel.	8¼			Depth set
Drilling commenced	5 3/16			Depth Set
Drilling completed	/ /			
Initial Open Flow/10ths Water inInch				
Open Flow after tubing /10ths Merc. in Inch  Volume 9 4 Cu. Ft.  Rock Pressure hrs.		ENTED		No. FTDate
Oil	COAL WAS I	ENCOUNTERE	D AT 66	FEET INCHES
Salt water feet feet feet	/			FEET INCHES
Drillers' Names O scar Parson John Kukrist	6°.			
Well Abandoned and Plugged, 19				
REMARKS: Well not assisate	elu-r	sport of	from	farmero.
muney fragues		Dr	1000	<u></u>
MOV 29 /9.78		2.7.	comy	DISTRICT WELL INSPECTOR 09/22/2023

AUDITOR WEST VISITATE

#### SEPARTMENT OF MINES

CHE AND DAG PROPORT

#### INSPECTOR'S WELL REPORT

To Move the Contract of the Co			•	Pet and No. 1997
Pariners		wi boeli. gallini		Company of the Compan
				and the second s
Kiad of Phylor			131	
			01	The second secon
Depth set				District County Market County
			5816	brilling completed
rest, belieful				and recommendate to dispet
Perf. top			Liners Feed.	Intent Open Plows as a second water in Inch
elsGTT oV	78.112.12	1977 1974	\$1780 - No. 10	tigen Flow also tabing
**************************************				Volence of the state of the sta
FEBTINCHES			COAL WAS I	ani kë dat Liddin
ваном так	ERHO	41		toot
STROVI1204.		11		1697
White the specific particular control of the specif	***************************************			Caller Names and Aller and Aller
				L
				· · · · · · · · · · · · · · · · · · ·
1				arasinona X
A . C	*14			

G-11, B-4

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISON

### INSPECTOR'S WELL REPORT

Permit No. Letter of June 14.1941



				(KIND)		
Company 680. P. Wasmouth:	Casing and Tubing	Used in Drilling	Left in Well	Packers		
Address Glendale WUL.	Size					
Farm Martha Wayman.	16			Kind of Packer		
Well No.	13			-		
	10			Size of		
District Proctor County Wetzel	81/4			-		
Drilling commenced						
Drilling completed Total Depth	5 3/16					
Date shotDepth of shot						
Initial Open Flow/10ths Water inInch						
Open Flow after tubing/10ths Merc. inInch				Perf. bottom		
VolumeCu. Ft.	CASING CEMI	ENTED	SIZE	No. FT. Date		
Rock Pressure lbs. hrs.		1				
Oilbbls., 1st 24 hrs.	COAL WAS EI	NCOUNTERE	D AT.	FEETINCHES		
Fresh water feet feet	FEI	ETIN	CHES	FEETINCHES		
Salt waterfeetfeet	FEI	ETIN	CHES	FEETINCHES		
Drillers' Names WEll drilled by Ma	son + MeI	nture	+ 50/9	1 to Mrkleson		
1 ,	Cormers	Cupl	- 6	enal in		
July y	0 1 1010	7 401:		4 9		
Well Abandoned and Plugged, 19						
REMARKS: Vacinity is spo	114 / 4'o	25'11	n/w	ell and only		
plossom in mext) Decision on whether to allow						
tubing depends on whet	ther cou	al is	consi	09/22/2023		

commercial or not. And also on the fact that Mr Wasmouth, pulled a fast one on us, on. the adjoining farm when he pulled easing t tubed one of these cow Run wells without permit about 2 yrs. ago. Coal has been operated about 10 miles up the river from here and the fact that this is on the river May morease its commercial Value. as for the gas in cow Run Sand here - Most. of the 1939 boom "wells are Now practically exhausted and I do not think tubing this well could hurt any thing.

June 19-20 1441. DECourtney

8-11 Be, 6.

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

### INSPECTOR'S WELL REPORT

Oil of Gas Well. Plug

Permit No.WET. 209 P

				XXXXX 2/7975C
W.K.Mason  Company W.F.Burgess	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address Moundsville W.Va.	Size			
Farm Martha Wayman	16		-	Kind of Packer
	13			
Well No1	10			Size of
District Proctor County Wetzel	8¼			
Drilling commenced	65%			Depth set
Drilling completedTotal Depth	5 3/16			
	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial Open Flow/10ths Water inInch	Liners Used			Perf. top
Open Flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	ENTED	SIZE	No. FTDate
Rock Pressure lbs. hrs.				
Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	D AT	FEETINCHES
Fresh waterfeetfeet	FE	ETIN	CHES	FEETINCHES
Salt water feet feet	FE	ETIN	CHES	FEETINCHES
Drillers' Names				
Well Abandoned and Plugged, 19,				
REMARKS: Reported by Hope field mar	that no r	lugging	hasbeen	done

Aug. 26. 1941

LW Joung Dy Courthins

#### PROPOSED MANNER OF PLUGGING AND FILLING WELL

#### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER ARRANGED BY THE DEPARTMENT OF MINES:

Total Depth 1224' Pull 2" tubing.

Fill with red clay from bottom to 1125' - 23' below 5-3/16" casing.

Wood Plug 1125' - 1122'

Cement 1122' - 1112' - Sealing off producing sands.
Pull 1102' - 5-3/16" casing as balance of hole is filled and plugged.

Continue filling with red clay from 1112' - 861' - 30' below Pittsburgh Coal.

Weat cement 861' - 809' - 20' above Pittsburgh Coal.
Red Clwy 809' - 777' - 30' below Mapletown Coal.
Cement 777' - 725' - 20' above Mapletown Coal.

Red Clay 725' - 462' - 30' below Washington Coal.

Cement 462' - 407' - 20' above Washington Coal.

Red Clay 407' to surface.

Erect marker such as is required by Rule 18, 1931 Regulations.

NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY-APPROXIMATELY FIVE GAL WATER TO ONE SACK CEMENT. ALLOW CEMENT TO SET BEFORE CONTINUING FILLING.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

#### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this......day

January , 19 41

DEPARTMENT OF MINES 9/22/2023 Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector. JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

By:....

FORM OG.

STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS DIVISION

#### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

Charleston, W. Va.	1. I thought the same to the state of the same	
	W. K. Mason	The
COAL OPERATOR OR COAL OWNER	293 W. high Street	TALES.
ng securi	Waynesburg, Pa.	
400000000	COMPLETE ADDRESS	
ADDRESS	January 30,	0
- Iso Figure		.19.41
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED	
41.82 10	Proctor	D10.1
ADDRESS	1100001	District
And stopped to the weather	Wetzel	Country
Martha Wayman		County
R. F. D.	Well No	
Proctor, W. Va.	Manager Wasses	
ADDRESS	Martha Wayman	Farm
	andon the above described well and will comm	
and filling of said well. You are further notified undersigned will proceed on that date, or shortly required by Section 10, Article 4, Chapter 22 of t notice, in "Work Order."	the day of February ne day on which this notice so mailed is received of Mines.) spective representatives may be present at the part that whether you are represented or not represely thereafter, to plug and fill said well in the the Code and given in detail on the reverse side.	19.41, ed, or in plugging ented the manner e of this
(which date shall not be less than five days after the due course should be received by the Department of This notice is given you in order that your result and filling of said well. You are further notified undersigned will proceed on that date, or shortly required by Section 10, Article 4, Chapter 22 of the notice, in "Work Order."	the day of February ne day on which this notice so mailed is received of Mines.) spective representatives may be present at the particular that whether you are represented or not represely thereafter, to plug and fill said well in the che Code and given in detail on the reverse side	19.41, ed, or in plugging ented the manner e of this
(which date shall not be less than five days after the due course should be received by the Department of This notice is given you in order that your result and filling of said well. You are further notified undersigned will proceed on that date, or shortly required by Section 10, Article 4, Chapter 22 of the notice, in "Work Order."	the day of February ne day on which this notice so mailed is received of Mines.) spective representatives may be present at the part that whether you are represented or not represely thereafter, to plug and fill said well in the che Code and given in detail on the reverse side	19.41, ed, or in plugging ented the manner e of this
(which date shall not be less than five days after the due course should be received by the Department of This notice is given you in order that your result and filling of said well. You are further notified undersigned will proceed on that date, or shortly required by Section 10, Article 4, Chapter 22 of the notice, in "Work Order."  This notice is being mailed by registered mail to the days after the days	the day of received the day of mailed is received of Mines.)  spective representatives may be present at the part of that whether you are represented or not represent the part of the Code and given in detail on the reverse side to each of you at the above addresses on the above addresses on the above.	19.41, ed, or in plugging ented the manner e of this
(which date shall not be less than five days after the due course should be received by the Department of This notice is given you in order that your result and filling of said well. You are further notified undersigned will proceed on that date, or shortly required by Section 10, Article 4, Chapter 22 of the notice, in "Work Order."  This notice is being mailed by registered mail to the days after the days	the day of received of Mines.)  spective representatives may be present at the part that whether you are represented or not represent y thereafter, to plug and fill said well in the che Code and given in detail on the reverse side to each of you at the above addresses on the	19.41, ed, or in plugging ented the manner e of this

(Over)

WET-209-P PERMIT NUMBER

BID FORM OG-8


### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

	RATOR OR OWNER			W. K. Maso	On	RATOR	
			293	W. High	St.	Waynesh	nirg.
	ADDRESS				TE ADDRE		
					Augu	ust 8,	1941
COAL OPE	RATOR OR OWNER			WELL AN	D LOCA	ATION	
	ADDRESS			Proctor			District
				Wotnol			G .
Martha LEASE OR	PROPERTY OWNER			wetzer			County
R. F. D. Proctor, W. Va.			Well No.	1			
	ADDRESS						
				Martha Wa	aymar	1	Farm
STATE INSPECTOR S	UPERVISING PLUGG	ING					
							*
		AFFIC	TIVAC				
STATE OF WEST V	IRGINIA,	)					
County of Mais	tell	ss:					
County of							
		)					
being first duly sworn and filling oil and gas and participated in th	wells and were emp e work of plugging a	epose and loyed by and filling	w. K. K. the above w	y are experience.  Mason  ell, that said w	ed in t	he work of	plugging operator, d on the
and filling oil and gas and participated in the	according to law d wells and were emp e work of plugging a	epose and loyed by and filling	w. K. K. the above w	y are experience.  Mason  ell, that said w	ed in t	he work of	plugging operator, d on the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:	wells and were emple work of plugging a	epose and loyed byand filling	w. K. K. the above w	• Masonell, that said was the well was	ork was plugg	he work of j	plugging operator, do on the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:	wells and were empe work of plugging a	epose and loyed byand filling, 194	w. K. the above wl., and th	y are experience. Masonell, that said was the well was	ork was plugg	he work of j	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th  29th day of following manner:  SAND OR ZONE RECORD	wells and were empe work of plugging a	loyed by and filling, 194 MATERIAL FROM	w. K. the above wl, and th	• Masonell, that said was the well was	ork was plugg	he work of j	plugging operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	wells and were emple work of plugging a sulty	loyed by	w. K. the above wl, and th	Mason rell, that said w at the well was	ork was plugg	he work of j	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th  29th day of following manner:  SAND OR ZONE RECORD	wells and were empe work of plugging a	loyed by and filling, 194 MATERIAL FROM	w. K. the above wl, and th	y are experience. Masonell, that said was the well was	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:	raccording to law decording to law decor	loyed by	w. K. the above wl, and th	Mason rell, that said w at the well was	ork was plugg	he work of j	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	r according to law decording to law deco	loyed by	w. K. the above w. 1, and th	Mason rell, that said w at the well was	ork was plugg	he work of, well of s commence ed and fille	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Cement Clay Clay Clay Coment	epose and loyed by	w. K. the above w. 1, and the 120 1117 1107 860 770 725	Mason rell, that said w at the well was	ork was plugg	he work of, well of s commence ed and fille	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Clay Clay Clay	material 1224 1120 1117 107 810 725	w. K. the above w. 1, and th. 1120 1117 1107 860 770 725 460	Mason rell, that said w at the well was	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th  29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Clay Clay Clay	material 1224 1120 1117 107 810 725	w. K. the above w. 1, and th. 1120 1117 1107 860 770 725 460	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, d on the d in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	plugging operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th  29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience. Mason	ork was plugg	he work of, well of s commence ed and fille	operator, do on the do in the
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience  Mason  rell, that said w  at the well was  PLUGS USE  SIZE & KIND  5 3/16 x	rork was plugg	he work of, well of s commence ed and fille	plugging operator, d on the d in the  CSG LEFTIN
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD  FORMATION OW RUN Sand	FILLING CONTENT Red Clay Wood Plug Cement Red Clay Clay Clay Coment Clay Coment Clay Coment Clay Coment Clay Cement Clay Cement Clay Cement	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	y are experience  Mason  rell, that said w  at the well was  PLUGS USE  SIZE & KIND  5 3/16 x	rork was plugg	well of second commence and fille case pulled line line line line line line line line	plugging operator, d on the d in the CSG LEFTIN
being first duly sworn and filling oil and gas and participated in th29th day of following manner:  SAND OR ZONE RECORD FORMATION COW RUN SAND COAL SEAMS	wells and were empe work of plugging a  July  FILLING  CONTENT  Red Clay  Wood Plug  Cement  Red Clay  Clay  Clay  Cement  Clay  Cement  Clay  Cement  Clay	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	PLUGS USE SIZE & KIND	rork was plugg	well of second commence and fille case pulled line line line line line line line line	plugging operator, d on the d in the CSING CSG LEFTIN
coal seams  being first duly sworn and filling oil and gas and participated in the	raccording to law diverse and wells and were emple work of plugging a substitution of plugging a subst	material 1224 1120 1117 1107 810 770 725 460	To 1120 1117 1107 860 770 725 460 408	PLUGS USE SIZE & KIND  5 3/16 X	rork was plugg	well of second commence and fille case pulled line line line line line line line line	plugging operator, d on the d in the CSING CSG LEFTIN

E-4. Haynesburg, Pa Jan. 27 1941 despartment of Mines, of bharleston Hela. dran Sis: the Martha Hayman Fahrn, Proctor Destrict, Wetzel County, H.Va. See Blanch N.E.F. - 209. Kindly inform me the manner in whicht you want the well pluged. Very respectfully. IN Mason 293 - W- High St. Maynesburg, Ja.



E-5

### Wasmuth-Callahan Gas Co.

Glendale, West Va.

June 7, 1941

wd-209-8.

West Virginia Department of Mines Oil & Gas Division Charleston, W. Va.

Gentlemen:

Attention: Marie E. Griffith

On January 30, 1941 your department issued a permit to W. K. Mason, 203 W. High Street, Waynesburg, Pennsylvania, to plug and abandon Well No. 1, on the Martha Wayman farm, in Proctor District, Wetzel County, West Virginia.

I now have this plugging permit in my possession. We are contemplating pulling and plugging this well within the next week or two. A question arises. The farmer wishes to purchase the tubing in the well, and save the small quantity of gas which it makes for their use on the farm.

Because this has arisen, the plugging order will have to be changed. I would like to have a letter from you, stating the changes in the plugging instruction.

I judge, from our last experience, the tubing will have to be red mudded from the bottom of the hole to the surface.

I wrote to Mr. Mason, about a week ago, to get this information from you, but his wife informed me that he is in a hospital at Baltimore and maybe he is too ill to write to you. I thought best for me to write to you directly so as not to hold up the work.

Let me hear from you in regard to this matter, at your earliest convenience.

Yours very truly,

George P. Wasmuth

CONTRACTORS

Wasmuth-Callahan Gas Co.

To red to the contract of the

· Or and the control of the control

to the state of th

na be viltaer i wow or stroke di servita de l'incept. I lear total

All the said . I to woo to

PRODUCERS ...

.ev. . W. . godine the lead

E-6. June 14, 1941 Mr. D. G. Courtney P. O. Box 151 Bridgeport, West Virginia Dear Mr. Courtney: Enclosed is a copy of our letter to Mr. Wasmuth regarding the operating of a well on the Martha Wayman Farm, Proctor District, Wetzel County, with only the tubing. Please make the usual investigate and let us have your report. Very truly yours, Secretary OIL AND MAS DIVISION MG:g encl 09/22/2023

wit-709-8 ... June 14, 1941 Mr. George P. Wasmuth Olendale, West Virginia Dear Mr. Wasmith: We are in receipt of your letter of June 7th regarding the plugging of Well No. 1 on the Martha Wayman Farm, Proctor District, Wetzel County, West Virginia. Operating a well with only the tubing is, strictly speaking, not permitted by law and only under certain conditions is this permitted. Inspector Courtney will make an investigation to ascertain the lease owners surrounding this tract and we will advise you later whether or not the permit to tube and produce the well by the farmer can be permitted. The land owner, must of course, assume the responsibility of the final plugging of the well when it is exhausted. There no doubt is coal underlying this tract and if sheh is a fact, the well will either have to be operated with sufficient casing to protect the coal or be abandoned as cutlined in the Work Order issued to Mr. Mason. However, we will advise you definitely after we have received Mr. Courtney's report. Very truly yours, Secretary OIL AND CAS DIVISION. MO:E copy to Inspector Courtney. 09/22/2023

June 22,1941.



West Virginia Department of Mines Oil & Gas Division, Charleston, W.Va.

It is my intention to sell to the land owner the Wayman well located in Proctor District, Whetzel County W.Va the well drilled some two years ago this was drilled under permit No WET 209.

I inted to pull all casing leaving the two inch tubing and paker in well. Is there anything that is required from your department?

Yours very truly,

Al A Moon

June 28.1941.

Wood Virginia openemoniof Almos Oil & Gas Division, Charlaston, W.Vs. omvlemen:


It is my intention to sell to the land owner the Maymen well lossed in Promise we intention, Whenty W. We the well drill so some two years and this was drilled under parmit NO WW T 209.

I inted to pull all caping leaving the two ideb subing one year moved.

Yours very druly,

beton let of the

2.9. .... June 25, 1941 Mr. W. K. Mason 293 West High Street Waynesburg, Pennsylvania Dear Sir: We are in receipt of your letter of June 22d advising us that you intend pulling all the casing in Well No. 1 on the Martha Wayman Farm, Proctor District, Wetsel County, and after twbing the well, selling it to the land owner. We wish to advise that any well penetrating one or more coal seams cannot be operated with only the tubing. All casing must remain in the well during the life of the well. This is in compliance with Section 7 of the Oil and Cas Law. Very truly yours, Secretary OIL AND GAS DIVISION MG/am CC: Inspector D. G. Courtney 09/22/2023 E-10. June 27, 1941 D. G. Courtney, Inspector Oil & Gas Wells Box 151 Bridgeport, West Virginia Dear Mr. Courtney: On June 25th we sent you a copy of our letter to Mr. W. K. Mason, Waynesburg, Pennsylvania, in regard to the tubing of the Martha Wayman Well No. 1, Proctor District, Wetzel County. This is the same well that Mr. George P. Wasmuth, made application to tube, and about which we wrote you on June 14th. In checking the record of the well they indicate a seam of coal from 427° to 432°. Another at 745° to 747°, and another from 829' to 831'. Under these conditions permit cannot be granted to tube the well. It will either have to be operated with all the casing or abandoned according to our Work Order approved January 30, 1941. Very truly yours, Secretary OIL AND GAS DIVISION MG/am 09/22/2023



Company W. K. Maso	n
Address Waynesburg	Pa.
Farm Martha	Wayman
Tract 1 Acres 101	Lease No.
Well (Farm) No. 1	Serial No.
Quadrangle New Ma	rtinsville
County Wetzel	
District Proctor	
Engineer Str. L. M.	Intive
Engineer's Registration No	),
File NoO	rawing No.
Date 11/4/38 Se	ale_500' = /"

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

CHARLESTON

WELL LOCATION MAP

+ Denotes location of well on United States Topographic Maps. scale 1 to 62 500, latitude and longitude lines being represented by border lines as shown.