FORM G-1

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929) WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

To THE DEPARTMENT OF MINES, Charleston, W. Va.

Jackson Hostutler Heirs, Hundred, W. Va.	Null & Moorhead Gas Company,	
B.F.Sterling, Uniontown, Pa. Address	Hundred West Virginia	
	War mhan 26 40 79	
COAL OPERATOR	November 26, 19 38 PROPOSED LOCATION	
	PROPOSED LOCATION	
ADDRESS	District	
COAL OPERATOR	Wetzel County	
	Well No. 3 80° 20' 255	Sac
ADDRESS	Well No.	
	Jackson Hostutler Heirs Farm	
GENTLEMEN:		
The undersigned well operator is entitled to drill up	on the above named farm or tract of land for	
oil and gas, having fee title thereto, (or as the case may be)) under grant or lease dated	
June 29, 1936 , made by	Jackson Hostutler Heirs , to	
Null & Moorhead Gas Company	and recorded on the 24th day	
of July 1936 , in th	ne office of the County Clerk for said County in	
Book31-A , page 222-224		
The enclosed plat was prepared by a competent engitobe drilled for oil and gas by the undersigned well operate and County above named, determined by survey and course land marks.	or on the farm and in the Magisterial District	
The undersigned well operator is informed and believed of coal beneath said farm or tract of land on which said we arise of the same, who have mapped their workings and file coal operators (if any) above named as addressees.	ell is located or within 500 feet of the bound-	
The above named coal operators (if any) are notified to such proposed location, or which they are required to me a well at said proposed location will cause a dangerous condition must be received by, or filed with the Department of Mines this notice and accompanying plat by said Department. forms for use in making such objections will be furnished on request and that all such objections must set forth as or grounds on which such objections are based and indicate	nake by Section 3 of said Act, if the drilling of dition in or about their respective coal mines, within ten* days from the receipt of a copy of Said coal operators are further notified that to them by the Department of Mines promptly definitely as is reasonably possible the ground	
should be moved to overcome same.		
(The next paragraph is to be completed only in Department Copies of this notice and the enclosed plat were mail	ed by registered mail, or delivered to the above	
named coal operators at their above shown respective addr with the mailing or delivery of this copy to the Department	t of Mines at Charleston, West Virginia.	
Very truly y	ours,	
63212526272830	nul mor hea Das Co	
No.	BWB	
Address of	STREET Secty.	
Well Operator	Hundred, West Virgini 99/22/2023	
The mines of	CITY OR TOWN	
E/2/8/3/11/01/68/		
*Section 3 If no such objections be filed, or be found the days from the receipt of said notice and plat by the department shall forthwith issue to the well operator a drilling permit	ent of mines, to said proposed location, the depart-	
have been made by the coal operators to the location, or found tapproved and the well operator authorized to proceed to drill a	thoroto by the denoutment and that the	

7-0 MMO


NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

WEST VIRGINIA DEPARTMENT OF MINES

To This Distanteur of Mines, Charleston, W. Va.

themend and beaution if it is	Jackson Costonerios Hotra, Euncrod, A
AIRÍSTÍN ÓBAR ANGTORRA	B. F. Blooting, Uniontown, Pa.
. 6.8 er . 6% tadmara#	
PROPOSED LOCATION	STOTAR PRO LABO
Obunch District	
Weigh	
-Well No 27	\$9350GA
Judgeon Mostutler Heles Parm	Givernance :
rill upon the above named farm or tract of land for	The undersigned well operator is entitled to di
asy be) under grant or lease dated	oil and gas, having fee title thereto. (or as the case m
or	bem. 8501 05 acot
"	range of dear company
in the office of the County Clerk for said County in	0581 4554 30
et cucineer and shows the proposed location of a well outside on the farm and in the Amisterial District contras and distances from two permanent points, or	to be drilled for oil and was by the undersigned well of and County above named, determined by servey and
th believe there are no coal operators operating beds and real respection or within 500 test of the boundard file flood test or maps as required by law, excepting the	
	to men proposed locabons or which ency are required a well of the control of the
	(The next paragraph is to be completed only i
e address on the same day riment of Mines at Charleston, West Virginia.	with the mailing or delivery of this copy to the Depa
By VA VI Jacussell Section	No. 195
Rundred, West Wirginia.	09/22/2023

Section 8. If no such objections be filed, or be found by the department of mines, within said period of ten that from the vectors of any notice and notice and proposed tocation, the department of mines to said proposed tocation, the department that hit is the following the files of the following the files of the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator attended to proceed to drill at said location.



November 28, 1958

Jackson Hosbubler Heire Hundred, West Virginia

; memo (dane)

A notice of proposed location of Well No. 3 on the Jeans Heitz Farm, Church District, Wetsel County, has been received from the Well & Moorhead Gas Company, Eundred, West Virginia. A copy of the notice and location plat should have been mailed you by the well operator.

If you have any objections to the proposed leostion, please file same not later than December Bth.

sever viend visy

Secretary OIL AND GAS DIVISION

MG/ar

December 8, 1988 Mull & Moorhead Cas Company Hundred, West Virginia Gentlemen: Permit Wet-213 to drill Well No. 3 on the Jackson Hostutler Heirs Farm, Church District, Wetzel County, is enclosed.

Duplicate permit shall be posted on the rig.

When the well is completed please file complete record on the enclosed forms 00-10.

Very truly yours,

Secretary OIL AND GAS DIVISION

MG/or enc=2

Lat39d-45* Long80d-20*

July 1, 1939 Mull & Moorhead Gas Company Hundred, West Virginia Gentlemen: In order to complete the report of wells drilled in 1938, we would appreciate your sending the record for Well No. 3, on the Jackson Hostutler Heirs Farm, Church District, Wetzel County, our file No. Wet-213. Blank forms OG-10 are enclosed for an immediate reply. Very truly yours, Secretary OIL AND GAS DIVISION MG/ar enc-4 09/22/2023

		75-	7		Oil, Gas	Depth	Remarks
Formation	Color	Hard or Soft	Тор	Bottom	or Water	Found	
Lime Gritty Lim Sand Slate & Sh Lime Slate Gas Sand Slate Sand Slate Sand Salt Sand Slate 2nd Salt Slate 3rd Salt Lime Red Rock Lime	lst and		1625 1658 1695 1757 1798 1825 1825 1860 1900 1920 1972 2069 2123 2240 2252 2260	1658 1695 1757 1798 1825 1828 1855 1860 1900 1972 2069 2123 2240 2252 2260 2268 2308	Water	2001-2005	
RID Rock Lime Slate Lime Slate Lime Slate Big Lime Slate Lime Slat	Sand Sand		268 2315 2315 2315 2315 2315 2315 2315 2315	23155 23155 23346 23356 2356 2356 2356 2356 2356 2356 23	Gas Gas	3200 3208 - 323	
Gordon S Slate Sind Pink Roo Gordon S Slate Lime Slate Fourth Slate 5th San Total D	ck Sand Sand		3271 3287 3302 3304 3350 3355 3365 3365 3399 3424	3287 3302 3304 3350 3355 3362 3365 3399 3424 3447 3451	Gas	3228-32	30
						09/22	/2023

	Dat			, R
APPROVED				
		-		
Ву			(Title)	~ /

Hours New DISTRICT WELL INSPECTOR



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

ermit No.

WELL RECORD

it No	-						Oil or (as Well
ess New Freepo				Casi Tu	ng and	Used in Drilling	Left in Well	Packers
Jackson Host	uttle	Acre	255		NO. CO. CO. CO. CO. CO. CO. CO. CO. CO. C			
on (waters) Chur	ch Fork			Size				Kind of Packer_
to3			1282	13				Aind of Packer_
rface of tract is own	County_	Wetz	el	10		115	115	Size of
	Address_			81/4		1548	1448	
al rights are owned h	0	Autoria - Construit de la compa		5%		2405		Depth set
								11-0
			WEST VIRGI					
		INES	ENTOFN	RTMI	DEPA			
			GAS DIVISIO					
	es sT	REPOR	WELL	OR'S	PECT	ISNI		
								Permit No
Gas Well.		15.5						MARKET I
fersive.			asing and	1 1 170				Company.
Packers at	Left in Well	Drilling	Tubing					
								Address
				31		THE STATE OF		Farm
				81 2				
								Well No.
				01				District
				718		County		
Depth set				%897 J				Drilling commend
Ties uidad			91	53/			i i	Drilling complete
Perf. top				2		pth of shot	De	Date shot
erf. bottom								Initial Open Flow
erf. top Welver			s Used					
erf. bottom					Inch	/10ths Merc. in		Open Flow after to
				-10D				olume
No. FT. Date	IZE	g di	NG CEMENTE	CASIN				nels Dronning
LgoD avolate				107	hrs.			ock Pressure
				1.1.4		tal aldd		, II
ETINCHES	T	INTERED A	WAS ENCOL	COAL	24 nrs.	AUX Transfer		
SHOW			FEET		deet		test	esh water
TINCHES		HJWI	242		43		feet	lt water
TINCHES	S REE	INCHE	FEET		1 4991			
GNEGAR				1.80				illers' Names
***************************************				1510				
A A STATE OF THE S			500					00/22/2022
						19.	boggal	09/22/2023
	8 2			1145				MARKS:
ATEL BE								Callina (Callina)

6-11 J 4

... Wet. 213

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.			Oil o	Oil or Gas Well		
Company Null + Moon	rehead. Gas Co	Casing and Tubing	Used in Drilling	Left in Well	Packers	
Address Hundred		Size				
Farm Jackson Has	futler Hrs	. 16			Kind of Packer	
Well No. 3					Size of	
District Church	County Wetzel				Size of	
Drilling commenced		65%			. Depth set	
Drilling completed	Total Depth 3451	//				
Date shot		3			Perf. top	
Initial Open Flow	/10ths Water inInch	Timen IIn.d			Perf. top	
Open Flow after tubing	/10ths Merc, inIncl	a			Perf. bottom	
Volume	Cu. Ft.	CASING CEME	ENTED	SIZE	No. FT	Date
Rock Pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	D AT	FEETIN	CHES
Fresh water	feetfeet	FE:	ETIN	CHES	FEETIN	CHES
Salt water	feetfeet	FE.	ETIN	F. Commission of the Commissio	The second name of the second na	CHES
Drillers' Names				AR 19	39 1	
				WEST WEST	Man Milles &	
Well Abandoned and Plugged.	, 19			OF OF WAY		
REMARKS: Com	bleterl-w	ill sund	ha san	0/ /08	Chilles	
still has be	ook.				<i>00000</i>	
			De	1	/	••••••
Mar 21 1939			DY	burt	DISTRICT OF THE PROPERTY OF TH	നള

.B-5

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

ermit No. WET-740.			Well No.				
COMPANY Ronal	I E Pront	4	AD	press New)	Freeport	4 Ps.	M tuers
	Hostottle	DISTRIC	T Ch	urch. co	OUNTY /	ettre	(
		ATTENDED TO THE	<u> </u>				
Filling Material Used			482				met.
Liner Lo	ocation	Amount	t B1	Packer	Location	1	A PRINT
PLUGS USED	AND DEPTH PLACED		E	BRIDGES	CASIN	IG AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION	RECOVERED	SIZE	LOST
				720	3		a salahai (
			879				
			5115.7				
						10001	
ne les les les les les les les les les le				ieds to	Hastle :		9197
		10	ialf erankl	ns Water in Inch	I I I		e a conformation
ambat Trail							
				donk ne real en	10	TROUGH IN	
960V 196 60%	E STATE	CHEVERIO	0.08180	19.10			antile
				816	NA.		
51(5) (J.)				vi 18 del - aldii			
11		11		11 -	0	//	
Drillers' Names 11	Earl	Henne	2-7	& Mr. Voy	nes Gis	boms	
Remarks:	<u> </u>	4-4					
itemarks:							
	P.11.	/ .	9,11	0254			
	10110	7 0	q				
11.							
12/6/98.	I hereby certify I	visited the al	bove well o	n this date.	0		
				Ohne a	J. Line	boy	
						TRICT WELL	INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	Part Company	Oil or Gas Well(KIND)				
Company	* Y187303	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
		Size			best lares	aM-pailife
Farm	rools, solome solong	16		nguase	Kind of Pac	ker
The said of the said		13	TG7540	ALIO DEPTH T	GIEU ADUJA	
Well No.	EVOLET VOITADES REITERS	10	3516	-GOOW	_ Size of	намаз
District	County	81/4				
Drilling commenced		65/8			_ Depth set	
Diffing commenced		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	1
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. botton	1
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET	INCI	HES	_FEET	INCHES
Salt water	feetfeet	FEET.	INCI	HES	FEET_	INCHES
D. II , N.						Remarks
Drillers Names				100		
Remarks:						



STATE OF WEST VIRGINIA .

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

MPANY (On 2)	HootoH	le DISTRICT	ADD Ch	ress/lew	COUNTY W	etre	L Valentia
ling Material Used				121212 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			saetbl
ier I	Location	Amount		Packer	Location		No. Co.
PLUGS USE	AND DEPTH PLACED			BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
				3.0	na O		Pri stai
111091-1			AINE S			beauting	
				l depth		Tieteld	noo gaiili
er creation 42149			9	31415	61/18/9203		tork etc
Land Stell		100	ell anemil	AP AP	R 1949		
Seed to the seed of the seed o				0.6	WASHIN S		noquintit
				day of Office	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er tubin	ta wed not
777.779.68	T. SNEZ	CENTRALED	CASING	77 40 CO. FT.	-05/80/6		omitife
				53	11160600	3	nazann Jo
	T. (77.07.7)	Settlement of					
				1			
B	F	14		21	1/ 7	Jue	
lers' Names	2 - 20	1101	1 now	1991	J991	- on e	Toler H
narks:					1 +	,	**
Bis	well	ws-	p.	luggel	78 1C	~	
Mis wrface	20 0	/	11	6411	10,		
urtoca	and co	mysles	read ,				
nelovid							
, ,							
2/1/19	_ I hereby certify I	visited the abo	ove well on	this date.			
DATE				All	· 6	of.	. 0
				Coun	DIS	TRICT WELL	INSPECTOR

Very truly yours,

1 contilled and	Well Operator 023
No objections have been filed by the coal owner or coal operate or property owners or interposed by the Department of Mines to	or, or any available adjacent lease
the plugging and filling of the well above mentioned. Therefore, the	he same is hereby approved this

15th day of November, 1948 ___, 19 ____.

DEPARTMENT OF MINES
Oil and Gas Division

By:					
NOTE: This "work order" shall be filed in triplicate, one copy for the to be approved or corrected and returned to the well operator as his authorithe well inspector.	files of the Department of Mines; one ty for plugging said well; and one for				

MATHEWS PRINTING AND LITHOGRAPHING CO

FORM OG 9



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES, Charleston, W. Va.	ttewolay 5/51'-5165'	g liter
Charleston, W. Va.	toart_taare occin	
Benjamin G. Reeder, Lawver	Ronald ##- E. Brant	s #80 **
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	5-6-6-7
170 Chancery Row	t stone 2433'-2428'	
Morgantown, West Virginia	New Freepotrt. Pa.	5,0111
ADDRESS	COMPLETE ADDRESS	
	1000 - 1000 - 1000 miles	0 0 0
COAL OPERATOR OR COAL OWNER	Nov. 1, towns and towns	19 48
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED	E D Art
. Dovoson al palace as elon i	fin bug 18421 de des misso "	
ADDRESS	Church	District
	Wetzel Sal- and once i	NO CLOSE
	39045'	County
LEASE OR PROPERTY OWNER	Well No. 3 80°20	
	Well No.	
ADDRESS	Jackson Hostuttle	Farm
	1000- V 1000 C 1000	
	Francis - 1000 - 1000 - 1000 - 1000	
Gentlemen:	remove 10" casing ect at 115'	3 3233 6
The undersigned well operator is about to	abandon the above described well and will	commence
ILL NOTIFY INSPECTOR OLIVER W.	LINEBERG WHEN WORK IS TO BEGIN	- 24 HOURS
ADVANCE- TELEPHONE 3967- MORGAN	TOWN, WEST VIRGINIA.	,
the work of plugging and abandoning said we	ll on theday of	, 19,
(which date shall not be less than five days a	fter the day on which this notice so mailed is	received,
or in due course should be received by the De	epartment of Mines.)	
	our respective representatives may be prese	
plugging and filling of said well. You are fur		
represented the undersigned will proceed on	that date, or shortly thereafter, to plug and	d fill said

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the

Very truly yours,

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

WET-740

PERMIT NUMBER

reverse side of this notice, in "Work Order."

FORM OG-8

Benjamin G. Reeder, Lavyer
COAL OPERATOR OR OWNER

170 Chancery Row

Morgantown, V. Va.

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION



19 49

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Ronald E. Brant

New Freeport, Pa.

NAME OF WELL OPERATOR

COMPLETE ADDRESS

COAL OPE				WELL AND LO	CATION	
	ERATOR OR OWNER		Chun	WELL AND LO	CATION	District
	ADDRESS				***************************************	District
	STORY THOUGH		Wet	zel		County
LEASE OR	PROPERTY OWNER		Section of S	IGPA .		
			Well N	0		
trislations 100 to amortist ox 100 to 7.0 mores	ADDRESS		Zool	cson Hostuttl	•	
			0.000	FB015 410 B 400 A RP		Farm
STATE INSPECTOR SU	UPERVISING PLU	GGING 01	iver V.	Lineberg		
COLUMN OF THE COLUMN	TROTTE	AFFII	DAVIT	Statement Committee Commit		
STATE OF WEST V	IRGINIA,	ss:		是一种的一块形式。		
County of Wetze	el			tion to	10000000	
Earl Henne				Tames Gibbons		,
being first duly swo	rn according to	law depose	and say th	nat they are experie	enced in the	work of
plugging and filling o	il and gas wells	and were em	nloved by	Ronald B. B.	rant	
well operator, and pa	irticipated in the	work of plu	igging and	filling the above	well, that s	aid work
was commenced on tl	he day of	Movemb	97	, 19.43 , and that t	he well was	s plugged
and filled in the follo				had a character of the second	Alice America	. 38-3
AND OR ZONE RECORD	FILL	ING MATERIAL	-621-7	PLUGS USED		ASING
FORMATION	CONTENT	FROM	то		CSG	CSG
- CAMATION	Clay	3451	3165	SIZE & KIND	PULLED	LEFT IN
Control Name (Section 1997)	Cement	2424	3155	5 crushed s	tone on	cement pl
	Bridge	2680	4424	a namena		
TANKERSON A	Clay	2680	2443	51 crushed s	tone on	cement pl
	Cement	2443	2433			1
772.778.0.1936.683.8	Bridge	5570	- Andrew			
	Clay	2240	1880			•
The state of the s	Cement	1880	1870	# 5* erushed	stone o	n cement
24 E 27 E 27 E 27 E 28 E		the second second				988238 ,
Thought the control		1625				
movement of 15 each	Bridge	1625	1526			Burancon 4
maximum is eas averable leave him to Carrotina con	Bridge C, ay	1625	1536	5 crushed s	tone on	cement pl
maken in 12 es. Skorethe leave his In 1 Over at the course	Bridge C, ay Cement	1625 1536	1536 1526	5* crushed s		
maximum is each average in the control of the contr	Bridge C, ay Cement Bridge	1625	4 806	6 5/8" Csg.	tone on 2350 None	cement pl
TODAY OF THE COLORS	Bridge C, ay Cement Bridge Cement	1625 1536	4 806	5* crushed s 6 5/8* Csg. 5 3/16* Csg.	2350	55
maximum 13 eau averable leave by tol Cast strategy	Bridge C, ay Cement Bridge Cement Clay	1625 1536	1526	6 5/8# Csg. 5 3/16" Csg. 8 2" Csg.	2350 None	55
TORKING IN COLUMN AVER BY A THE STATE OF THE	Bridge C.ay Cement Bridge Cement Clay Cement	1625 1536 1204 1204 1148	1526 1148 1104 1050	6 5/8# Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg.	2350 None 1200	55 None 348 None
COAL SEAMS	Bridge C.ay Cement Bridge Coment Clay Cement Clay	1625 1536 1204 1204 1148 1104	1526 1148 1104	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg.	2350 None 1200	55 None 348 None
COAL SEAMS	Bridge C.ay Cement Bridge Cement Clay Cement Clay Cement	1625 1536 1204 1204 1148 1104 1050	1526 1148 1104 1050 853	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115	None 348 None
E)	Bridge C.ay Cement Bridge Coment Clay Cement Clay	1625 1536 1204 1204 1148 1104 1050 853	1526 1148 1104 1050 853 800	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115	55 None 348 None
E)	Bridge C.ay Cement Bridge Coment Clay Cement Clay Cement Clay Cement	1625 1536 1204 1204 1148 1104 1050 853	1526 1148 1104 1050 853 800 Surface	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115	55 None 348 None
Pittsburgh Mapletown	Bridge C.ay Cement Bridge Coment Clay Cement Clay Cement Clay Cement	1625 1536 1204 1204 1148 1104 1050 853 800 1204	1526 1148 1104 1050 853 800 Surfac	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115 on of Monum	55 None 348 None
E) Pittsburgh E) Mapletown Fairvier	Bridge C.ay Cement Bridge Cement Clay Cement Clay Cement Clay Cement Clay Cement Chay Cement	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853	1526 1148 1104 1050 853 800 Surfac 1148 1050 800	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115	None 345 None
Pittsburgh Mapletown	Bridge C.ay Cement Bridge Cament Clay Cement Clay Cement Clay Cement Clay Cement Clay Cement	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853	1526 1148 1104 1050 853 800 Surfac 1148 1050 800	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115 on of Monum	55 None 348 None
E) E) Apleton and that the work of	Bridge C.ay Cement Bridge Coment Clay Cement Clay Cement Chay Cement Chay Cement Chay Cement Chay Cement The plugging and	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853	1526 1148 1104 1050 853 800 Surfac 1148 1050 800	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115 on of Monum	None 345 None
Pittsburgh E) Apletown and that the work of	Bridge C.ay Cement Bridge Coment Clay Cement Clay Cement Chay Cement Chay Cement Chay Cement Chay Cement The plugging and	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853	1526 1148 1104 1050 853 800 Surfac 1148 1050 800	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115 on of Monum	None 345 None
E) E) Apleton and that the work of	Bridge C.ay Cement Bridge Coment Clay Cement Clay Cement Chay Cement Chay Cement Chay Cement Chay Cement The plugging and	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 253 filling said	1526 1148 1104 1050 853 800 Surface 1148 1050 well was	6 5/8" Csg. 5 3/16" Csg. 8 2" Csg. 10" Csg. DESCRIPTION	2350 None 1200 115 on of Monum	Mone say of
E) E) Apleton and that the work of	Coment Clay Cement Cem	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853 filling said	1526 1148 1104 1050 853 800 Surface 1148 1050 well was	completed on the	2350 None 1200 115 on of Monum	None 345 None
and that the work of	Coment Clay Cement Cem	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853 filling said	1526 1148 1104 1050 853 800 Surface 1148 1050 800 well was	completed on the	2350 None 1200 115 on of Monum	Mone say of
and that the work of	Canana Ca	1625 1536 1204 1204 1148 1104 1050 853 800 1204 1104 853 filling said	1526 1148 1104 1050 853 800 Surface 1148 1050 800 well was	completed on the	2350 None 1200 115 on of Monum	day of 9/22/2023

· E. G. November 3, 1948 Mr. Benjamin G. Reeder, Attorney 170 Chancery Row Morgantown, West Virginia Dear Sir: We are in receipt of a proposed plan of filling and plugging Well No. 3 on the Jackson Hostuttle Tract, Church District, Wetzel County from Mr. Ronald E. Brant, New Preeport, Pennsylvania. A copy of the notice and work order should have been mailed you by the well operator. If there are any objections to the manner of filling and plugging this well, as set out in the work order, please advise this office on or before November 13, 1948. Very truly yours, Secretary OIL AND GAS DIVISION MG:g 09/22/2023

November 28, 1938 Jackson Hostutler Heirs Hundred, West Virginia Gentlemen: A notice of proposed location of Well No. 3 on the Jackson Hostutler Heirs Farm, Church District, Wetzel County, has been received from the Null & Moorhead Gas Company, Hundred, West Virginia. A copy of the notice and location plat should have been mailed you by the well operator. If you have any objections to the proposed location, please file same not later than December 8th. Very truly yours, Secretary OIL AND GAS DIVISION MG/ar 09/22/2023


STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Fresh water feet feet FEET INCHES FEET INCHES Salt water feet feet FEET INCHES FEET INCHES Drillers' Names Completing well well well Abandoned and Plugged 19	Permit No. 42 14 2 13	Oil o	Oil or Gas Well			
Farm Bullon Funtables 16. Kind of Packer. 18. Size of. Size of.	Company Mill of Morreligal				Pac	kers
Well No. 3 District Maddadd County Maddad County Maddadd County Maddad County Madda	Address Hundred Wille	Size				
Well No. 3 District Maddadd County Maddad County Maddadd County Maddad County Madda	Farm Mekson Hustutler	16			Kind of Pac	eker
District Market M	0 3	13				••••••
Drilling commenced Drilling completed Total Depth Salt water feet feet FEET INCHES FEET INCHES Depth set. Depth set. Depth set. Depth set. 5 3/16. 3 Perf. top. Pe	600 10 10 10 10					
Drilling completed	District County County					
Drilling completed	Drilling commenced					
Date shot. Depth of shot. 2. Perf. bottom Initial Open Flow. /10ths Water in. Inch Open Flow after tubing. /10ths Merc. in. Inch Volume. Cu Ft. CASING CEMENTED SIZE No. FT. Date Rock Pressure. lbs. hrs. Oil. bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT FEET INCHES Fresh water. feet feet FEET INCHES FEET INCHES Salt water. feet feet FEET INCHES FEET INCHES Drillers' Names Common for the feet FEET INCHES Well Abandoned and Plugged. 19. REMARKS:	Drilling completedTotal Depth					
Open Flow after tubing. /10ths Merc. inInch Volume	Date shotDepth of shot					
Open Flow after tubing	Initial Open Flow/10ths Water inInch	Liners Used		*	Perf. top	
Volume	Open Flow after tubing/10ths Merc. in Inch.				Perf. bottor	n
Rock Pressure						
Oil		CASING CEMI	ENTED	SIZE	No. FT	Date
Fresh water feet feet FEET INCHES FEET INCHES Salt water feet feet FEET INCHES FEET INCHES Drillers' Names Completed well Well Abandoned and Plugged 19. REMARKS: DATE DATE DISTRICT WELL INSPECTOR	Rock Pressurelbshrs.					•••••••
Salt water feet feet FEET INCHES FEET INCHES Drillers' Names Completed will will be a supplied of the supplin	Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	AT	FEET	INCHES
Drillers' Names Completal—very small gus wells Well Abandoned and Plugged. 19. REMARKS: DISTRICT WELL INSPECTOR	Fresh water feet feet	FE	ETINC	HES	FEET	INCHES
Well Abandoned and Plugged. 19. REMARKS: DISTRICT WELL INSPECTOR	Salt water feet feet	FE	ETINC	HES	FEET	INCHES
REMARKS: JAN 14 1939 DISTRICT WELL INSPECTOR	Drillers' Names Completif - we	y squa	llans	well	2	
REMARKS: JAN 14 1939 DISTRICT WELL INSPECTOR	men not at well	/	0	10	15262128293	037
REMARKS: JAN 14 1939 DISTRICT WELL INSPECTOR	Well Abandanad and Plugged			120	S 1	[5]
Jan 14 1939 John 14 1939 DISTRICT WELL INSPECTOR	The result of th			1930	EB 19 MEM	45
	REMARKS:			100		05)
				/2	1213/4/5	160
	1 Ann 114 1920		Ay	1	4.	
	DATE		Dyl	sur		



Tract Acres Well No. Elevation (SP) Quadrangle County District Ingineer Eng. Reg. No. Date Scale

One 255 Three Mannington, N. C ... Tetzel Church David Teed 233-16-5767 Nov. 7, 1938


1" - 400"

Charleston

WELL LOCATION MAP

09/22/2023

File No. Wet - Z/



COMPANY Null & Moorhead Gas
ADDRESS Hundred, W.Va.
FARM Heirs of Jackson
Hostuttle
TRACT ONE ACTES 255
WELL No. 3 Location
QUADRANGLE Mannington, N. C.
COUNTY Wetgel
DISTRICT Church
ENGINEER David Weed
REGISTERTION No. 233-16-5767
DATE November 7-1938.
SCALE Linch = 400 feet,


STATE OF WEST VIRGINIA

DEPARTMENT OF MINES
OIL & GAS DIVISION
09/22/2023

CHARLESTON

WELL LOCATION MAP

FILE NO. Web-2/3



Date 10-9-1948 Scale /" = 800'

Drawing No.

Denotes one inch spaces on border line of original tracing.