

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Okey L Rice
COAL OPERATOR OR COAL OWNER
New Martinsville, W. Va.
R. D. # 2 ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

*No coal in this territory
of minable thickness*
COAL OPERATOR OR COAL OWNER
ADDRESS

W Paul Bros
NAME OF WELL OPERATOR
783 5th St
New Martinsville, W. Va
COMPLETE ADDRESS

Aug 2 19*40*
PROPOSED LOCATION

Green & Elsworth District

Wetzel County
39° 35'

Well No. *1* *80° 45'*

Okey L Rice Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated *May 10th* 1940, made by *Okey L Rice*, to

W Paul Bros, and recorded on the *27* day

of *July* 1940, in the office of the *Wetzel* County Clerk for said County in

Book *34 A*, page *72*

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address *territory* before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

W Paul Bros
WELL OPERATOR
783 5th St

Address
of
Well Operator }

New Martinsville
CITY OR TOWN

W. Va.
STATE

09/22/2023



*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

A-11

File
wet. 241

New Martinsville W Va Sep. 27, 40
West Virginia Dept of Mines
Dear Sirs.

I have no objections to
well being drilled on my
Farm by C. B. Smith
please grant him permit

Very Respy

O. L. Rice



A-10

August 6, 1940

Mr. Okey L. Rice
R. F. D. No. 2
New Martinsville, W. Va.

Dear Sir:

A notice of proposed location of Well No. 1 on the Okey L. Rice Farm, Green District, Wetzel County, has been received from Rawe Brothers, New Martinsville, West Virginia. A copy of the notice and location plat should have been mailed you by the well operator.

If you have any objections to the proposed location, please file same not later than August 16, 1940.

Very truly yours,

Secretary
OIL AND GAS DIVISION

MG/am

09/22/2023

A-12

August 16, 1940

Dave Brothers
783 - 5th Street
New Martinsville, W. Va.

Gentlemen:

Permit WBT-241 to drill Well No. 1 on the
Okey L. Rice Farm, Green District, Wetsel County, is
enclosed.

Duplicate permit shall be posted on the rig.

When the well is completed, please file complete
record on the enclosed forms OO-10.

Very truly yours,

Secretary
OIL AND GAS DIVISION

ED/am
enc-4

Lat 39d-35'
Long 90d-45'

09/22/2023

B-2

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			860	890			
Lime			890	914			
Sand			914	940			
Slate			940	946			
R R			946	954			
Slate			954	990			
Sand			990	1000			
Slate			1000 ϕ	1013			
Lime			1013	1060			
Slate			1060	1150			
Gritty Lime			1150	1165			
Slate			1165	1187			
R.R.			1187	1196			
Lime			1196	1202			
R R			1202	1220			
Slate			1220	1263			
Lime			1263	1273			
Slate			1273	1336			
Lime			1336	1350			
Sand L. D.			1350	1408			
Slate & pink rock			1408	1419			
Lime or B.D.			1419	1427			
Slate			1427	1478			
Lime			1478	1492			
Slate			1492	1530			
Sand			1530	1570			
Lime			1570	1608			
Sand			1608	1638			
Shale			1638	1735			
Salt sand			1735	1755			
Slate & lime			1755	1770			
Salt sand			1770	1910			Show of gas 1808 - 1810
Shale			1910	1975			
Lime			1975	1980			
Slate			1980	1985			
Maxton sand		very hard	1985	2000			
Slate & lime			2000	2028			
Little lime			2028	2036			
Pencil wave			2036	2039			
Big lime			2039	2100			
Big Ingun sand			2100	2100			
		Soft	2100	2105			
		Hard	2105	2115			
		Gritty lime	2115	2129			
		Hard	2120	2133			
		Soft	2133	2140			1/2 bbl salt water per Hr
		Hard	2140	2157			
		Soft	2157	2164			
		Hard	2164	2170			
		Break	2170	2183			
		Hard	2183	2200			
		Soft	2200	2210			
		Hard	2210	2219			
		Firm	2219	2226			
		Hard	2226	2247			
			Total depth 2247				

Case 1185-1196
caved 1215

1428'-8 1/4"

2065'-6 5/8"

09/22/2023

Date Sept 3. 40. 194

APPROVED *Paul E. Brown* Owner
By *T. C. Payne (Partner)* (Title)

New Martinsville
B-1

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Wet-241

Oil or Gas Well Dry
(KIND)

Company Rawe Bros
 Address New Martinsville, W. Va.
 Farm Okey L. Rice Acres 80
 Location (waters) Middle fork run
 Well No. 1 Elev. 1144
 District Green County Wetzel
 The surface of tract is owned in fee by Okey L. Rice
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced Aug 5.40.
 Drilling completed Sept 3.40.
 Date shot _____ Depth of shot _____
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs _____ hrs.
 Oil Dry _____ bbls., 1st 24 hrs.
 Fresh water 90' feet _____ feet
 Salt water 1/2 bbl per hr feet 2133 - 2140 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16 con	14	14	Kind of Packer
13			
10	265	265	Size of
8 1/4	1428	1428	
6 5/8	2065	2065	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT no Pgh coal FEET _____ INCHES
 FEET _____ INCHES _____ FEET _____ INCHES
 FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	12			
Sand			12	25			
R R			25	80			
Slate			80	110			
R R			110	120			
Slate			120	130			
R.R.			130	140			
Slate			140	150			
R. R.			150	165			
Slate			165	212			
Lime			212	222			
R R			222	235			
Sand			235	242			
Slate			242	258			
Lime			258	275			
Slate			275	285			
R R			285	290			
Lime			290	305			
Slate			305	310			
Lime			310	340			
R R			340	360			
Lime			360	375			
R R			375	400			
Slate			400	425			
R R			425	435			
Lime			435	453			
Slate			453	460			
Lime			460	466			
R R			466	478			
Slate			478	505			
R R			505	510			
Slate			510	518/545			
R.R			545	580			
Slate			580	618			
Lime			618	655			
R R			655	690			
Lime			690	740			
R R			740	748			
Slate			748	782			
Sand			782	795			
Slate			795	840			
Lime			840	860			

265' - 10"

Caved 350-360



09/22/2023

B-9

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Fill red clay 2247 - 2160. set 6 5/8 wood plug 2160-2155. cement 2155 -2145. pull 65/8 casing fill 2145-2- 1980. Cement 1980- 1970. fill 1970- 1760. set 8 1/4 wood plug 1760 1755. Cement 1755- 1745. Bridge 1492 and fill to 1450..set 8 1/4 wood plug 1450-1445. Cement 1445 to 1435. Pull 8 1/4 casing and fill as we pull 1435-1340. Bridge ~~300/111/1111//~~ 1013 and fill to 940. Cement 940 - 932. Bridge 300 and fill to 285. set 10# wood plug, and cement to 270. Pull 10" casing and fill to 5' . cement 5' to surface . and erect Marker.

NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY--APPROXIMATELY FIVE GAL WATER TO ONE SACK CEMENT. ALLOW CEMENT TO SET BEFORE CONTINUING FILLING.

District: Green
County: Wetzel
Well No: 1
Name: GREY, J. RICE

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Rawe Bros,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 6th day

of September, 19 40

DEPARTMENT OF MINES
Oil and Gas Division 09/22/2023

By:

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Okey L. Rice

COAL OPERATOR OR COAL OWNER

R. D. #2

New Martinsville, W. Va.

ADDRESS

Rawe Bros

NAME OF WELL OPERATOR

New Martinsville, W. Va.

COMPLETE ADDRESS

No coal operator

COAL OPERATOR OR COAL OWNER

ADDRESS

Okey L. Rice

LEASE OR PROPERTY OWNER

ADDRESS

Sept 4 / 40. 19

WELL TO BE ABANDONED

Green

District

Wetzel

County

Well No. 1

Okey L. Rice

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 10 day of Sept., 19 40,
(which date shall not be less than five days after the day on which this notice so mailed is received, or in
due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging
and filling of said well. You are further notified that whether you are represented or not represented the
undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner
required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this
notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Rawe Bros

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent
engineer, showing the district and county in which the tract of land is located, the name and acreage of same,
the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined
by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall
be submitted with this notice.

(Over)

Attd-241

PERMIT NUMBER

WET-241-P

09/22/2023



B-10

FORM G-8

AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

Okey L. Rice
 R. D. # 2 LOCAL OPERATOR OR OWNER
New Martinsville, W. Va.
 ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

Rawe Bros
 NAME OF WELL OPERATOR
New Martinsville, W., Va.
 COMPLETE ADDRESS

Oct 8. 40. 19
 WELL AND LOCATION

Green District

Wetzel County

Well No. 1

Tract 1 40 acres Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, }
COUNTY OF Wetzel } SS:

T. C. Rawe and Wayne Rawe
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Rawe Bros, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 9 day of Sept, 1940, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

Filled red clay 2247 to 2160 set wood plug 2160 to 2155 cement 2155 to 2145, Parted 6 5/8 casing at 1705 and left in 365 Ft. Filled insid 6 5/8 casing 2145 to 1705 and filled 8 1/4 hole 1705 to 1660. set wood plug 1660 to 1655. cement 1655 to 1645. Bridged 1500 and filled 1500 to 1450, set wood plug and cement 1450 to 1435. Unable to pull 8 1/4 casing from 1428. filled to 1435 and shot off at 1430, 1320 and 1230 and 1100. pulled casing from this point. bridged on top of casing left in hole or 1100 and filled to 940. cement 940 to 930. Bridged 315 and filled to 285 set 10" wood plug and cement to 270. pulled 10" casing and filled 270 tp 5'. Cemented 5' to surface and erected marker 24"x 24 ".

No Pittsburg coalin well.

Description of monument:

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 23 day of September, 1940

And further deponents saith not.



Sworn to and subscribed before me this 8 day of October, 1940

My Commission expires:

Jan 10, 1946.

T. C. Rawe
Wayne Rawe 09/22/2023
Carl P. Blat
 Notary Public.

Wet-241-P

