

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES, Charleston, W. Va.

Roosevelt Coal Company,

COAL OPERATOR OR COAL OWNER

Westinghouse Bldg., Pittsburgh, Pa.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

OWNER OF MINERAL RIGHTS

ADDRESS

THE MANUFACTURERS LIGHT & HEAT COMPANY

NAME OF WELL OPERATOR

800 Union Trust Bldg., Pittsburgh, Pa.

COMPLETE ADDRESS

May 19th, 1941, 193

PROPOSED LOCATION

Proctor District

Wetzel County

Well No. 2 - 3602 38° 45' 80° 40'

Henry Hohman Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated

November 19th, 1937

, made by Henry Hohman, et al, to

The Manufacturers Light & Heat Company, and recorded on the 14th day

of December, 1937, in the office of the County Clerk for said County in

Book O&G 32-A, page 249

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address this day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours, THE MANUFACTURERS LIGHT & HEAT CO.,

Land Dept. WELL OPERATOR Office Manager

800 Union Trust Building

STREET

Pittsburgh

CITY OR TOWN

Pennsylvania

STATE

10/13/2023



Address of Well Operator

\*Section 3... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 3, CHAPTER 88, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES  
Charleston, W. Va.

Roosevelt Coal Company,

COAL OPERATOR OR COAL OWNER

THE MANUFACTURERS LIGHT & HEAT COMPANY

NAME OF WELL OPERATOR

Westinghouse Bldg., Pittsburgh, Pa.

ADDRESS

800 Union Trust Bldg., Pittsburgh, Pa.

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

PROPOSED LOCATION

May 19th, 1937

1937

ADDRESS

Proctor

District

OWNER OF MINERAL RIGHTS

Wetzel

County

28° 45'

Well No 2 - 3605

28° 45'

ADDRESS

Henry Hohman

Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas having fee title thereto, (or as the case may be) under grant or lease dated

November 19th, 1937, made by Henry Hohman, et al

The Manufacturers Light & Heat Company and recorded on the 14th day

of December, 1937, in the office of the County Clerk for said County in

Book 086 32-A, page 514

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)  
Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective addresses this day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours, THE MANUFACTURERS LIGHT & HEAT CO.,

Land Dept. Well Operator Office Manager

800 Union Trust Building

STREET

Pittsburgh

CITY OR TOWN

Pennsylvania

STATE

Address of Well Operator



10/13/2023

\*Section 3 of said Act provides that if no such objection be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found there by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



A-10

May 30, 1941

The Manufacturers Light & Heat Company  
800 Union Trust Building  
Pittsburgh, Pennsylvania

Gentlemen:

Permit WET-255 to drill Well No. 2-3602 on the  
Henry Hochman Farm, Proctor District, Wetzel County, is  
enclosed.

Duplicate permit shall be posted on the rig.

When the well is completed, please file com-  
plete record on the enclosed forms OG-10.

Very truly yours,

Secretary  
OIL AND GAS DIVISION

MG/am  
enc-4

Lat 36d-45'  
Long 80d-40'

10/13/2023







STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. WET 255

Oil or Gas Well Dry Hole  
(KIND)

Company The Manufacturers Light & Heat Co.  
Address 800 Union Trust Building, Pittsburgh, Pa.  
Farm Henry Hohman Acres 187  
Location (waters) \_\_\_\_\_  
Well No. 2 - 3602 Elev. 1100  
District Proctor County Wetzel  
The surface of tract is owned in fee by Henry Hohman  
Address Bebee, W. Va.  
Mineral rights are owned by The Mfrs Light & Heat Co.,  
800 Union Trust Bldg. Address Pittsburgh, Pa.  
Drilling commenced June 5, 1941  
Drilling completed Aug. 4, 1941  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10	308		Size of
8 1/4	1301		
6 5/8	2067		Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 915 FEET 24 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay, Slate, Lime & Rock			0	290	Water at 90 ft.		
Sand			290	318	<i>308' - 10"</i>		
Lime			318	330			
Sand			330	353			
Slate, Lime, Rock, Shale			353	810			
Mapletown Coal			810	810	None		
Slate, Lime, Rock			810	915			
Pittsburgh Coal			915	917			
Slate, Lime, Rock			917	1265	<i>1301' - 8 1/4"</i>		
Sand			1265	1330	Water at 1320		
Slate & Shale			1330	1340			
Sand			1340	1351			
Shale, Lime, Rock			1351	1400			
Big Dunkard			1400	1415			
Slate & Lime			1415	1490			
1st Salt Sand			1490	1530			
Shale & Lime			1530	1628			
Second Salt Sand			1628	1690	Water at 1680		
Slate, Shells & Lime			1690	1756			
Sand			1756	1776			
Slate, Shells, Lime			1776	1996			
Blue Monday			1996	2019			
Big Lime			2019	2065	<i>2067' - 6 7/8"</i>		
Big Injun			2065	2325	Little water at 2085		
Slate, Lime & Shells			2325	2680			
30-Foot Lime			2680	2696			
Slate & Lime			2696	2878			
50-Foot Sand			2878	2892			
Slate			2892	2920			
Gordon Sand			2920	2942			
Slate			2942	3001			
Total depth				3001			

10/13/2023



B-9

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Total Depth	3001	
Clay	3001 - 2920	
Wood Plug	2920 - 2917	
Cement	2917 - 2907	
Clay	2907 - 2878	
Wood Plug	2878 - 2875	
Bridge at	2340	
Clay	2340 - 2065	
Wood Plug	2065 - 2062	
Cement	2062 - 2052	Lift 6 5/8" Casing
Bridge at	1695	
Clay	1695 - 1628	
Bridge at	1425	
Clay	1425 - 1400	
Wood Plug	1400 - 1397	Lift 8 1/4" Casing
Bridge at	950	
Cement	950 - 895	Sealing Pittsburgh Coal. 30' below to 20' above
Bridge at	845	Bridges not permitted above coal seams.
<del>Cement</del>	<del>845 - 790</del>	
Clay	790 to Surface	895' - 318' - 10' below 10" casing.
		Wood Plug 318' - 315'

Erect Monument as per Rule #18, giving 1 sack cement on plug.

name of operator, farm name, well no. Pull 10" casing and  
and date abandoned. Fill with red clay to surface.

NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY--APPROXIMATELY FIVE GAL WATER TO ONE SACK CEMENT. ALLOW CEMENT TO SET BEFORE CONTINUING FILLING.

NOTE: CHANGES IN THE ABOVE WORK ORDER CAN BE GRANTED ONLY BY THE DEPARTMENT OF MINES, CHARLESTON, W. VA.

To the Department of Mines  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

THE MANUFACTURERS LIGHT & HEAT COMPANY,

*H. H. Howler*  
Land Dept. Office Manager Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 20th day

of August, 1941

DEPARTMENT OF MINES 10/13/2023  
Oil and Gas Division

By: .....

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



B-8

FORM OG-9

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Roosevelt Coal Company

COAL OPERATOR OR COAL OWNER

904 Diamond Bank Bldg., Pittsburgh, Pa.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

The Manufacturers Light & Heat Company  
CUMBERLAND & PENNSYLVANIA COMPANY

NAME OF WELL OPERATOR  
800 Union Trust Building

Pittsburgh, Penn, a

COMPLETE ADDRESS

August 19th, 1941

19

WELL TO BE ABANDONED

Proctor

District

Wetzel

County

Well No. 3602

Henry Holman

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 25th day of August, 1941, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,


THE MANUFACTURERS LIGHT & HEAT COMPANY,

*H. H. Fowler*  
Land Department Office Mgr Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and address of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

WET 255-P PERMIT NUMBER



10/13/2023



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*Production*

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Roosevelt Coal Company  
COAL OPERATOR OR OWNER  
904 Diamond Bank Bldg., Pittsburgh, Pa.  
ADDRESS  
COAL OPERATOR OR OWNER  
ADDRESS  
LEASE OR PROPERTY OWNER  
ADDRESS

The Manufacturers Light & Heat Company  
NAME OF WELL OPERATOR  
800 Union Trust Building,  
Pittsburgh Pa.  
COMPLETE ADDRESS  
October 16th 1941 19  
WELL AND LOCATION  
Proctor District  
Wetzel County  
Well No. 3602  
Henry Holman Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Wetzel } SS:

C. P. Postlethwait and E. D. Rawe  
being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by The Manufacturers Light & Heat Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

26th day of August, 1941, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD FORMATION	FILLING MATERIAL			PLUGS USED SIZE & KIND	CASING	
	CONTENT	FROM	TO		CSG PULLED	CSG LEFT IN
	Clay	3001	2920		10"	None
	Wood plug	2920	2917	6 5/8" wood	308'-0"	None
	Cement	2917	2907			
	Clay	2907	2878		8 1/4"	
	Wood plug	2878	2875	6 5/8" wood	1301'-6"	None
	Bridged @	2310				
	Clay	2310	2065			
	Wood plug	2065	2062	6 5/8" wood	6 5/8"	
	Cement	2062	2052		10"	
	Bridged @	1695			2067'-3"	None
	Clay	1695	1628			
	Bridged @	1425				
	Clay	1425	1400			
	Wood plug	1400	1397	8 3/4" Wood		
	Bridged @	950				
	Cement	950	895			
	Wood plug	895	318			
	Clay	318	315	10" Wood		
	1 - Sack cement on plug	315				
	Clay	315	to surface			
COAL SEAMS	DESCRIPTION OF MONUMENT					
(NAME) <u>Pitts. Coal</u>	Cement	950	895	Erected as per rule # 18		
(NAME) <u>Mapletown coal</u>	Cement	845	790			
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the 5th day of September, 1941

And further deponents saith not.

C. P. Postlethwait 10/13/2023  
E. D. Rawe  
Notary Public.

Sworn to and subscribed before me this 10 day of October, 1941

My commission expires:

Feb 4<sup>th</sup> - 1946


PERMIT No. WV-255-0











COAL OWNED BY ROOSEVELT COAL CO.

- New Location..
- Drill Deeper.....
- Abandonment.....

Company THE MANUFACTURERS LIGHT AND HEAT CO.  
 Address 800 UNION TRUST BLD'G PITTSBURGH PA.  
 Farm HENRY HOHMAN ET AL.  
 Tract \_\_\_\_\_ Acres 187 Lease No. 18598  
 Well (Farm) No. 2 Serial No. 3602  
 Elevation (Spirit Level) 1100'  
 Quadrangle LITTLETON  
 County WETZEL District PROCTOR  
 Engineer Donald K. Bell  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. Y-10-118  
 Date MAY 15 1941 Scale 1"=1000'

**STATE OF WEST VIRGINIA**  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 File No. WET-255 10/13/2023

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.